xxx xxx Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price Le	vel				
	PRL-28D	SD PRL-28D (EFF:MY25 ORDERS)			
Data Ver	sion				
	DRL-038	SPECPRO21 DATA RELEASE VER 038			
Vehicle (Configuratio	n			
	001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	
(004-225	2025 MODEL YEAR SPECIFIED			
(002-004	SET BACK AXLE - TRUCK	480	-480	
(019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
(003-001	LH PRIMARY STEERING LOCATION			
General	Service				
	AA1-002	TRUCK CONFIGURATION			
ı	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
,	99D-025	NON DIESEL VEHICLES ONLY - EPA BUT NOT CARB CERTIFIED, FOR REGISTRATION OUTSIDE CALIFORNIA AND CARB OPT-IN STATES			
	AF2-998	NONE			
	A85-011	CONSTRUCTION SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-003	DRY BULK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
ı	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear	
995-1AE	FREIGHTLINER LEVEL II WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 16000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 39000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			
AF3-1W0	HENDERSON			
Engine				
101-3FM	CUM L9N 320 HP @ 2000 RPM, 2200 GOV, N- GAS, 1000 LB-FT @ 1300 RPM, HHD	-850	-70	
Electronic Param	eters			
79A-075	75 MPH ROAD SPEED LIMIT			
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
80G-002	PTO MINIMUM RPM - 700			
80V-100	PTO MODE SPEED CONTROL ACTIVATION REQUEST FOR REMOTE ENGINE INTERFACE			
Engine Equipme	nt			
99C-024	EPA 2010/GHG 2024 CONFIGURATION			
13E-001	STANDARD OIL PAN			
105-001	ENGINE MOUNTED OIL CHECK AND FILL			
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			
124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
290-017	BATTERY BOX FRAME MOUNTED			
281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Data Code	Description	Weight Front	Weight Rear	
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-998	NO RETARDER/ENGINE BRAKE			
016-103	SINGLE HORIZONTAL RH CATALYST WITH CAB MOUNTED VERTICAL TAILPIPE	-160	-80	
28F-100	CUSTOM AFTERTREATMENT WIRING			
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237-1CH	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED UNDER FRAME			
23U-998	NO DIESEL EXHAUST FLUID TANK	-60	-35	
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-017	CUMMINS SUPPLIED FLEETGUARD COALESCING FILTER (LOW PRESSURE) CNG			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		
103-037	ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-35		

Transmission



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
Transmission Equ			

Data Code	Description	FIOIIL	Real	
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Transmission Equip	ment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
84B-002	ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES			
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Deceription	Weight Front	Weight Rear
345-078	Description HEAVY DUTY ELECTRONIC TRANSMISSION	FIOIIL	Real
343-076	SHIFT CONTROL, COLUMN MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	-15	
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equ	ipment		
400-1A9	DETROIT DA-F-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	STANDARD KING PIN BUSHINGS		
536-012	TRW TAS-85 POWER STEERING	40	
539-003	POWER STEERING PUMP		
534-003	4 QUART POWER STEERING RESERVOIR	5	
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE		
Front Suspension			
620-026	16,000# TAPERLEAF FRONT SUSPENSION	200	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equi	pment		
420-1GK	DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE		-2,430
421-456	4.56 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES		



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear	
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
87B-025	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5PMPH OR LESS, DISENGAGE W/IGN OFF			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10	
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-1DF	30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		240	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
Pusher / Tag Equip	ment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			



Prepared for: xxx xxx

Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear	
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			
460-007	ALUMINUM AIR BRAKE RESERVOIRS	-15	-15	
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
485-001	EXTERNAL CHARGING GLADHAND	5		
Trailer Connections				
481-998	NO TRAILER AIR HOSE			
476-998	NO AIR HOSE HANGER			
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			
919-068	(6) QUICKFIT PROGRAMMABLE SOLENOIDS W/STATE RETENTION PLUMBED TO BACK OF CAB			
296-026	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
310-998	NO TRAILER ELECTRICAL CABLE			
Wheelbase & Frame				
545-447	4475MM (176 INCH) WHEELBASE			
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	180	180	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 110.63 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 85.04 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 269.29 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 77.01 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 78.01 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			



Prepared for: xxx xxx

Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104

		Weight	Weight	
Data Code	Description	Front	Rear	
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment				
556-1E7	14 INCH PAINTED STEEL SEVERE DUTY BUMPER	125	-15	
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME	15		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
585-998	NO MUDFLAP BRACKETS			
590-998	NO REAR MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			
Fifth Wheel				
578-998	NO FIFTH WHEEL			
Fuel Tanks				
204-998	NO LH FUEL TANK	-85	-20	
230-087	60 DIESEL GALLON EQUIVALENT (DGE) COMPRESSED NATURAL GAS (CNG) FUEL TANKS STACKED BACK OF CAB, 4X16 INCHES DIAMETER, 4TH GENERATION, TYPE 3 CYLINDERS	600	450	
231-008	STACKED TRANSVERSE MOUNTING BACK OF CAB FOR CNG TANKS WITH PAINTED SHIELDING			
664-001	PLAIN STEP FINISH			
205-063	LH CNG NGV1 STANDARD FILL RECEPTACLE AND DUST CAPS WITH ADDITIONAL HIGH FLOW AND DEFUELER RECEPTACLES			
220-803	COOLANT HOSES ONLY ROUTED TO BACK OF CAB FOR CUSTOMER INSTALLED NATURAL GAS FUEL HEAT	5		
122-998	NO FUEL/WATER SEPARATOR			
216-059	SINGLE CNG FUEL LINE WITH IN-LINE SOLENOID SHUTOFF VALVE AND PRESSURE REGULATOR			



Columbus, OH 43215 Phone: 614 645 6104

	Data Code	Description	Weight Front	Weight Rear	
	202-020	STAINLESS STEEL AND SYNTHETIC RUBBER FLEXIBLE FUEL LINES - NATURAL GAS SERVICE			
Tires					
	093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
	094-12V	CONTINENTAL HDR2+ 11R22.5 16 PLY RADIAL REAR TIRES		92	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	S				
	502-664	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44		
	505-766	ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-124	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	cterior				
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-008	AIR CAB MOUNTING			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	667-037	SHORT FENDER WITH MUDFLAP			
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		
	678-001	LH AND RH GRAB HANDLES			
	646-041	STATIONARY BLACK GRILLE			
	65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		
	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			
	726-001	SINGLE ELECTRIC HORN			
	728-001	SINGLE HORN SHIELD			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS		
302-047	LED AERODYNAMIC MARKER LIGHTS		
314-823	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH SINGLE CONNECTION AT LH FORWARD		
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD		
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		
647-001	WHITE WINTERFRONT	2	
Cab Interior			
055-019	RUGGED TRIM PACKAGE		
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		



Columbus, OH 43215 Phone: 614 645 6104

Data Code	Description	Weight Front	Weight Rear	
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-029	M2/SD DASH			
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		
71T-002	METHANE DETECTION SYSTEM WITH (1) SENSOR IN CAB AND (1) SENSOR IN ENGINE COMPARTMENT	10		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10	
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-1AK	BLACK VINYL DRIVER SEAT COVER			
761-1AK	BLACK VINYL PASSENGER SEAT COVER			
763-102	HIGH VISIBILITY ORANGE SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

			Mainh.	Mainh.	
	Data Code	Description	Weight Front	Weight Rear	
	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instru	ments & Con	trols			
	4CH-008	8 EXTRA PROGRAMMABLE SWITCHES/INDICATORS			
	106-002	ELECTRONIC ACCELERATOR CONTROL			
	732-998	NO INSTRUMENT PANEL-DRIVER			
	734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			
	87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
	870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
	198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			
	721-001	97 DB BACKUP ALARM		3	
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
	844-027	AGILITY BLUE IQ FUEL GAUGE - 4TH GEN PROCAB SYSTEMS FMM CONTROLLERS			
	148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			
	48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			
	48C-006	QUICKFIT PROGRAMMABLE INTERFACE CONNECTORS 1 & 2 BETWEEN SEATS WITH BLUNTCUTS			



ENGINE REMOTE INTERFACE CONNECTOR AT

POWERTRAIN INTERFACE CONNECTOR

163-014

Columbus, OH 43215 Phone: 614 645 6104

		Weight	Weight
 Data Code	Description	Front	Rear
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
736-998	NO OBSTACLE DETECTION SYSTEM		
72J-998	NO DR ASSIST SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
72K-998	NO REVERSE PROXIMITY SENSOR		
679-998	NO OVERHEAD INSTRUMENT PANEL		
35M-012	QUICKFIT PROGRAMMABLE INTERFACE MODULE + (8) 20 AMP FUSED RELAYS		
746-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
749-998	NO CB RADIO MOUNTING PROVISION		
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		



Columbus, OH 43215 Phone: 614 645 6104

	5		Weight	Weight
	Data Code	Description	Front	Rear
	329-113	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, CAPPED		
	4C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	4C2-005	HARDWIRE SWITCH #2,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	4C3-005	HARDWIRE SWITCH #3,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	4C4-005	HARDWIRE SWITCH #4,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-028	TRAILER HAND CONTROL BRAKE VALVE AND WINCH BRAKE (APPLIES 45 PSI AIR TO STEER AXLE SERVICE BRAKES WHEN PARKED)		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
	87T-998	NO WRG/SW-OPTL #2,CHAS,AIR		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-40D	CAB COLOR A: CUSTOM YELLOW ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	98K-5A1	PAINT-FUEL CABINET: L0001EY BLACK ELITE EY		
	964-020	STANDARD BLACK BUMPER PAINT		
	963-003	STANDARD E COAT/UNDERCOATING		
Certific	ation / Comp	liance		



XXX XXX Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104

Prepared by: Jonah Schneider **FYDA FREIGHTLINER** COLUMBUS, INC 2700 NE PLAIN CITY -GEORGESVILLE RD WEST JEFFERSON, OH 43162 Phone: 6148510002

Weight Weight **Data Code** Description Front Rear

U.S. FMVSS CERTIFICATION, EXCEPT SALES 996-001

CABS AND GLIDER KITS

TOTAL VEHICLE SUMMARY

Weight Summary					
	Weight	Weight	Total		
	Front	Rear	Weight		
Factory Weight ⁺	8766 lbs	4182 lbs	12948 lbs		
Total Weight ⁺	8766 lbs	4182 lbs	12948 lbs		

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



⁽⁺⁾ Weights shown are estimates only.

xxx xxx Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

QUOTATION

114SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9N 320 HP @ 2000 RPM, 2200 GOV, N-GAS, 1000 LB-FT @ 1300 RPM, HHD

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE

30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

DETROIT DA-F-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 16,000# TAPERLEAF FRONT SUSPENSION

114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4475MM (176 INCH) WHEELBASE

NO FIFTH WHEEL

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1600MM (63 INCH) REAR FRAME OVERHANG

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

			PER UNIT	TOTAL
VEHICLE PRICE TO	OTAL # OF UNITS (2)	\$	259,243	\$ 518,486
EXTENDED WARRANTY		\$	0	\$ 0
DEALER INSTALLED OPTIONS		\$	0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$	259,243	\$ 518,486
TAXES AND FEES				
TAXES AND FEES		\$	0	\$ 0
OTHER CHARGES		\$	0	\$ 0
TRADE-IN				
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE (LOCAL CURRENCY)	\$	259,243	\$ 518,486
COMMENTS:				
Projected delivery on / provided the orde	r is received before _	//	·	
APPROVAL:				
Please indicate your acceptance of this quotation by sig	gning below:			
Customer: X	Date:/	/		



xxx xxx Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

