

DESCRIPTION OF SUB AREA “A” SINGLE FAMILY

Situated in the State of Ohio, County of Franklin, Townships of Washington and Brown, being located in Virginia Military Survey Numbers 1618 and 7693, Virginia Military District, being part of that 150.040 acre tract described in deeds to **Abbasi Farms, Ltd.**, of record in **Instrument Number 201111180151008** and **Official Record 271, Page 2197** (Madison County Recorder’s), and being part of that 44.80 acre tract described in a deed to **Gale E. Martin and Robert D. Martin**, of record in **Instrument Numbers 201112210166388** and **201112210166389**, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, unless noted otherwise, and being further bounded and described as follows;

BEGINNING at a point being a northwest corner of said 44.80 acre tract, being a southeast corner of that 102.750 acre tract described in deeds to Makapa LLC, of record in Instrument Number 201905140056262 and Official Record 350 Page 1927 (Madison County Recorder’s), and being on the common line for Virginia Military Survey Numbers 1618 and 7693;

Thence **North 33 degrees 36 minutes 25 seconds West**, along a south line of said 44.80 acre tract, along a south line of said 150.040 acre tract, along the north line of said 102.750 acre tract, a distance **of 894.58 feet** to a point on the common line between Franklin County and Madison County;

Thence across said 150.040 acre tract and across said 44.80 acre tract for the following thirty-three (33) described courses:

1. **North 04 degrees 03 minutes 21 seconds East**, along the common line between Franklin County and Madison County, a distance of **2285.17 feet** to a point;
2. **South 47 degrees 07 minutes 11 seconds East**, a distance of **963.92 feet** to a point of curvature;
3. Along the arc of a curve to the right, said curve having a radius of **505.00 feet**, a central angle of **37 degrees 37 minutes 31 seconds**, and an arc length of **331.63 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 28 degrees 18 minutes 26 seconds East** and a length of **325.70 feet**;
4. **South 09 degrees 29 minutes 40 seconds East**, a distance of **227.61 feet** to a point of curvature;
5. Along the arc of a curve to the left, said curve having a radius of **450.00 feet**, a central angle of **05 degrees 04 minutes 24 seconds**, and an arc length of **39.85 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **South 12 degrees 01 minute 52 seconds East** and a length of **39.83 feet**;
6. **South 75 degrees 25 minutes 56 seconds West**, a distance of **125.00 feet** to a point on a curve;
7. Along the arc of a curve to the left, said curve having a radius of **575.00 feet**, a central angle of **22 degrees 52 minutes 32 seconds**, and an arc length of **229.57 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **South 26 degrees 00 minutes 20 seconds East** and a length of **228.05 feet**;
8. **North 52 degrees 33 minutes 24 seconds East**, a distance of **125.00 feet** to a point on a curve;

9. Along the arc of a curve to the left, said curve having a radius of **450.00 feet**, a central angle of **32 degrees 31 minutes 28 seconds**, and an arc length of **255.45 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **South 53 degrees 42 minutes 20 seconds East** and a length of **252.03 feet**;
10. **South 67 degrees 45 minutes 38 seconds East**, a distance of **253.06 feet** to a point;
11. **South 66 degrees 04 minutes 17 seconds East**, a distance of **44.24 feet** to a point;
12. **South 25 degrees 37 minutes 05 seconds West**, along the proposed right-of-way line, a distance of **300.33 feet** to a point on a curve;
13. Along the arc of a curve to the left, said curve having a radius of **450.00 feet**, a central angle of **03 degrees 22 minutes 44 seconds**, and an arc length of **26.54 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 66 degrees 04 minutes 17 seconds West** and a length of **26.53 feet**;
14. **North 67 degrees 45 minutes 38 seconds West**, a distance of **270.39 feet** to a point of curvature;
15. Along the arc of a curve to the right, said curve having a radius of **750.00 feet**, a central angle of **33 degrees 09 minutes 52 seconds**, and an arc length of **434.12 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **North 51 degrees 10 minutes 42 seconds West** and a length of **428.09 feet**;
16. **South 67 degrees 02 minutes 46 seconds West**, a distance of **187.21 feet** to a point on a curve;
17. Along the arc of a non-tangent curve to the right, said curve having a radius of **300.00 feet**, a central angle of **27 degrees 02 minutes 06 seconds**, and an arc length of **141.56 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 80 degrees 32 minutes 29 seconds West** and a length of **140.25 feet**;
18. **North 85 degrees 56 minutes 18 seconds West**, a distance of **127.93 feet** to a point of curvature;
19. Along the arc of a curve to the left, said curve having a radius of **100.00 feet**, a central angle of **90 degrees 00 minutes 00 seconds**, and an arc length of **157.08 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 49 degrees 03 minutes 42 seconds West** and a length of **141.42 feet**;
20. **South 04 degrees 03 minutes 42 seconds West**, a distance of **285.40 feet** to a point;
21. **South 08 degrees 17 minutes 25 seconds East**, a distance of **46.75 feet** to a point;
22. **South 04 degrees 03 minutes 42 seconds West**, a distance of **164.45 feet** to the point;
23. **South 33 degrees 30 minutes 43 seconds East**, a distance of **398.92 feet** to a point;
24. **South 56 degrees 29 minutes 17 seconds West**, a distance of **125.00 feet** to a point on the proposed east right-of-way line;

25. **South 33 degrees 30 minutes 43 seconds East**, along the proposed east right-of-way line, a distance of **309.28 feet** to a point of curvature;
26. Along the arc of a curve to the right, continuing along the proposed east right-of-way line said curve having a radius of **285.00 feet**, a central angle of **33 degrees 49 minutes 50 seconds**, and an arc length of **168.28 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 16 degrees 35 minutes 48 seconds East** and a length of **165.85 feet**;
27. **South 00 degrees 19 minutes 06 seconds West**, continuing along the proposed east right-of-way line, a distance of **316.94 feet** to a point of curvature;
28. Along the arc of a curve to the left, continuing along the proposed east right-of-way line, said curve having a radius of **16.00 feet**, a central angle of **90 degrees 05 minutes 05 seconds**, and an arc length of **25.16 feet** to the intersection of said proposed east right-of-way line with the proposed north right-of-way line, said curve being subtended by a long chord having a bearing of **South 44 degrees 43 minutes 26 seconds East** and a length of **22.64 feet**;
29. **North 89 degrees 45 minutes 59 seconds West**, along said proposed north right-of-way line, a distance of **92.01 feet** to the intersection of said proposed north right-of-way line with the proposed west right-of-way line;
30. Along the arc of a curve to the left, along said proposed west right-of-way line, said curve having a radius of **16.00 feet**, a central angle of **89 degrees 55 minutes 16 seconds**, and an arc length of **25.11 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 45 degrees 16 minutes 24 seconds East** and a length of **22.61 feet**;
31. **North 00 degrees 18 minutes 46 seconds East**, continuing along said proposed west right-of-way line, a distance of **62.24 feet** to a point;
32. **North 00 degrees 19 minutes 18 seconds East**, continuing along said proposed west right-of-way line, a distance of **240.94 feet** to a point;
33. **North 89 degrees 27 minutes 29 seconds West**, a distance of **95.06 feet** to the **POINT OF BEGINNING** for this description.

The above description contains a total of **39.531 acres** of which:

- 11.150 acres are located within Franklin County Auditor's Parcel Number 560-333701,
- 24.250 acres are located within Franklin County Auditor's Parcel Number 125-333697,
- 4.131 acres are located within Franklin County Auditor's Parcel Number 125-333698.

Bearings described hereon are based on Grid North, referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (2011 Adjustment), as established utilizing a GPS survey and an NGS OPUS solution.

This description is intended for zoning purposes only and does not represent an actual boundary description.

DESCRIPTION OF SUB AREA B1 TOWNHOMES

Situated in the State of Ohio, County of Franklin, Township of Brown, being located in Virginia Military Survey Numbers 1618 and 7693, Virginia Military District, being part of that 150.040 acre tract described in deeds to **Abbasi Farms, Ltd.**, of record in **Instrument Number 201111180151008** and **Official Record 271, Page 2197** (Madison County Recorder's), and being part of that 44.80 acre tract described in deeds to **Gale E. Martin and Robert D. Martin**, of record in **Instrument Numbers 201112210166388** and **201112210166389**, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, unless noted otherwise, and being further bounded and described as follows;

Commencing for reference at a point being a southwest corner of said 150.040 acre tract, being a northeast corner of said 44.80 acre tract, being on the north line of that 102.750 acre tract described in deeds to Makapa LLC, of record in Instrument Number 201905140056262 and Official Record 350 Page 1927 (Madison County Recorder's);

Thence **North 74 degrees 56 minutes 50 seconds East**, along a south line of said 150.040 tract, along the north line of said 44.80 acre tract, a distance of **327.61 feet** to a point being the **TRUE POINT OF BEGINNING** for this description;

Thence across said 150.040 acre tract and across said 44.80 acre tract for the following twenty-eight (28) described courses:

1. **North 33 degrees 30 minutes 43 seconds West**, a distance of **190.92 feet** to a point;
2. **North 04 degrees 03 minutes 42 seconds East**, a distance of **164.45 feet** to a point;
3. **North 08 degrees 17 minutes 25 seconds West**, a distance of **46.75 feet** to a point;
4. **North 04 degrees 03 minutes 42 seconds East**, a distance of **285.40 feet** to a point of curvature;
5. Along the arc of a curve to the right, said curve having a radius of **100.00 feet**, a central angle of **90 degrees 00 minutes 00 seconds**, and an arc length of **157.08 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 49 degrees 03 minutes 42 seconds East** and a length of **141.42 feet**;
6. **South 85 degrees 56 minutes 18 seconds East**, a distance of **127.93 feet** to a point of curvature;
7. Along the arc of a curve to the left, said curve having a radius of **300.00 feet**, a central angle of **27 degrees 02 minutes 06 seconds**, and an arc length of **141.56 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **North 80 degrees 32 minutes 39 seconds East** and a length of **140.25 feet**;
8. **North 67 degrees 02 minutes 46 seconds East**, a distance of **187.21 feet** to a point on a curve;
9. Along the arc of a curve to the left, said curve having a radius of **750.00 feet**, a central angle of **33 degrees 09 minutes 52 seconds**, and an arc length of **434.12 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 51 degrees 10 minutes 42 seconds East** and a length of **428.09 feet**;
10. **South 67 degrees 45 minutes 38 seconds East**, a distance of **270.39 feet** to a point of curvature;

11. Along the arc of a curve to the right, said curve having a radius of **450.00 feet**, a central angle of **03 degrees 22 minutes 44 seconds**, and an arc length of **26.54 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **South 66 degrees 04 minutes 17 seconds East** and a length of **26.53 feet**;
12. **North 25 degrees 37 minutes 05 seconds East**, a distance of **125.00 feet** to a point being the southwest corner of the proposed right-of-way;
13. Along the arc of a curve to the right, along the proposed south right-of-way, said curve having a radius of **575.00 feet**, a central angle of **17 degrees 24 minutes 18 seconds**, and an arc length of **174.67 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 55 degrees 40 minutes 46 seconds East** and a length of **174.00 feet**;
14. **South 46 degrees 58 minutes 37 second East**, along the proposed south right-of-way, a distance of **115.06 feet** to a point of curvature;
15. Along the arc of a curve to the right, continuing along the proposed south right-of-way, said curve having a radius of **11.00 feet**, a central angle of **89 degrees 59 minutes 52 seconds**, and an arc length of **17.28 feet** to the intersection of said proposed south right-of-way with the proposed west right-of-way, said curve being subtended by a long chord having a bearing of **South 01 degrees 58 minutes 41 seconds East** and a length of **15.56 feet**;
16. **South 43 degrees 01 minute 15 seconds West**, along the proposed west right-of-way, a distance of **141.46 feet** to a point of curvature;
17. Along the arc of a curve to the left, continuing along the proposed west right-of-way, said curve having a radius of **1040.00 feet**, a central angle of **08 degrees 43 minutes 45 seconds**, and an arc length of **158.45 feet** to a point, said curve being subtended by a long chord having a bearing of **South 38 degrees 39 minutes 23 seconds West** and a length of **158.29 feet**;
18. **North 46 degrees 58 minutes 45 seconds West**, a distance of **95.05 feet** to a point;
19. **North 89 degrees 47 minutes 33 seconds West**, a distance of **82.69 feet** to a point;
20. **North 67 degrees 37 minutes 03 seconds West**, a distance of **407.99 feet** to a point;
21. **North 87 degrees 53 minutes 22 seconds West**, a distance of **165.31 feet** to a point;
22. **South 00 degrees 16 minutes 30 seconds West**, a distance of **903.08 feet** to a point on a curve;
23. Along the arc of a curve to the left, said curve having a radius of **250.00 feet**, a central angle of **55 degrees 57 minutes 39 seconds**, and an arc length of **244.17 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 87 degrees 40 minutes 48 seconds West** and a length of **234.58 feet**;
24. **South 64 degrees 20 minutes 23 seconds West**, a distance of **29.09 feet** to a point on a curve;

25. Along the arc of a curve to the left, along the proposed east right-of-way, said curve having a radius of **285.00 feet**, a central angle of **07 degrees 43 minutes 52 seconds**, and an arc length of **38.46 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 29 degrees 38 minutes 47 seconds West** and a length of **38.43 feet**;
26. **North 33 degrees 30 minutes 43 seconds West**, continuing along the proposed east right-of-way, a distance of **309.28 feet** to a point;
27. **North 56 degrees 29 minutes 17 seconds East**, a distance of **125.00 feet** to a point;
28. **North 33 degrees 30 minutes 43 seconds West**, a distance of **208.00 feet** to the **TRUE POINT OF BEGINNING** for this description.

The above description contains a total of **19.759 acres** of which:

14.525 acres are located within Franklin County Auditor's Parcel Number 125-333697,

5.234 acres are located within Franklin County Auditor's Parcel Number 125-333698.

Bearings described hereon are based on Grid North, referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (2011 Adjustment), as established utilizing a GPS survey and an NGS OPUS solution.

This description is intended for zoning purposes only and does not represent an actual boundary description.

DESCRIPTION OF SUB AREA B2 TOWNHOMES

Situated in the State of Ohio, County of Franklin, Township of Brown, being located in Virginia Military Survey Number 7693, Virginia Military District, being part of that 150.040 acre tract described in deeds to **Abbasi Farms, Ltd.**, of record in **Instrument Number 201111180151008** and **Official Record 271, Page 2197** (Madison County Recorder's), and being part of that 44.80 acre tract described in a deed to **Gale E. Martin and Robert D. Martin**, of record in **Instrument Numbers 201112210166388** and **201112210166389**, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, unless noted otherwise, and being further bounded and described as follows;

BEGINNING at a point being the northeast corner of said 150.040 acre tract, being the northwest corner of that tract described in deeds to Aristotle L. Hutras and Beth R. Hutras, of record in Official Record 2829 A16 and Official Record 5415 A06, and being on the south line of that 34.118 acre tract described in deeds to Columbus and Franklin County Metropolitan Park District, of record in Instrument Number 200004030063910 and Official Record 109, Page 784 (Madison County Recorder's);

Thence **South 16 degrees 33 minutes 10 seconds West**, along the east line of said 150.040 acre tract, along the west line of said tract described to Aristotle L. Hutras and Beth R. Hutras, a distance of **554.25 feet** to a point;

Thence **South 14 degrees 29 minutes 00 degrees West**, continuing along the east line of said 150.040 acre tract, continuing along the west line of said tract described to Aristotle L. Hutras and Beth R. Hutras, a distance of **57.31 feet** to a point on the proposed right-of-way;

Thence across said 150.040 acre tract and across said 44.80 acre tract for the following five (5) described courses:

1. **North 88 degrees 59 minutes 50 seconds West**, along the proposed right-of-way, a distance of **774.71 feet** to a point;
2. **North 89 degrees 43 minutes 29 seconds West**, along the proposed right-of-way, a distance of **341.98 feet** to a point;
3. **North 00 degrees 20 minutes 48 seconds East**, a distance of **280.36 feet** to a point;
4. **North 40 degrees 16 minutes 30 seconds East**, a distance of **658.47 feet** to a point on a curve;
5. Along the arc of a curve to the left, said curve having a radius of **420.59 feet**, a central angle of **88 degrees 45 minutes 52 seconds**, and an arc length of **651.58 feet** to a point of non-tangency being on the north line of said 150.040 acre tract, being on the south line of said 34.118 acre tract, said curve being subtended by a long chord having a bearing of **North 85 degrees 50 minutes 51 seconds East** and a length of **588.35 feet**;

Thence **South 47 degrees 15 minutes 42 seconds East**, along the north line of said 150.040 acre tract, along the south line of said 34.118 acre tract, a distance of **373.93 feet** to the **POINT OF BEGINNING** for this description.

The above description contains a total of **18.362 acres** of which:

16.682 acres is located within Franklin County Auditor's Parcel Number 125-333697,

1.680 acres is located within Franklin County Auditor's Parcel Number 125-333698.

Bearings described hereon are based on Grid North, referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (2011 Adjustment), as established utilizing a GPS survey and an NGS OPUS solution.

This description is intended for zoning purposes only and does not represent an actual boundary description.

DESCRIPTION OF SUB AREA C1 MULTI-FAMILY

Situated in the State of Ohio, County of Franklin, Township of Brown, being located in Virginia Military Survey Numbers 1618 and 7693, Virginia Military District, being part of that 150.040 acre tract described in deeds to **Abbasi Farms, Ltd.**, of record in **Instrument Number 201111180151008** and **Official Record 271, Page 2197** (Madison County Recorder's), and being part of that 44.80 acre tract described in a deed to **Gale E. Martin and Robert D. Martin**, of record in **Instrument Numbers 201112210166388** and **201112210166389**, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, unless noted otherwise, and being further bounded and described as follows;

Commencing for reference at a point being a northwest corner of said 44.80 acre tract, being a southeast corner of that 102.750 acre tract described in deeds to Makapa LLC, of record in Instrument Number 201905140056262 and Official Record 350 Page 1927 (Madison County Recorder's), and being on the common line for Virginia Military Survey Numbers 1618 and 7693;

Thence **South 03 degrees 48 minutes 24 seconds East**, along the west line of said 44.80 acre tract, along the east line of said 102.750 acre tract, a distance of **87.26 feet** to a point on the proposed north right-of-way line;

Thence across said 44.80 acre tract and across said 150.040 acre tract for the following fifteen (15) described courses:

1. **South 89 degrees 45 minutes 59 seconds East**, along said proposed north right-of-way line, a distance of **1222.33 feet** to the intersection of said proposed north right-of-way line with the proposed west right-of-way line;
2. **North 56 degrees 03 minutes 28 seconds East**, along said proposed west right-of-way line, a distance of **36.04 feet** to a point;
3. **North 11 degrees 03 minutes 28 seconds East**, continuing along said proposed west right-of-way line, a distance of **47.85 feet** to a point;
4. **North 00 degrees 22 minutes 28 seconds East**, continuing along said proposed west right-of-way line, a distance of **212.76 feet** to a point and being the **TRUE POINT OF BEGINNING** for this description;
5. **North 89 degrees 45 minutes 59 seconds West**, a distance of **197.59 feet** to a point of curvature;
6. Along the arc of a curve to the right, said curve having a radius of **250.00 feet**, a central angle of **38 degrees 50 minutes 18 seconds**, and an arc length of **169.46 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **North 70 degrees 20 minutes 49 seconds West** and a length of **166.24 feet**;
7. **North 50 degrees 55 minutes 40 seconds West**, a distance of **168.46 feet** to a point of curvature;
8. Along the arc of a curve to the left, said curve having a radius of **250.00 feet**, a central angle of **08 degrees 46 minutes 18 seconds**, and an arc length of **38.27 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **North 55 degrees 18 minutes 49 seconds West** and a length of **38.24 feet**;
9. **North 00 degrees 16 minutes 30 seconds East**, a distance of **903.08 feet** to a point;

10. **South 87 degrees 53 minutes 22 seconds East**, a distance of **165.31 feet** to a point;
11. **South 67 degrees 37 minutes 03 seconds East**, a distance of **407.99 feet** to a point;
12. **South 89 degrees 47 minutes 33 seconds East**, a distance of **82.69 feet** to a point;
13. **South 46 degrees 58 minutes 45 seconds East**, a distance of **95.05 feet** to a point on a curve being on the proposed west right-of-way line;
14. Along the arc of a curve to the left, along said proposed west right-of-way, said curve having a radius of **1040.00 feet**, a central angle of **33 degrees 55 minutes 02 seconds**, and an arc length of **615.65 feet** to a point of tangency, said curve being subtended by a long chord having a bearing of **South 17 degrees 19 minutes 59 seconds West** and a length of **606.70 feet**;
15. **South 00 degrees 22 minutes 28 seconds West**, continuing along said proposed west right-of-way, a distance of **281.99 feet** to the **TRUE POINT OF BEGINNING** for this description.

The above description contains a total of **12.732 acres** of which:

1.602 acres are located within Franklin County Auditor's Parcel Number 125-333697,

11.130 acres are located within Franklin County Auditor's Parcel Number 125-333698.

Bearings described hereon are based on Grid North, referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (2011 Adjustment), as established utilizing a GPS survey and an NGS OPUS solution.

This description is intended for zoning purposes only and does not represent an actual boundary description.

DESCRIPTION OF SUB AREA C2 MULTI-FAMILY

Situated in the State of Ohio, County of Franklin, Township of Brown, being located in Virginia Military Survey Numbers 1618 and 7693, Virginia Military District, being part of that 150.040 acre tract described in deeds to **Abbasi Farms, Ltd.**, of record in **Instrument Number 201111180151008** and **Official Record 271, Page 2197** (Madison County Recorder's), and being part of that 44.80 acre tract described in a deed to **Gale E. Martin and Robert D. Martin**, of record in **Instrument Numbers 201112210166388** and **201112210166389**, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, unless noted otherwise, and being further bounded and described as follows;

Commencing for reference at a point being the northeast corner of said 150.040 acre tract, being the northwest corner of that tract described in deeds to Aristotle L. Hutras and Beth R. Hutras, of record in Official Record 2829 A16 and Official Record 5415 A06, and being on the south line of that 34.118 acre tract described in deeds to Columbus and Franklin County Metropolitan Park District, of record in Instrument Number 200004030063910 and Official Record 109, Page 784 (Madison County Recorder's);

Thence **North 47 degrees 15 minutes 42 seconds West**, along the north line of said 150.040 acre tract, along the south line of said 34.118 acre tract, a distance of **373.93 feet** to a point on a curve;

Thence across said 150.040 acre tract and across said 44.80 acre tract for the following eight (8) described courses:

1. Along the arc of a curve to the right, said curve having a radius of **420.59 feet**, a central angle of **88 degrees 45 minutes 52 seconds**, and an arc length of **651.58 feet** to a point of non-tangency and being the **TRUE POINT OF BEGINNING** for this description, said curve being subtended by a long chord having a bearing of **South 85 degrees 50 minutes 51 degrees West** and a length of **588.35 feet**;
2. **South 40 degrees 16 minutes 30 seconds West**, a distance of **658.47 feet** to a point;
3. **North 89 degrees 45 minutes 59 seconds West**, a distance of **459.82 feet** to a point on the proposed east right-of-way;
4. **North 00 degrees 22 minutes 28 seconds East**, along the proposed east right-of-way, a distance of **281.79 feet** to a point of curvature;
5. Along the arc of a curve to the right, continuing along the proposed east right-of-way, said curve having a radius of **960.00 feet**, a central angle of **42 degrees 38 minutes 55 seconds**, and an arc length of **714.59 feet** to a point of non-tangency, said curve being subtended by a long chord having a bearing of **North 21 degrees 41 minutes 56 seconds East** and a length of **698.20 feet**;
6. **North 43 degrees 01 minute 15 seconds East**, continuing along the proposed east right-of-way a distance of **177.41 feet** to a point;
7. **South 46 degrees 58 minutes 45 seconds East**, a distance of **67.30 feet** to a point;
8. **South 63 degrees 52 minutes 04 seconds East**, a distance of **343.46 feet** to a point on a curve;

9. Along the arc of a curve to the left, said curve having a radius of **420.59 feet**, a central angle of **55 degrees 25 minutes 25 seconds** and an arc length of **406.84 feet** to the **TRUE POINT OF BEGINNING** for this description, said curve being subtended by a long chord having a bearing of **South 22 degrees 03 minutes 30 seconds East** and a length of **391.17 feet**.



The above description contains a total of **14.468 acres** of which:

8.911 acres is located within Franklin County Auditor's Parcel Number 125-333697,

5.557 acres is located within Franklin County Auditor's Parcel Number 125-333698.

Bearings described hereon are based on Grid North, referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (2011 Adjustment), as established utilizing a GPS survey and an NGS OPUS solution.

This description is intended for zoning purposes only and does not represent an actual boundary description.



1 of 2



2550 Corporate Exchange Dr., Ste 300 | Columbus, Ohio 43260
TEL 614.901.2235 | FAX 614.901.2236
www.structurepoint.com

PREPARED FOR:
SPK GROUP,
LLC

DATE:	06/25/2025
DRAWN BY:	MLW
CHECKED BY:	MLW
JOB NUMBER:	2023.03331

SUB AREA B2 TOWNHOMES

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L1	57.31	S14°29'00"W		C1	66.158	420.68	088°55'52"
L2	77.671	N89°59'59"W					588.35
L3	341.96	N89°43'29"W					N85°05'11"E
L4	258.35	N69°29'48"E					
L5	668.47	N49°16'30"E					
L7	373.58	S49°15'42"E					
L8	564.28	S16°33'10"W					

SUB AREA D3 COMMERCIAL

Line Table			
Line #	Length	Direction	
L9	483.74	N89°43'29"W	
L10	38.75	N89°39'19"W	
L11	68.04	N14°04'57"W	
L12	194.11	N07°22'29"E	
L13	489.82	S89°46'09"E	
L14	280.38	S07°20'39"W	

SUB AREA C2 MULTI-FAMILY

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L15	658.47	S20°16'50"W		C2	468.84	420.68	059°23'25"
L16	483.82	N89°43'59"W		C3	714.597	960.00	042°39'55"
L17	201.79	N00°22'28"E					688.40
L18	177.14	N43°01'15"E					N27°41'59"E
L19	67.20	S49°36'46"E					
L20	340.48	S09°02'04"E					

SUB AREA D4 COMMERCIAL

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L21	248.64	N47°01'15"E		C4	150.37	420.68	070°38'46"
L22	311.31	S83°02'04"E					148.57
L23	152.06	S38°07'48"W					S17°53'39"W
L24	341.46	N07°52'04"W					
L26	67.20	N49°51'45"W					

SUB AREA D1 COMMERCIAL

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L47	248.64	S07°19'19"W		C11	26.11	14.00	089°59'16"
L48	42.34	S07°18'49"W					22.61
L50	428.34	N89°46'59"W					S45°16'24"W
L51	87.26	N89°46'29"W					
L52	431.89	N47°38'37"E					
L53	95.56	S89°27'29"E					

SUB AREA E1 OPEN SPACE

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L27	81.61	S47°15'42"E		C5	128.75	420.68	044°00'11"
L31	31.31	N82°50'04"W					83.86
L32	123.56	N43°01'15"E					N66°12'04"W
L33	217.22	S47°15'42"E					
L34	4.18	S89°23'37"W					

SUB AREA D2 COMMERCIAL

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L35	47.85	S11°03'28"W		C7	25.16	14.00	080°05'05"
L36	36.04	S89°46'39"W		C8	123.82	288.00	026°05'57"
L37	689.88	N89°46'59"W		C9	282.45	250.00	084°43'57"
L39	315.84	N07°19'05"E		C10	159.46	250.00	039°59'16"
L41	29.09	N44°20'23"E					148.24
L43	198.48	S89°45'49"E					
L45	197.59	S89°45'59"E					
L46	212.74	S07°22'29"W					

SUB AREA A SINGLE-FAMILY

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L34	124.00	S17°03'59"W		C12	229.57	575.00	027°25'32"
L36	124.00	N27°33'24"E		C13	256.45	480.00	032°19'28"
L38	263.00	S67°46'38"E		C14	26.84	480.00	007°25'44"
L39	442.4	S89°04'17"E		C15	434.12	750.00	037°03'52"
L40	300.33	S25°17'59"W		C16	141.95	300.00	027°45'08"
L42	271.33	N07°48'39"W		C17	151.98	100.00	090°00'00"
L44	189.21	S67°02'48"W		C18	168.38	288.00	037°40'50"
L46	127.93	N89°56'18"W					163.85
L48	285.40	S54°03'42"W					S16°53'48"E
L49	46.75	S89°17'25"E					
L71	164.45	S54°03'42"W					
L72	125.00	S89°23'17"W					
L73	300.30	S37°30'43"E					
L81	200.04	N07°18'18"E					
L82	96.06	N89°27'29"W					
L83	664.56	N53°38'25"W					
L84	2286.17	N44°03'21"E					
L85	963.32	S47°07'11"E					

SUB AREA B1 TOWNHOMES

Line Table				Curve Table			
Line #	Length	Direction		Curve #	Length	Radius	Data
L37	270.38	S87°46'39"E		C30	26.54	480.00	003°22'44"
L39	125.00	N05°07'05"E		C31	174.67	575.00	017°24'18"
L40	115.06	S46°26'37"E					174.00
L43	141.46	S45°07'13"W		C32	112.92	11.00	089°39'52"
L45	95.05	N46°58'45"W					15.56
L46	82.89	N89°47'33"W		C33	192.45	1040.00	008°34'45"
L48	62.89	N89°47'33"W		C34	244.17	250.00	065°59'39"
L49	407.89	N87°53'03"W		C35	38.48	288.00	007°43'52"
L50	166.31	N87°53'22"W		C36	157.08	100.00	080°00'00"
L51	28.09	S84°29'23"W		C37	141.58	300.00	027°02'08"
L53	300.38	N53°39'43"W					140.25
L54	125.00	N49°29'17"E					488.09
L55	288.00	N23°39'43"W					S51°17'42"E
L57	176.67	N89°46'39"E					
L59	125.00	N05°07'05"E					
L60	166.31	N87°53'03"W					
L61	28.09	S84°29'23"W					
L62	300.38	N53°39'43"W					
L63	125.00	N49°29'17"E					
L64	288.00	N23°39'43"W					
L65	176.67	N89°46'39"E					
L66	125.00	N05°07'05"E					
L67	166.31	N87°53'03"W					
L68	28.09	S84°29'23"W					
L69	300.38	N53°39'43"W					
L70	125.00	N49°29'17"E					
L71	288.00	N23°39'43"W					
L72	176.67	N89°46'39"E					
L73	125.00	N05°07'05"E					
L74	166.31	N87°53'03"W					
L75	28.09	S84°29'23"W					
L76	300.38	N53°39'43"W					
L77	125.00	N49°29'17"E					
L78	288.00	N23°39'43"W					
L79	176.67	N89°46'39"E					
L80	125.00	N05°07'05"E					
L81	166.31	N87°53'03"W					
L82	28.09	S84°29'23"W					
L83	300.38	N53°39'43"W					
L84	125.00	N49°29'17"E					
L85	288.00	N23°39'43"W					
L86	176.67	N89°46'39"E					
L87	125.00	N05°07'05"E					
L88	166.31	N87°53'03"W					
L89	28.09	S84°29'23"W					
L90	300.38	N53°39'43"W					
L91	125.00	N49°29'17"E					
L92	288.00	N23°39'43"W					
L93	176.67	N89°46'39"E					
L94	125.00	N05°07'05"E					
L95	166.31	N87°53'03"W					
L96	28.09	S84°29'23"W					
L97	300.38	N53°39'43"W					
L98	125.00	N49°29'17"E					
L99	288.00	N23°39'43"W					
L100	176.67	N89°46'39"E					
L101	125.00	N05°07'05"E					
L102	166.31	N87°53'03"W					
L103	28.09	S84°29'23"W					
L104	300.38	N53°39'43"W					
L105	125.00	N49°29'17"E					
L106	288.00	N23°39'43"W					
L107	176.67	N89°46'39"E					
L108	125.00	N05°07'05"E					
L109	166.31	N87°53'03"W					
L110	28.09	S84°29'23"W					
L111	300.38	N53°39'43"W					
L112	125.00	N49°29'17"E					
L113	288.00	N23°39'43"W					
L114	176.67	N89°46'39"E					
L115	125.00	N05°07'05"E					
L116	166.31	N87°53'03"W					
L117	28.09	S84°29'23"W					
L118	300.38	N53°39'43"W					
L119	125.00	N49°29'17"E					
L120	288.00	N23°39'43"W					
L121	176.67	N89°46'39"E					
L122	125.00	N05°07'05"E					
L123	166.31	N87°53'03"W					
L124	28.09	S84°29'23"W					
L125	300.38	N53°39'43"W					
L126	125.00	N49°29'17"E					
L127	288.00	N23°39'43"W					
L128	176.67	N89°46'39"E					
L129	125.00	N05°07'05"E					
L130	166.31	N87°53'03"W					
L131	28.09	S84°29'23"W					
L132	300.38	N53°39'43"W					
L133	125.00	N49°29'17"E					
L134	288.00	N23°39'43"W					
L135	176.67	N89°46'39"E					
L136	125.00	N05°07'05"E					
L137	166.31	N87°53'03"W					
L138	28.09	S84°29'23"W					
L139	300.38	N53°39'43"W					
L140	125.00	N49°29'17"E					
L141	288.00	N23°39'43"W					
L142	176.67	N89°46'39"E					
L143	125.00	N05°07'05"E					
L144	166.31	N87°53'03"W					
L145	28.09	S84°29'23"W					
L146	300.38	N53°39'43"W					
L147	60.83	N04°03'21"E					

SUB AREA C1 MULTI-FAMILY

Line Table			Curve Table			
Line #	Length	Direction	Curve #	Length	Radius	Bearing
L89	281.99	S07°22'28"W	C24	615.65	1040.00	037°50'02"
L90	197.59	N89°46'59"W	C27	169.46	250.00	038°00'18"
L91	168.48	N89°46'59"W				164.54
L92	300.38	N07°	C29	38.27	250.00	038°00'18"
L93	166.31	S07°03'22"E				N65°16'43"W
L94	407.89	S07°03'21"E				
L95	588.47	S89°43'13"E				
L96	945.65	S89°50'45"E				