CITY OF COLUMBUS BID WAIVER INFORMATION FORM

TO ACCOMPANY LEGISLATION WHICH WAIVES ANY PROVISIONS OF COLUMBUS CITY CODES CHAPTER 329 (PLEASE LIMIT YOUR RESPONSE TO THIS SHEET)

1. Reason	s for waiving City Code bid procedure:
	emergency breakdown causing unplanned need
	item to be purchased is of a perishable nature
	need to extend and existing contract
	there is not enough time to obtain formal bids to satisfy need
	non-price error on either the bidder's or the City's part in the bid proposal
	a new law or regulation requires immediate compliance
X	other Item was formally bid, but bids received were non-responsive. Re-evaluated bids on informal basis, and can go with lowest responsible bidder. Not enough time to re-bid since this was only in the 2003 Budget.
2. Detailed	d explanation of reason (must be completed by division):
and it is impo on an inform on a specific	r was formally bid against SA000568, but the bids received were non-responsive. Item was only budgeted for 2003 ossible to formally re-bid this again prior to the close of the fiscal year. The Division of Water reconsidered the bids all basis. The lowest bidder did not specify the exact type of sterilizer they were bidding and omitted a check-mark ration. We have received documentation that they are bidding the exact sterilizer that we specified and that the sk- mark was an oversight on their part.
3. Informa	al procedure used: this laboratory sterilizer was formally bid against SA000568.
	telephone quotations
	written quotations
	negotiations
	al bids received and prices for each: These workstations were formally bid against SA000568. The quotes are elow. You will note that Getinge USA submitted two bids, from separate agents of the company.
	VWR Scientific \$40,973.00 Getinge USA \$41,061.00 Getinge USA \$41,391.00
 If lowest bid was not accepted, explain criteria for award: We would like to contract with the lowest bidder, VWR Scientific, for a total of \$40,973.00. 	
APPROVED	
	(Authorized Signature)