0.669 acres

(SEE LEGAL DESCRIPTION ATTACHED HERETO AS EXHIBIT "A" AND MADE A PART HEREOF)



2740 East Main Street Bexley, Ohio 43209-2577 (614) 235-8677 Telefax 235-4569

EXHIBIT A

January 28, 2003 Revised 2-24-03

0.798 Acres
-0.129 Acres
-0.669 Acres

Situated in the State of Ohio, County of Franklin, City of Columbus, being a part of Section 4, Township 5, Range 22, Refugee Lands, and being a part of the 10,359 Acre tract conveyed to Pennsylvania Railroad Holding Company as shown of record in Instrument Number 200203140066627, all records being of the Recorder's Office, Franklin County, Ohio, and being more particularly described as follows:

Beginning at a found iron pin at the southeast corner of First Avenue as shown on the Plat of Dedication of First Avenue as recorded in Plat Book 5, Page 446, and being in the west line of said 10.359 Acre tract also being the northeast corner of a 25.407 Acre tract conveyed to Waterford L.P. as shown of record in Instrument Number 200203140066621;

Thence, along the east terminus of First Avenue and the east line of a 1.322 Acre tract conveyed to 350 East First Avenue Ltd. as shown of record in Instrument Number 200009050178047 and part of the east line of a 9.071 Acre tract conveyed to Colpark Associates, L.P. as shown of record in Instrument Number 200012080249090 and along part of the west line of said 10.359 Acre tract, North 00 degrees 52 minutes conds East, 376.90 feet to a found iron pin at the northwest corner of said 10.359 Acre tract also in a south line of the Cleveland, Columbus and Cincinnati Railroad tract as shown of record in Deed Book 84, Page 525 (now Consail);

Thence, along the north line of said 10.359 Acre tract, a south line of said Cleveland, Columbus and Cincinnati Railroad tract, South 89 degrees 06 minutes 34 seconds East, 35.34 feet to a found iron pin at the northeast corner of said 10.359 Acre tract;

Thence, along part of the east line of said 10.359 Acre tract and a south line of said Cleveland, Columbus and Cincinnati Railroad tract, along a curve to the left having a radius of 1429.00 feet and a central angle of 04 degrees 32 minutes 26 seconds, South 11 degrees 41 minutes 28 seconds East, 113.22 feet to a found iron pin on the west line of a 0.983 Acre tract ~(O.D.O.T. Parcel No. 3001-WD) conveyed to the State of Ohio, Department of Transportation as shown of record in Instrument number 199707170049041;

Continued...

Page 2

Thence, continuing along part of the east line of said 10.359 Acre tract, along part of the west line of said 0.983 Acre tract, South 00 degrees 52 minutes 58 seconds West, 239.02 feet to a found iron pin;

Thence, continuing along part of the east line of said 10.359 Acre tract, South 86 degrees 34 minutes 53 seconds East, 88.10 feet to a found iron pin;

Thence, continuing along part of the cast line of said 10.359 Acre tract, South 22 degrees 11 minutes 51 seconds East, 101.51 feet to a set iron pin;

Thence, across said 10.359 Acre tract, North 86 degrees 21 minutes 06 seconds West, 188.01 feet to a set iron pin in the west line of said 10.359 Acre tract and in the cast line of said 25.407 Acre tract;

Thence, along part of the west line of said 10.359 Acre tract and part of the west line of said 25.407 Acre tract, North 00 degrees 52 minutes 58 seconds East, 60.84 feet to the Point of Beginning, CONTAINING 0.798 ACRES, excepting from the above described parcel the 0.129 Acre tract conveyed to Columbus Southern Power Company as shown of record in Instrument No. 199708150072400 leaving a net area of 0.669 ACRES said 0.129 Acre tract being further described as follows:

Situated in the State of Ohio, County of Franklin, City of Columbus, being a part of Section 4, Township 5, Range 22, Refugee Lands and being a part of the 10.488 Acre tract conveyed to Penasylvania Railroad Holding Company in Official Record Volume 33954 D-19, Recorder's Office, Franklin County, Ohio, and being more particularly described as follows:

Commencing at a found railroad rail on end at the southeast corner of First Avenue as shown on the plat of The Description of First Avenue as recorded in Plat Book 5, Page 446 and being in the west line of said 10.488 Acre tract;

Thence, along part of the west line of said 10.488 Acre tract North 00 degrees 52 minutes 58 seconds East, 26.67 feet to a point;

Thence, across part of said 10.488 Acre tract, South 86 degree 34 minutes 53 seconds East, 65.53 feet to a found metal fence post and the TRUE POINT OF BEGINNING of the tract herein intended to be described;

Continued...

Page 3

Thence, continuing across part of said 10.488 Acre tract and along the perimeter of a metal fence enclosing an electrical transmission substation-the following four courses:

- South 86 degrees 34 minutes 53 seconds East, 67.48 feet to a found metal fence
- South 22 degrees 30 minutes 27 seconds East, 75.71 feet to a found metal fence post:
- North 86 degrees 21 minutes 06 seconds West, 97.51 feet to a found metal fence post;
- 4) North 00 degrees 49 minutes 21 seconds East, 67.77 feet to the TRUE POINT OF BEGINNING CONTAINING 0.129 Acres (5597 Square Feet) subject however to any rights-of-railroad ownership unknown to the undersigned and any legal casements, leases, agreements, and restrictions of record and of records in the respective utility offices.

Iron pins set are 30" x 1" O.D. with orange plastic caps inscribed "P.S. 6579". Basis of bearings is the Ohio State Plane Coordinate System as shown on the plans for PRA-670-3.93. This description is based on a field survey by Myers Surveying Company, Inc. in May 1996 and January 2003.

Myers Surveying Company, Inc.

Joseph P. Myers, P.S. #7361

PTD/kms (abrams03)

TE OF OHIO

ON JOSEPH

P

MYERS
7381

F

GISTER

F

STONAL THE


5plit 0.699Acres out of (010) 237388

DATE 3/11/03 BY SUBJECT CONDITIONS 151 03330 ALMON CODES
SOLT 619 AC FRAM DARCEL #

DESCRIPTION VERIFIED
DEANC, RINGLE REPS.
HY-FARE ACC.
DATE-LIGHTER SEES

Myers Surveying Company, Inc.

2740 East Main Street, Columbus 43209 (Bexley), Ohio 614-235-8677 FAX: 614-235-4559



set are 30'x1" O.D. with an orange plastic plug inscribed "P.S. 6579", unless otherwise noted. Basis of bearing is the Ohio State Plane Coordinate System as shown

on the plans for FRA 670-3.93

Myers Surveying Co., Inc.