COC T EXHIBIT A

Date 05/27/22 Page 1 of 3
Rev 4-6-22 Plan no. 3820E

PARCEL 26 – T 0.017 ACRES

TEMPORARY CONSTRUCTION EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO CONSTRUCT SIDEWALK AND DRIVE TO GRADE

FOR 24 MONTHS FROM THE DATE OF ENTRY IN THE NAME AND FOR THE USE OF CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO

[Surveyor's description of the premises follows]

Situated in the State of Ohio, County of Franklin, City of Columbus, lying in Half Section 52, Township 12, Range 21, of the Refugee Lands, and being part of a 0.980 acre tract conveyed to Community Housing Intent, Inc. (hereinafter referred to as "Grantor") by deed of record in Instrument Number 22020707009754 (Franklin County Parcel Number 010-118711-00) (all documents referenced herein are from the Franklin County Recorder's Office), and being more particularly described as follows:

BEGIN FOR REFERENCE at a concrete monument with an aluminum cap labeled "Frank 144" located along I-70 and the entrance ramp for James Road;

Thence South 68° 13' 01" East a distance of 3871.42 feet to a 1 inch Rebar set at the centerline right-of-way intersection of Petzinger Road (Station 37+02.68) and Courtright Road (Station 41+62.20);

Thence South 04° 29' 48" West a distance of 351.83 feet along centerline of Courtright Road (R/W width varies) to a point at centerline Station 38+10.38;

Thence North 85° 28' 51" West a distance of 30.00 feet leaving the centerline across Courtright Road to an iron pin set on the westerly right-of-way line of Courtright Road and the northerly line of a 1.020 acre tract conveyed to Cynthia Ibarra by deed of record in Instrument Number 201308050132320 and the southerly line of the Grantor's 0.980 acre tract, 30.00 feet left of centerline station 38+10.39 and being the **TRUE POINT OF BEGINNING** for the Temporary Easement herein described;

COC TMP EXHIBIT A

Thence North 85° 28' 51" West a distance of 6.00 feet continuing along the line common to the said 0.980 acre tract and the said 1.020 acre tract, 36.00 feet left of the centerline station 38+10.39;

Thence leaving the line common to the 0.980 acre tract and the 1.020 acre tract on the following eight (8) courses across the Grantor's 0.980 acre tract;

- 1. North 04° 29' 48" East a distance of 4.00 feet to a point 36.00 feet left of centerline station 38+14.39;
- 2. North 85° 30' 12" West a distance of 4.00 feet to a point 40.00 feet left of centerline station 38+14.39;
- 3. North 04° 29' 48" East a distance of 30.00 feet to a point 40.00 feet left of centerline station 38+44.39;
- 4. South 85° 30' 12" East a distance of 2.00 feet to a point 38.00 feet left of centerline station 38+44.39;
- 5. North 04° 29' 48" East a distance of 30.00 feet to a point 38.00 feet left of centerline station 38+74.39:
- 6. South 85° 30' 12" East a distance of 2.00 feet to a point 36.00 feet left of centerline station 38+74.39;
- 7. North 04° 29' 48" East a distance of 26.97 feet to a point 36.00 feet left of centerline station 39+01.36:
- 8. South 85° 30' 06" East a distance of 6.00 feet to a point on the westerly right-of-way line of Courtright Road, 30.00 feet left of centerline station 39+01.36;

Thence South 04° 29' 48" West a distance of 90.98 feet continuing along the westerly right-of-way line of Courtright Road to the **TRUE POINT OF BEGINNING**, containing 0.017 acres, more or less, being subject to all easements, restrictions, and right-of-way of record.

This description was prepared by Robert J. Sands, Ohio Professional Survey Number 8053, and is based on a survey conducted by DLZ Ohio, Inc. in 2021 under his direct supervision.

COC TMP EXHIBIT A

The bearings for this description are based on the Ohio State Plane Coordinate System, South Zone, and reference the North American Datum of 1983 and the 2007 adjustment (NAD83(2007)), with the bearing of Courtright Road being North 04° 20' 06" East.

Where described, iron pins set are 5/8 inch rebar, 30 inches long, with yellow caps stamped "DLZ OHIO INC."

Robert J. Sands	Date	
Professional Surveyor No. 8053		