

PARCEL 62-T2
TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in ½ Section 30, Section 18, Township 12, Range 21, Refugee Lands, and being part of Reserve “A” of James Road Subdivision No. 1, as recorded in Plat Book 22, page 102, said Reserve “A” being described in a deed to **901 South James Road Center, LLC**, of record in Instrument Number 200710020172775, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, being a parcel on the left side of the proposed centerline of construction for James Road, as seen on the centerline plat for James Road, of record in Plat Book _____, page _____, said parcel being more particularly bounded and described as follows:

Commencing for reference at a railroad spike set at the intersection of the existing centerline of right-of-way for Livingston Avenue and the existing north centerline of right-of-way for James Road, being the southeast corner of said ½ Section 30, said point being 34.65 feet left of James Road proposed centerline of construction station 104+07.31;

Thence **North 04 degrees 27 minutes 26 seconds East**, along the existing north centerline of right-of-way for James Road and along the west line of said ½ Section 30, a distance of **510.12 feet** to an angle point, said point being 9.00 feet left of James Road proposed centerline of construction Station 109+09.33;

Thence **North 04 degrees 26 minutes 27 seconds East**, continuing along the existing centerline of right-of-way for James Road and continuing along the east line of said ½ Section 30, a distance of **1,622.37 feet** to a point, said point being 8.45 feet left of James Road proposed centerline of construction Station 125+31.75;

Thence **North 85 degrees 33 minutes 33 seconds West**, along a line perpendicular to the previous course, a distance of **40.00 feet** to a point on the existing west right-of-way line for said James Road, as established by said James Road Subdivision No. 1, being the grantor’s northeast corner, and being the southeast corner of a tract of land described in a deed to George K. Soller and Judy S. Soller, Trustees of the George K. Soller Trust, of record in Instrument Number 200404080078926, said point being 48.44 feet left of James Road proposed centerline of construction Station 125+32.03;

Thence **South 04 degree 26 minutes 27 seconds West**, along the existing west right-of-way line for said James Road and along the grantor’s east line, a distance of **84.09 feet** to a point, said point being 48.81 feet left of James Road proposed centerline of construction Station 124+47.61, and said point being the **TRUE POINT OF BEGINNING** for the herein described temporary easement;

Thence **South 04 degree 26 minutes 27 seconds West**, continuing along the existing west right-of-way line for said James Road and continuing along the grantor's east line, a distance of **39.81 feet** to a point, said point being 48.80 feet left of James Road proposed centerline of construction Station 124+07.82;

Thence across the grantor's property along the following three (3) described courses:

1. **North 65 degrees 01 minutes 09 seconds West**, a distance of **3.79 feet** to a point, said point being 52.35 feet left of James Road proposed centerline of construction Station 124+09.15;
2. **North 04 degrees 25 minutes 39 seconds East**, a distance of **36.52 feet** to a point, said point being 52.35 feet left of James Road proposed centerline of construction Station 124+45.67;
3. **North 65 degrees 37 minutes 03 seconds East**, a distance of **4.06 feet** to the **TRUE POINT OF BEGINNING** for the herein described temporary easement.


The above described temporary easement contains a total area of **0.003 acres** located within Franklin County Auditor's parcel number 010-096453.

The bearings described herein are based on Grid North (reference South 85 degrees 47 minutes 50 seconds East for Livingston Avenue east of James Road) as referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (CORS '96). As established utilizing a GPS survey referencing ODOT CORS stations "COLB", "OHLI" and "OHMD".


Iron pins set are 30" by 5/8" diameter rebar with caps stamped "American Structurepoint PS 8438".

The above described temporary easement was prepared under the direct supervision of Brian P. Bingham, Registered Professional Surveyor No. 8438 on February 3, 2014, is based on an actual survey performed by Dynotec, Inc., and is true and correct to the best of my knowledge and belief.

American Structurepoint, Inc.



Brian P. Bingham, PS
Registered Professional Surveyor No. 8438



5/5/2014
Date