

**Prepared For:**

City of Columbus  
 Jerry Buckley  
 109 N Front St.  
 Columbus, OH 43215-2806  
 (614)000 - 0000  
 Reference ID: N/A

**Presented By:**

Miami Valley Int'l Trucks  
 Henry W Gantner  
 11775 Highway Drive  
 Cincinnati OH 45241 -  
 (513)733-8500

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2013 7400 SFA 4X2 (SA525)**

**APPLICATION:** Front Plow with spreader  
**MISSION:** Requested GVWR: 37000. Calc. GVWR: 41120  
 Calc. Start / Grade Ability: 0% / 0% @ 0 MPH  
 Calc. Geared Speed: N/A

**FUEL ECONOMY:** N/A  
**DIMENSION:** Wheelbase: 226.00, CA: 151.00, Axle to Frame: 96.00  
**ENGINE, DIESEL:** {International DT466 High Torque} Modified for NATURAL GAS; EPA 10 300 HP 860 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed

**TRANSMISSION, AUTOMATIC:** {Allison 3000\_RDS\_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.

**CLUTCH:** Omit Item (Clutch & Control)  
**AXLE, FRONT NON-DRIVING:** {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity  
**AXLE, REAR, SINGLE:** {Meritor RS-30-185} Single Reduction, Standard Track, 30,000-lb Capacity, T Wheel Ends Gear Ratio: 6.83

**CAB:** Conventional  
**TIRE, FRONT:** (2) 12R22.5 G661 HSA (GOODYEAR) 484 rev/mile, load range H, 16 ply  
**TIRE, REAR:** (4) 12R22.5 G282 MSD (GOODYEAR) 481 rev/mile, load range H, 16 ply  
**SUSPENSION, RR, SPRING, SINGLE:** Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary  
**FRAME REINFORCEMENT:** Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

**PAINT:** Cab schematic 100GM  
 Location 1: 4015, Dk Lemon Yellow (Prem)  
 Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
SA52500	Base Chassis, Model 7400 SFA 4X2 with 226.00 Wheelbase, 151.00 CA, and 96.00 Axle to Frame.	6777/3995	10772	\$73,555.00
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	72/422	494	\$0.00
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL	396/715	1111	\$1,650.00
1LLA	BUMPER, FRONT Steel, Swept Back  <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	0/0	0	\$0.00
1SAL	CROSSMEMBER, REAR, AF (01)	-3/43	40	\$116.00
1WEW	WHEELBASE RANGE 197" (500cm) Through and Including 264" (670cm)	0/0	0	\$439.00
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity  <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	58/0	58	\$973.00
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers  <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free  <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	37/0	37	\$379.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications  <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4  <u>Notes</u>	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.			
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank  <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	0/0	0	\$0.00
4773	BRAKE SHOES, REAR Cast  <u>Notes</u> : Provides Rear Axle GAWR Up to 26,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/50	50	\$770.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} With Heater  <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab	22/3	25	\$526.00
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	0/0	0	\$0.00
4EVX	BRAKE CHAMBERS, REAR AXLE {Haldex GC3636} 36/36 Spring Brake  <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.	0/0	0	\$106.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers  <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	0/0	0	\$265.00
4NDA	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes  <u>Notes</u> : Provides Rear Axle GAWR Up to 31,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/0	0	\$0.00
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	0/0	0	\$0.00
4VGN	AIR TANK Painted Aluminum, With Straight Thread O-Ring Ports	0/0	0	\$432.00
5708	STEERING COLUMN Tilting	10/0	10	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
5PSA	STEERING GEAR {Sheppard M-100} Power	0/0	0	\$0.00
7BJL	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Inside Right Rail Back of Cab, Includes Horizontal Tail Pipe, for Natural Gas Engine	0/0	0	\$0.00
7WZY	SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, ON/OFF Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in ON Position	2/0	2	\$31.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	<u>Includes</u> : BATTERY BOX Steel with Plastic Lid : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1	\$30.00
8875	BATTERY TERMINALS Sealed	2/0	2	\$51.00
8GHC	ALTERNATOR {Leece-Neville LBP2203H} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	-11/1	-10	\$157.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	\$85.00
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	44/11	55	\$103.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
8NAA	TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights	0/2	2	\$43.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$68.00
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers	3/0	3	\$338.00
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior			
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	0/0	0	\$48.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$26.00
8WLS	TURN SIGNALS, FRONT Dual Face, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	3/0	3	\$74.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	0/0	0	\$22.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$70.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$22.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1	\$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	0/0	0	\$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$99.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GM"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10769	PAINT CLASS Premium Color	0/0	0	\$210.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
10MAJ	ENGINE MODIFICATION IDENTITY ESI Phoenix Modification Diesel to Natural Gas, for Compressed Natural Gas	0/0	0	\$0.00
10NBH	SPECIAL DELIVERY REQUESTED	0/0	0	\$1,273.00
10WJH	PROMOTIONAL PACKAGE Government and Municipal Silver Package; Two Year Limited Subscription of On-Command Service Information (Formerly Fleet ISIS), and On-Command Parts Information (Formerly Fleet Parts Catalog), Requires Specific Feature Combinations	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	-66/-9	-75	\$0.00
12656	ENGINE, DIESEL {International DT466 High Torque} Modified for NATURAL GAS; EPA 10 300 HP 860 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed  <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : OIL FILTER, ENGINE Spin-On Type	-313/-33	-346	\$27,473.00
12959	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt  <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	2/0	2	\$82.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed  <u>Includes</u> : FAN Nylon	9/0	9	\$274.00
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler  <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	-6/1	-5	\$0.00
12VBC	AIR CLEANER Single Element  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	0/0	0	\$0.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control	0/0	0	\$0.00
12WEM	ENGINE IDENTITY for Natural Gas Modification	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
12WZV	EMISSION COMPLIANCE Federal Emissions Certification, for Alternate Fuel Vehicle	0/0	0	\$0.00
13AMB	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.  <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	207/45	252	\$6,917.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	25/0	25	\$667.00
13WBN	TRANSMISSION SHIFT CONTROL {Allison} T-Bar Type; for Allison 3000 & 4000 Transmission	0/0	0	\$371.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$141.00
14ASB	AXLE, REAR, SINGLE {Meritor RS-30-185} Single Reduction, Standard Track, 30,000-lb Capacity, T Wheel Ends . Gear Ratio: 6.83  <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle  <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	0/317	317	\$3,217.00
14SAL	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary  <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/88	88	\$305.00
15SKZ	FUEL TANK Temporary; Top Draw; D-Style, Steel, 16" Tank Depth, 50 U.S. Gal., 189 L; Capacity, With Quick Connect Outlet, Mounted Left Side Back of Cab	85/55	140	\$11.00
15STH	FUEL TANK, CNG 60 U.S. Gal. Diesel Equivalent, Mounted Above Rail Back of Cab  <u>Notes</u> : Requires an additional 24" of CA.	610/444	1054	\$22,477.00
16030	CAB Conventional  <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door			
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0	\$0.00
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)			
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2	\$30.00
16JNV	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	30/9	39	\$157.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16PHX	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	0/0	0	\$331.00
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16SDE	MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4"	2/0	2	\$49.00
16SDR	MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Clearance Lights LED	1/0	1	\$284.00
16SJW	MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} Heated, Left and Right Sides 7.44" Sq	9/0	9	\$265.00
16VBU	ACCESS, CAB Driver & Passenger Sides, With Two Temporary Steps on the Passenger side, for Conventional Cab	5/5	10	\$162.00
16VCC	SEAT BELT All Orange; 1 to 3	0/0	0	\$26.00



<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
16VSL	WINDSHIELD Heated, Single Piece	0/0	0	\$632.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$39.00
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	\$0.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster  <u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A	60/0	60	\$823.00
16WKY	HVAC FRESH AIR FILTER	0/0	0	\$0.00
16WRZ	CAB INTERIOR TRIM Premium  <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : FLOOR COVERING Rubber, Black : GAUGE, TEMPERATURE, AMBIENT Includes Compass Readout and Wiring and Sensor With Display Unit Mounted in Cluster : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side	0/0	0	\$304.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights	15/2	17	\$203.00
16XXC	COWL TRAY LID	8/3	11	\$200.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
27DMB	WHEELS, FRONT DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs  <u>Notes</u> : Aluminum Wheels not Painted or Coated : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	-58/0	-58	\$514.00
28DMW	WHEELS, REAR DUAL DISC: 22.5" Painted Steel, 5 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount 9.00 DC Rims with Steel Hubs  <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White  <u>Notes</u> : Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5	0/117	117	\$639.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack With Latched Switches)	0/0	0	\$531.00
7382158105	(4) TIRE, REAR 12R22.5 G282 MSD (GOODYEAR) 481 rev/mile, load range H, 16 ply	0/136	136	\$1,720.00
7382158107	(2) TIRE, FRONT 12R22.5 G661 HSA (GOODYEAR) 484 rev/mile, load range H, 16 ply	38/0	38	\$680.00
<b>Total of Product Features</b>				<b>\$152,450.00</b>
Cab schematic 100GM Location 1: 4015, Dk Lemon Yellow (Prem) Chassis schematic N/A				
<b>Total Component Weight:</b>		<b>8092/6425</b>	<b>14517</b>	
<b>Total List Price Including Options:</b>				<b>\$152,450.00</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

Electronic Parameters Data is Not Available.

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$152,450.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$152,450.00
P & D Center City	\$0.00	
Total Preparation And Delivery:		\$0.00
Freight Charge	\$1,875.00	
Total Freight:		\$1,875.00
Total Factory List Price Including Freight:		\$154,325.00
Less Customer Allowance:		(\$30,370.00)
Total Vehicle Price:		\$123,955.00
Total Sale Price:		\$123,955.00
Total Per Vehicle Sales Price:		\$123,955.00
Net Sales Price:		\$123,955.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Approved by Seller:**

**Accepted by Purchaser:**

\_\_\_\_\_  
**Official Title and Date**

\_\_\_\_\_  
**Firm or Business Name**

\_\_\_\_\_  
**Authorized Signature**

\_\_\_\_\_  
**Authorized Signature and Date**

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
**Official Title and Date**