EXHIBIT A
P-5
Carol L. Bates
0.0123 Acre
Permanent Easement 5
Parcel No. 600-164855

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 47, McDannald Estates No. 4 and being a strip of land ten (10.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Carol L. Bates by deed of record in Official Record 29401, Page E13, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning for reference at a point in the northwesterly corner of said Lot 47;

Thence South  $42^{\circ}$  14' 00" West, being along the southeasterly right-of-way of Echo Road, a distance of 10.00 feet to a point;

Thence South 47° 46′ 00″ East, being ten (10.00) feet southwesterly from and parallel with the northeasterly line of said Lot 47, a distance of 269.87 feet to a point at the "True Point of Beginning" for the strip of land herein intended to be described;

Thence South 47° 46' 00" East, continuing along said line, a distance of 10.00 feet to a point in the northwesterly line of an existing ten (10.00) feet permanent easement;

Thence South 42° 17' 38" West, being along said easement, also being ten (10.00) feet northwesterly from and parallel with the southeasterly line of Lot 47, a distance of 54.00 feet to a point;

Thence North  $47^{\circ}$  42' 22'' West, a distance of 10.00 feet to a point;

Thence North  $42^{\circ}$  17' 38" East, being twenty (20.00) feet northwesterly from and parallel with the southeasterly line of said Lot 47, a distance of 53.99 feet to the place of beginning containing 0.0123 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

James R. Professio

SAMES
R.
HILL
S-6919
STE

T-1 Carol L. Bates 0.0309 Acre mporary Easement 1 rcel No. 600-164855

Beginning at a point in the southeasterly right-of-way of Echo Road, being located South 42° 14' 00" West, a distance of 10.00 feet from the northwesterly corner of said Lot 47;

Thence South  $47^{\circ}$  46' 00" East, being ten (10.00) feet westerly from and parallel with the easterly line of said lot 47, a distance of 269.87 feet to a point;

Thence south 42° 17' 38" West, crossing said lot 47, a distance of 5.00 feet to a point;

Thence North 47° 46' 00" West, being fifteen (15.00) feet westerly from and parallel with the easterly line of said lot 47, a distance of 269.86 feet to a point in the southeasterly right-of-way of Echo Road;

Thence North  $42^{\circ}$  14' 00" East, being along said right-of-way, a distance of 5.00 feet to the place of beginning containing 0.0309 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.



### **EXHIBIT B**

T-3 Evelyn R. Gibbs 0.0189 Acre Temporary Easement 3 Parcel No. 600-164853

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 45, McDannald Estates No. 4 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Evelyn R. Gibbs by deed of record in Deed Book 3675, Page 250, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the northwesterly right-of-way of Echo Road, being located North 42° 14' 00" East, a distance of 5.00 feet from the southwesterly corner of said Lot 45;

Thence North 47° 46' 00" West, being five 5.00 feet easterly from and parallel with the westerly line of said lot 45, a distance of 165.00 feet to a point;

Thence North 42° 14' 00" East, being five 5.00 feet southerly from and parallel with the northerly line of said lot 45, a distance of 5.00 feet to a point;

Thence South 47° 46' 00" East, being ten (10.00) feet easterly from and parallel with the westerly line of said lot 45, a distance of 165.00 feet to a point in the northwesterly right-of-way line of Echo Road;

Thence South  $42^{\circ}$  14' 00'' West, being along said Echo Road right-of-way, a distance of 5.00 feet to the place of beginning containing 0.0189 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

## EXHIBIT C

T-4
Charles R. Jr. and Velda E. Otey
0.0189 Acre
Temporary Easement 4
Parcel No. 600-164852

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 44, McDannald Estates No. 4 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Charles R. Jr. and Velda E. Otey by deed of record in Official Record 12839, Page D16, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the northwesterly right-of-way of Echo Road, being located South 42° 14' 00" West, a distance of 5.00 feet from the southeasterly corner of said Lot 44;

Thence South  $42^{\circ}$  14' 00" West, being along said right-of-way of Echo Road, a distance of 5.00 feet to a point;

Thence North  $47^{\circ}$  46' 00'' West, being ten (10.00) feet westerly from and parallel with the easterly line of said lot 44, a distance of 165.00 feet to a point;

Thence North 42° 14' 00" East, being five (5.00) feet southerly from the northerly line of said lot 44, a distance of 5.00 feet to a point;

Thence South  $47^{\circ}$  46' 00" East, being five (5.00) feet westerly from and parallel with the easterly line of said lot 44, a distance of 165.00 feet to the place of beginning containing 0.0189 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

### **EXHIBIT D**

T-5 Walter W. Miller 0.0118 Acre Temporary Easement 5 Parcel No. 600-164851

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 43, McDannald Estates No. 4 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Walter W. Miller by deed of record in Instrument Number 199705290010295, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the southerly line of said lot 43, being located South  $42^{\circ}$  14' 00" West, a distance of 130.26 feet from the southeasterly corner of said Lot 43;

Thence South  $42^{\circ}$  14' 00'' West, being along the southerly line of said lot 43, a distance of 5.29 feet to a point;

Thence North  $28^{\circ}$  52' 03" West, a distance of 103.31 feet to a point in the southerly line of an existing five (5.00) feet easement;

Thence North 49° 21' 00" East, being along said existing easement; a distance of 5.11 feet to a point in the westerly line of an existing ten (10.00) feet easement;

Thence South 28° 52' 03" East, being along the westerly line of said easement, a distance of 102.64 feet to the place of beginning containing 0.0118 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

James R.
Professio

AMES

HILL

Selection

Situated

T-6 Walter W. Miller 0.0118 Acre mporary Easement 6 rcel No. 600-164851

Situated of Franklin, City of Columbus, being located in Lot 43, McDann; pof land five (5.00) feet in width across a part of said lot as shown. In Location, Tage 1111, as conveyed to Walter W. Miller by deed of record in Instrument Number 199705290010295, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the southerly line of said lot 43, being located South  $42^{\circ}$  14' 00" West, a distance of 114.40 feet from the southeasterly corner of said Lot 43;

Thence South  $42^{\circ}$  14' 00" West, being along the southerly line of said lot 43, a distance of 5.29 feet to a point in the easterly line of an existing ten (10.00) feet easement

Thence North 28° 52' 03" West, being along the easterly line of said easement, a distance of 101.30 feet to a point in the southerly line of an existing five (5.00) feet easement;

Thence North  $49^{\circ}$  21' 00" East, being along said existing easement; a distance of 5.11 feet to a point;

Thence South 28° 52' 03" East, a distance of 100.64 feet to the place of beginning 0.0116 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

James R. Hill

### **EXHIBIT E**

T-7
Roy Charles and Shirley D. Smith
0.0218 Acre
Temporary Easement 7
Parcel No. 600-164822

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 18, McDannald Estates No. 2 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 32, Page 118, as conveyed to Roy Charles and Shirley D. Smith by deed of record in Deed Book 3384, Page 232, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the southerly right-of-way line of Heather Road being located North  $52^{\circ}$  11' 00" East, a distance of 5.00 feet from the northwesterly corner of said Lot 18; Thence North  $52^{\circ}$  11' 00" East, being along the southerly right-of-way line of Heather Road, a distance of 5.00 feet to a point;

Thence south 37° 49' 00" East, being ten (10.00) feet easterly from and parallel with the westerly line of said lot 18, a distance of 189.74 feet to a point in the southerly line of lot 18;

Thence South  $49^{\circ}$  21' 00" West, being along the southerly line of lot 18, a distance of 5.01 feet to a point easterly line of an existing five (5.00) feet easement;

Thence North 37° 49′ 0″ West, being along the easterly line of an existing five (5.00) feet easement, a distance of 189.99 feet to the place of beginning containing 0.0218 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates" of record in Plat Book 32, Page 118, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

#### **EXHIBIT F**

T-8 Rhoda W. Evans 0.0006 Acre Temporary Easement 8 Parcel No. 600-164842

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 28, McDannald Estates No. 3 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 39, Page 53, as conveyed to Rhoda W. Evans by deed of record in Instrument Number 200203280079060, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the westerly right-of-way of McDannald Drive on the arc of a curve to the right, being located northwesterly along the arc of said curve (Delta = 7° 32' 19", Radius = 868.04 feet) a chord bearing and distance of North 15° 49' 24" West, a distance of 114.13 feet from the southeasterly corner of said lot 28;

Thence South 86° 47' 50" West, being fifteen (15.00) feet southerly from and parallel with the northerly line of said lot 28, a distance of 5.76 feet to a point;

Thence North 3° 12' 10" West, a distance of 5.00 feet to a point in the southerly line of an existing ten (10.00) feet easement;

Thence North 86° 47' 50" East, being ten (10.00) feet southerly from and parallel with the northerly line of said lot 28, a distance of 5.00 feet to a point on the arc of a curve to the left in the westerly right-of-way of McDannald Drive;

Thence southeasterly being along the arc of said curve (Delta =  $0^{\circ}$  20' 20", Radius = 868.04 feet) a chord bearing and distance of South  $11^{\circ}$  53' 13" East, a distance of 5.06 feet to the place of beginning containing 0.0006 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 3" of record in Plat Book 39, Page 53, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

EXHIBIT G T-9 Barbara F. Yarborough 0.0023 Acre Temporary Easement 9 Parcel No. 600-164835

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 21, McDannald Estates No. 3 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 39, Page 53, as conveyed to Barbara F. Yarborough by deed of record in Official Record 025000, Page G20, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point on the arc of a curve to the left in the southerly right-of-way line of Heather Road, being located northeasterly along the arc of said curve (Delta = 3° 39' 20", Radius = 407.58feet) a chord bearing and distance of North 65° 42' 17" East, a distance of 26.00 feet from the northwesterly corner of said Lot 21;

Thence northeasterly, being along the arc of said curve (Delta = 2° 48' 42", Radius = 407.58 feet) a chord bearing and distance of North 62° 28' 16" East, a distance of 20.00 feet to a point;

Thence South 28° 56' 05" East, a distance of 5.00 feet to a point; Thence South 62° 28' 16" West, a distance of 20.24 feet to a point;

Thence North 26° 07' 23" West, a distance of 5.00 feet to the place of beginning containing 0.0023 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 3" of record in Plat Book 39, Page 53, Recorder's Office, Franklin County, Ohio

Dynotec, Inc. James R. Hill

### EXHIBIT H

T-10 Amy Kathleen and Wendell Sanders 0.0330 Acre Temporary Easement 10 Parcel No. 600-164793

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 33, McDannald Estates No. 5, and being a strip of land ten (10.00) feet in width across a part of said lot as shown in Plat Book 43, Page 86, as conveyed to Amy Kathleen and Wendell Sanders by deed of record in Instrument Number 200212310336021, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the easterly right-of-way line of Macintosh Drive, being located North 0° 33' 40" East, a distance of 94.80 feet from the southwesterly corner of said Lot 33;

Thence North  $0^{\circ}$  33' 40" East, continuing along said right-of-way, a distance of 1.25 feet to a point of curvature of a curve to the right;

Thence northeasterly being along the arc of said curve in said easterly right-of-way (Delta =  $26^{\circ} 26' 10''$ , Radius = 20.00 feet), a chord bearing and distance of North  $13^{\circ} 46' 45''$  East; a distance of 9.15 feet to a point in the southerly line of an existing ten (10.00) feet easement;

Thence North 86° 59' 50" East, being along said existing easement, a distance of 81.14 feet to a point of curvature of a curve to the left;

Thence northeasterly being along the arc of said curve (Delta = 8° 10′ 30″, Radius = 417.58 feet), a chord bearing and distance of North 83° 24′ 10″ East; a distance of 59.53 feet to a point in the easterly line of said lot 33;

Thence South  $18^{\circ}$  00' 35" East, being along the easterly line of said lot 33, a distance of 10.08 feet to a point;

Thence Southwesterly being along the arc of a curve to the right (Delta =  $8^{\circ}$  20' 09", Radius = 427.58 feet), a chord bearing and distance of South  $83^{\circ}18'$  40" West; a distance of 62.15 feet to a point of tangency;

Thence South  $86^{\circ}$  59' 50" West, a distance of 83.86 feet to the place of beginning containing 0.0330 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 5" of record in Plat Book 43, Page 86, Recorder's Office, Franklin County, Ohio

Dynotec,
James R.
Professic

AMES

HILL

S-8919

S-75

### EXHIBIT I

T-11 Hollie C. and Iris J. Dobbins 0.0025 Acre Temporary Easement 11 Parcel No. 600-164849

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 41, McDannald Estates No. 4 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Hollie C. and Iris J. Dobbins by deed of record in Deed Book 3004, Page 142 all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning for reference at the intersection of Echo Road and Gillespie Court; Thence North 47° 46' 00" West, being along the centerline of Gillespie Court, a distance of 135.17 feet to a point;

Thence South 42° 14' 00" West, a distance of 30.00 feet to a point in the westerly rightof-way of Gillespie Court at the "True Point of Beginning" for the strip of land herein intended to be described;

Thence South 47° 46' 00" East, being the westerly right-of-way of Gillespie Court, a distance of 7.00 feet to a point;

Thence South 42° 14' 00" West, a distance of 5.00 feet to a point;

Thence North 50° 19' 11" West, a distance of 20.00 feet to a point; Thence North 34° 22' 49" East, a distance of 5.00 feet to a point on the arc of a curve to the right in the westerly right-of-way of Gillespie Court;

Thence southeasterly, being along the arc of said curve (Delta =  $7^{\circ}$  51' 11", Radius = 100.00 feet), a chord bearing and distance of South 51° 41' 36" East, a distance of 13.70 feet to the place of beginning containing 0.0025 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

James R. Hill

### EXHIBIT J

T-12 Fredrick J. Yates 0.0057 Acre Temporary Easement 12 Parcel No. 600-164857

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 49, McDannald Estates No. 4 and being a strip of land ten (10.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Fredrick J. Yates by deed of record in Official Record 22437 Page J19, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point on the arc of a curve in the southerly right-of-way of Echo Road being located southwesterly along the arc of said curve to the right (Delta =  $2^{\circ}$  50' 29", Radius = 605.00 feet) a chord bearing and distance of South  $45^{\circ}$  00' 59" West, a distance of 30.00 feet from the northeasterly corner of said Lot 49;

Thence South 43° 33' 47" East, a distance of 10.00 feet to a point;

Thence South 47° 37' 15" West, a distance of 25.41 feet to a point;

Thence North 41° 11' 43" West, a distance of 10.00 feet to a point on the arc of a curve to the left in the southerly right-of-way of Echo Road;

Thence Northeasterly being along said right-of-way on the arc of said curve (Delta =  $2^{\circ}$  22' 04", Radius = 605.00 feet) a chord bearing and distance of North 47° 37' 15" East, a distance of 25.00 feet to the place of beginning containing 0.0057 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc. James R. Hill Professional Surveyor 6919

### EXHIBIT K

T-13 Robert Douglas and Addie Belle Grant 0.0041 Acre Temporary Easement 13 Parcel No. 600-164848

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 40, McDannald Estates No. 4 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 40, Page 111, as conveyed to Robert Douglas and Addie Belle Grant by deed of record in Deed Book 2949, Page 429, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the northerly right-of-way of Echo Road on the arc of a curve, being located southwesterly on the arc of said curve to the right (Delta = 3° 34' 30", Radius = 545.00 feet) a chord bearing and distance of South 51° 23' 05" West, a distance of 34.00 feet from the southeasterly corner of said Lot 40;

Thence southwesterly, continuing along said right-of-way on the arc of a curve to the right (Delta =  $3^{\circ}$  40' 49", Radius = 545.00 feet) a chord bearing and distance of South  $55^{\circ}$  00' 44" West, a distance of 35.00 to a point;

Thence North 33° 05' 51" West, a distance of 5.00 feet to a point;

Thence North 55° 00' 44" East, a distance of 34.68 feet to a point;

Thence South 36° 49' 40" East, a distance of 5.00 feet to the place of beginning containing 0.0041 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 4" of record in Plat Book 40, Page 111, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

James R. Hill

### EXHIBIT L

T-16 Fern A. Harris 0.0080 Acre Temporary Easement 16 Parcel No. 600-164809

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Quarter Township 4, Township 2, Range 17, United States Military lands and being a strip of land Ten (10.00) feet in width across a part of that 1.000 acre tract as conveyed to Fern A. Harris by deed of record in Official Record 23185 Page E14, all references refer to records of the Recorders Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the southeasterly right-of-way of Scotsfield Drive as shown upon the recorded plat of that subdivision entitled "McDannald Estates" of record in Plat Book 29, Page 24, said point being located South 47° 46′ 00" East a distance of 75.00 feet from the northwesterly corner of said 1.000 acre tract;

Thence North 42° 14' 00" East, a distance of 10.00 feet to a point;

Thence South 47° 46' 00" East, being Ten (10.00) feet southeasterly from and parallel with said right-of-way, a distance of 35.00 feet to a point;

Thence South 42° 14' 00" West, a distance of 10.00 feet to a point in said southwesterly right-of-way;

Thence North 47° 46' 00" West, being along said southeasterly right-of-way, a distance of 35.00 feet to the place of beginning containing 0.0080 acre of tract of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates" of record in Plat Book 29, Page 24, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

### **EXHIBIT M**

T-19 Gloria C. Napper 0.0662 Acre Temporary Easement 19 Parcel No. 600-164815

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 11, McDannald Estates No. 2 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 32, Page 118, as conveyed to Gloria C. Napper by deed of record in Official Record 26847 Page G03, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point on the arc of a curve to the right in the northerly right-of-way line of Heather Court being located southwesterly along the arc of said curve (Delta =  $5^{\circ}$  44' 22", Radius = 50.00 feet) a chord bearing and distance of South 79° 02' 38" East, a distance of 5.01 feet from the southwesterly corner of said Lot 11;

Thence North  $8^{\circ}$  02' 32" East, being five (5.00) feet easterly from and parallel with the westerly line of said lot 11, a distance of 53.08 feet to a point in the southerly line of an existing twenty (20.00) feet easement;

Thence North  $86^{\circ}$  49' 00" East, being along the southerly line of said existing easement, a distance of 5.10 feet to a point;

Thence South  $8^{\circ}$  02' 32" West, being ten (10.00) feet easterly from and parallel with the westerly line of said lot 11, a distance of 54.84 feet to a point on the arc of a curve to the left in the northerly right-of-way of Heather Court;

Thence Northwesterly on the arc of said curve (Delta =  $5^{\circ}$  48' 05", Radius = 50.00 feet) a chord bearing and distance of North 73° 16' 24" West, a distance of 5.06 feet to the place of beginning containing 0.0062 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 2" of record in Plat Book 32, Page 118, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.

EXHIBIT N T-20 Marcia L. Conley 0.0059 Acre Temporary Easement 20 Parcel No. 600-164816

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Lot 12, McDannald Estates No. 2 and being a strip of land five (5.00) feet in width across a part of said lot as shown in Plat Book 32, Page 118, as conveyed to Marcia L. Conley by deed of record in Instrument Number 200009290198537, all references refer to records of the Recorder's Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point on the arc of a curve to the left in the northerly right-of-way line of Heather Court being located southwesterly along the arc of said curve (Delta =  $5^{\circ}$  44' 22", Radius = 50.00 feet) a chord bearing and distance of North 84° 47' 00" West, a distance of 5.01 feet from the southeasterly corner of said Lot 12;

Thence Southwesterly being along the arc of said curve (Delta = 5° 48' 05", Radius = 50.00 feet) a chord bearing and distance of South 89° 26' 50" West, a distance of 5.06 feet to a point;

Thence North 8° 02' 32" East, being ten (10.00) feet westerly from and parallel with the easterly line of said lot 12, a distance of 50.85 feet to a point in the southerly line of an existing twenty (20.00) feet easement;

Thence North  $86^{\circ}$  49' 00" East, being along the southerly line of said existing easement, a distance of 5.10 feet to a point;

Thence South  $8^{\circ}$  02' 32" West, being five (5.00) feet westerly from and parallel with the easterly line of said lot 12, a distance of 51.09 feet to the place of beginning containing 0.0059 acre of land more or less.

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 2" of record in Plat Book 32, Page 118, Recorder's Office, Franklin County, Ohio

Dynotec, Inc.
James R. Hill
Professional Surveyor 6919

### **EXHIBIT O**

# T-22 ASP Columbus Development, LLC 0.0471 Acre

Temporary Easement 22 Parcel No. 600-166245

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Quarter Township 4, Township 2, Range 17, United States Military lands and being a strip of land across a part of that 70.231 acres tract as conveyed to ASP Columbus Development, LLC by deed of record in Instrument Number 199904160095325, all references refer to records of the Recorders Office, Franklin County, Ohio and being more particularly described as follows:

Beginning at a point in the southerly line of said 70.231 acres tract in the southerly right-of-way of Heather Road, being the westerly terminus of said road as shown upon the plat entitled "McDannald Estates No. 3" of record in Plat Book 39, Page 53, said point also being in the northerly line of Lot 33 of that subdivision entitled "McDannald Estates No. 5", of record in Plat Book 43, Page 86;

Thence South  $86^\circ$  59' 50" West, being along the northerly line of said Lot 33 and the northerly Terminus of Macintosh Drive a distance of 164.00 feet;

Thence North  $3^{\circ}$  00' 10" West, crossing said 70.231 acre tract, a distance of 15.00 feet to a point;

Thence North 88° 44' 34" East, continuing across said 70.231 acre tract, a distance of 164.17 feet to a point in the easterly line of said 70.231 acre tract, also being the westerly Terminus of said Heather Road;

Thence South  $2^{\circ}$  29' 40" East, along said easterly line and the westerly Terminus of said Heather Road, a distance of 10.00 feet to the place of beginning containing 0.0471 acre of land more or less

The bearings are based on the same meridian as the bearings shown upon the plat of that subdivision entitled "McDannald Estates No. 5", of record in Plat Book 43, Page 86, Recorder's Office, Franklin County, Ohio.

Dynotec, Inc.

James R. Hill