

BID PACKAGE from THE DEXTER COMPANY – BUCYRUS, OH

Refer: CITY OF COLUMBUS -- **BID # 37022323** -- TRACTOR w/ REAR FLAIL MOWING DECK
(and also including: RIGHT-SIDE FLAIL to create a TWIN-FLAIL MOWING SYSTEM)

THE DEXTER COMPANY

P.O. BOX 1016 -- 4933 STETZER ROAD

BUCYRUS, OH 44820

phone: 1-800-653-5667

website: www.thedexterco.com

Distributor for the complete state of Ohio for:

TIGER MOWERS (with CASE-IH tractor)

3301 NORTH LOUISE AVENUE

SIOUX FALLS, SD 57107

phone: 1-800-843-6849

website: www.tigermowers.com

THIS ATTACHMENT INCLUDES THE FOLLOWING DOCUMENTS:

- 1) TIGER MOWERS -- Standard Warranty
- 2) CASE "CNH" INDUSTRIAL -- Standard Warranty (two pages)
- 3) DEXTER COMPANY -- Delayed Warranty Statement
- 4) DEXTER COMPANY and TIGER MOWERS -- Relationship Confirmation
- 5) DEXTER COMPANY and TIGER MOWERS -- Four (4) Customers Successful
- 6) CASE IH -- Tractor Build Codes (three pages)
- 7) DEXTER COMPANY and TIGER MOWERS -- Exemption Request for DEMO
- 8) DEXTER COMPANY and TIGER MOWERS -- Columbus Specifications Responses
(five pages)

TIGER MOWERS LLC

LIMITED WARRANTY POLICY

1. LIMITED WARRANTIES.

- 1.01. Tiger Mowers LLC ("Manufacturer") warrants for one year from the purchase date to the original non-commercial, governmental, or municipal purchaser or for six months to the original commercial or industrial purchaser ("Purchaser" as applicable) that the goods purchased are free from defects in material or workmanship.
- 1.02. Manufacturer will replace for the Purchaser any part or parts found, upon examination at one of its factories, to be defective under normal use and service due to defects in material or workmanship during the applicable warranty period.
- 1.03. This limited warranty does not apply to any part of the goods which has been subjected to improper or abnormal use, negligence, alteration, modification, or accident, damaged due to lack of maintenance or use of wrong fuel, oil, or lubricants, or which has served its normal life. This limited warranty does not apply to any part of any internal combustion engine, or expendable items such as blades, shields, guards, or pneumatic tires.
- 1.04. No employee, agent, Dealer, or other person is authorized to give any warranties of any nature on behalf of Manufacturer.
- 1.05. All warranty may be void if parts other than OEM Tiger parts are used on equipment

2. REMEDIES AND PROCEDURES.

- 2.01. This limited warranty is not effective unless the Purchaser returns the Registration and Warranty Form to Manufacturer within 30 days of purchase.
- 2.02. Purchaser claims must be made in writing to the Authorized Dealer ("Dealer") from whom Purchaser purchased the goods or an approved Authorized Dealer ("Dealer") within 30 days after Purchaser learns of the facts on which the claim is based.
- 2.03. Purchaser is responsible for returning the goods in question to the Dealer
- 2.04. If after examining the goods and/or parts in question, Manufacturer finds them to be defective under normal use and service due to defects in material or workmanship, Manufacturer will:
 - (a) Repair or replace the defective goods or part(s) or
 - (b) Reimburse Purchaser for the cost of the part(s) and reasonable labor charges (as determined by Manufacturer) if Purchaser paid for the repair and/or replacement prior to the final determination of applicability of the warranty by Manufacturer.The choice of remedy shall belong to Manufacturer
- 2.05. Purchaser is responsible for any labor charges exceeding a reasonable amount as determined by Manufacturer and for returning the goods to the Dealer, whether or not the claim is approved. Purchaser is responsible for the transportation cost for the goods or part(s) from the Dealer to the designated factory.

3. LIMITATION OF LIABILITY

- 3.01. MANUFACTURER DISCLAIMS ANY EXPRESS (EXCEPT AS SET FORTH HEREIN) AND IMPLIED WARRANTIES WITH RESPECT TO THE GOODS INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
- 3.02. MANUFACTURER MAKES NO WARRANTY AS TO THE DESIGN, CAPABILITY, CAPACITY, OR SUITABILITY FOR USE OF THE GOODS.
- 3.03. EXCEPT AS PROVIDED HEREIN, MANUFACTURER SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO PURCHASER OR ANOTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS, OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY OR INDIRECTLY BY THE GOODS INCLUDING, BUT NOT LIMITED TO, ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES RESULTING FROM THE USE OR OPERATION OF THE GOODS OR ANY BREACH OF THIS WARRANTY. NOT WITHSTANDING THE ABOVE LIMITATIONS AND WARRANTIES, MANUFACTURER'S LIABILITY HEREUNDER FOR DAMAGES INCURRED BY PURCHASER OR OTHERS SHALL NOT EXCEED THE PRICE OF THE GOODS.
- 3.04. NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS WARRANTY OR TRANSACTIONS UNDER THIS WARRANTY MAY BE BROUGHT MORE THAN TWO (2) YEARS AFTER THE CAUSE OF ACTION HAS OCCURRED.

4. MISCELLANEOUS

- 4.01. Proper Venue for any lawsuits arising from or related to this limited warranty shall be only in Minnehaha County, South Dakota.
- 4.02. Manufacturer may waive compliance with any of the terms of this limited warranty, but no waiver of any terms shall be deemed to be a waiver of that term in the future or of any other term.
- 4.03. If any provision of this limited warranty shall violate any applicable law and is held to be unenforceable, then the invalidity of such provision shall not invalidate any other provisions herein.
- 4.04. Applicable law may provide rights and benefits to purchaser in addition to those provided herein.

KEEP FOR YOUR RECORDS

ATTENTION: Purchaser should fill in the blanks below for his reference when buying repair parts and/or for proper machine identification when applying for warranty.

Tiger Mowers Implement Model _____ Serial Number _____

Date Purchased _____ Dealer _____

ATTENTION: READ YOUR OPERATOR'S MANUAL

Case Warranty

INTRODUCTION

The warranty described here is from CNH Industrial America LLC and in Canada, CNH Industrial Canada, Ltd. both of which are referred to in this document as "CNH Industrial". This is a limited warranty that is provided to the retail purchaser in return for consideration paid as part of the purchase price of the product. The Dealer Agreement in Paragraph 14(a) requires: "the Dealer to review the written warranty set forth in the Manual with the customer and obtain the customer's signature on the Warranty and Limitation of Liability Agreement. Dealer shall then submit the signed Warranty and Limitation of Liability Agreement to the company as set forth in the Manual. Dealer shall also provide customer information for each Product retailed by the Dealer as requested by the company for the purposes of, but not limited to, the Warranty Record." By virtue of completing the section on "Operator's Manual / Warranty Receipt Verification" the dealer is obtaining the customer's acknowledgement as evidenced by their initials and signature that the correct Operator's Manual has been furnished and the safety precautions and safety features of the product were explained.

At time of sale, both the Selling Dealer and the Retail Purchaser shall sign and date the Warranty and Limitation of Liability (WLL) Agreement. The Selling Dealer must retain, for their records, a copy of the fully completed and properly executed WLL. A retailed unit will not be properly registered without this signed Agreement. WLLs can be found on the Dealer Portal under Discover >> Service >> Warranty.

The signed WLL can be scanned and emailed as an attachment to NA-WLL-AGREEMENT@CNHIND.COM or can be mailed to:

- USA mail original to CNH Industrial Capital America LLC, Attn: WLL Agreement, PO Box 1700 New Holland, PA17557
- USA Overnight courier mail original to CNH Industrial Capital America LLC, Attn: WLL Agreement, 500 DillerAve., New Holland, PA 17557
- Canada mail original to CNH Industrial Capital America LLC, Attn: WLL Agreement, 4475 North Service Rd, Suite 301, Burlington, ON L7L4X7 Canada

NOTE: when registering a retail sale, the dealer must complete the section in the Electronic Settlement Screen Warranty Registration System indicating the customer and dealer have signed and will submit the WLL Agreement within 10 days of retail settlement.

NEW UNIT LIMITED WARRANTY

This warranty is for CNH Industrial products sold and registered in the United States or Canada and normally operated in the United States or Canada (excluding United States Territories). Warranty repairs on imported equipment designed or intended by CNH Industrial for sale or registration outside of the United States or Canada do not qualify for warranty reimbursement. Product support on similar equipment will not be provided due to legal liability. If a unit is in dealer inventory, but is not visible in the CNH Industrial eWarranty system, the dealer should notify CNH Industrial Warranty Administration about the unit by submitting a Warranty Information Tool (WIT) incident.

WARRANTY COVERAGE

The pre-delivery warranty coverage begins at the time the unit is delivered to the dealer. Certain demonstrator, rental, lease, and other used units may be eligible for a portion of a new unit warranty. The availability of the remaining portion of a new unit warranty does not mean that a unit is new or unused. The warranty coverage ends when either the month in service or machine hour limit is reached, whichever limit occurs first. CNH Industrial will pay parts and labor costs to repair the defect in material or workmanship found in a unit and reported during the warranty period. The services must be performed by an authorized CASEIH/CASE dealer. If parts are needed during the repair, CNH Industrial requires genuine CNH Industrial new or remanufactured parts.

CaseWarr. 1 of 2

CNH Industrial provides no warranty, expressed or implied, for a component or other item that is separately warranted to the purchaser by its manufacturer, reference Section 4.8.1, 8-1 .

EXCLUSIVE REMEDY

THE REMEDY OF REPAIRING A DEFECT IN MATERIAL OR WORKMANSHIP AT A CASE OR A CASE IH DEALERSHIP UNDER THE TERMS OF THIS WARRANTY IS THE PURCHASER’S EXCLUSIVE REMEDY AND IS IN LIEU OF ANY OTHER REMEDY OTHERWISE AVAILABLE.

NO MODIFICATION OR EXTENSION OF WARRANTY

The CNH Industrial Warranty is limited to the written terms of the products WLL. CNH Industrial does not authorize any person, dealer or agent to change or extend the terms of this warranty in any manner. Any assistance to the purchaser in the repair or operation of any CNH Industrial product outside the terms or limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this warranty, nor will such assistance extend or re-establish the warranty.

THIS WARRANTY IS VOID:

- If the unit’s hour meter is altered to misrepresent the usage
- If any unit component has been modified beyond specification
- If the unit is used in an application for which it is not designed
- If the unit has been scrapped, salvaged, stolen, junked or totaled

BASE AND EXTENDED WARRANTY COVERAGE

Base Warranty is the factory warranty provided to the customer at no additional cost for a specific period of time covering the complete machine.

Extended Warranty is an extension of the base warranty coverage on specific components provided to the customer at no additional cost

TRACTOR - Warranty and Limitation of Liability Agreement Form No. 3969TR	BASE WARRANTY	Extended Coverage	Notes
PRODUCT			
Tractors			
Tractors - not otherwise listed	24 Mo. / 2000 Hrs	None	Note 2, 5
Tractors - All factory designated scraper Quadtrac® tractors	12 Mo. / 1000 Hrs	24 Mo. / 2000 Hrs	Note 1, 2, 5
Tractors - Compact Tractors (CVT Models)	24 Mo. / 2000 Hrs	36 Mo. / 2000 Hrs	Note 1, 3
Tractors – Compact Tractors (non-CVT)	24 Mo. / 750 Hrs	60 Mo. / 1500 Hrs	Note 1, 3
Tractors – Compact Tractors (non-CVT Models; “Series II”;	24 Mo. / 750 Hrs	72 Mo. / 1500 Hrs	Note 1, 3
LSMFxxxVG0010001 and after)			
Tractors - MY19 Steiger and Magnum retailed after Oct 1, 2018 CIH	24 Mo. / 2000 Hrs	36 Mo. / 2000 Hrs	Note 14
Extended Coverage			

Case IH Warr. 2/22

Delayed Warranty

Once the Tractor and Mowers have been delivered to The City of Columbus on this date The City of Columbus will inform The Dexter Company what date this unit will be put into service. We will use this date as the start of the warranty. The City of Columbus will have to provide a picture of Tractor Hrs and/or The Dexter Company will complete a on site check of this unit.

The Dexter Company

Dan Naufzinger

800-653-5667





05/29/2026

RE: City of Columbus Bid

To whom it may concern,

Dexter Company is an authorized full line Tiger Mower dealer for the state of Ohio. This includes whole goods, parts and service for Tiger Mowers. Dexter has been an outstanding dealer for us for over 30 years.

Please feel free to contact me with any questions or concerns.

Respectfully,

A handwritten signature in blue ink, appearing to read "J. L. Tribull". The signature is written in a cursive style with a large initial "J" and "L".

830-463-1959 - cell

jtribull@alamo-group.com - email

 **Four Customer's that we have installed Tiger Mowers on in the last 5years**
All Mowers were purchased from

STATE OF OHIO COOPERATIVE BID PRICING CONTRACT # 800921

Mahoning County Engineer

940 Bears Den Road

Youngstown, OH 44511

Highway Superintendent Cody 330-770-0704

5-4-26 Mahoning County Tiger Side Rotary Mower TSR60C

2-17-25 Mahoning County Qty (2) Tiger Side Rotary Mower TSR60C

Crawford County Engineer

825 Whetstone Street

Bucyrus, OH 44820

Highway Superintendent Travis 419-562-2811

Purchased to be Installed in August 2026 Tiger TSR60C -- 60 in. Side-Mount Rotary Mower

4-30-26 Crawford County Tiger Rear Flail TRF102EXC

2-21-23 Crawford County Tiger TRB60C-22-3OS -- Bengal Boom Mower

Taylor Township - Union County

19449 Wheeler Green Road

Marysville, OH 43040

Roadman Dave 937-243-9087

5-4-26 Taylor Township -- Union County Tiger TSF75-EXC -- 75 in. Side-mt. Flail Mower

Riley Township - Sandusky County

3109 State Route 412

Fremont, OH 43420

Roadman Zach 419-835-4954

6-17-25 Riley-Township Sandusky County Tiger Side Flail TSF-75 EXC -- Rear Flail TRF-96 EXC

VEHICLE	0020191375	
SALES ORDER	PRINT DATE	ORDER DATE
89194017	02/11/2026	12/31/2025
PURCHASE ORDER NO.		

BILL TO	113944
ALAMO GROUP	
1502 E WALNUT ST	
SEGUIN TX	
US 78155	

SALES AREA	CURRENCY	ORDER REASON	END CUSTOMER
CNH INDUSTRIAL AMERICA LLC AGRICULTURE	USD	COMPANY STOCK WITH INTERNAL SALES ORDER	

Description	Origin	List Price	Net Price
PRICELIST	026 CJ		
PRICE EFFECTIVE DATE	05/15/2026		
COMMERCIAL MODEL	FARMALL 110A TIER 4B/FINAL PRO	-FARMALL 110A TIER 4B/FINAL PRO	
EMISSIONS	TIER 4B	-TIER 4B TIER 4B	
MODEL	PRO.110	-FA.PRO110	
TRACTION	4WD	-MFD	
VERSION	CAB	-Cab	
Base machine price		-	
PACKAGES	X99801X	-Custom Configuration	
CANOPY	XT8771X	-Less Canopy	
HIGH VISIBILITY WINDOW	391126	-Less High-Visibility Window	
OPERATOR STRUCTURE #1	391610	-Cab With Fixed Front Screen	
REAR WIPER & WASHER	330642	-Rear Wiper/Washer - Cab	
WORK LAMPS	336924	-4 Front and 4 Rear Cab Lights	
EXTREMITY LIGHTING	391206	-Std Less Extremity Light Pkg.	
INSTRUCTOR SEAT	391127	-No Instructor Seat	
SEAT	336923	-Air Suspension Seat w/Swivel	
TELEMATICS	391282	-TELEMATICS READY	
CREEPER or Interlock	390266	-Less Creeper For 8+8	
SPEED	337280	-25MPH/40KPH Max Ground Speed	
TRANSMISSION	330061	-16x8 With Power Shuttle	
REVERSE ALARM	330692	-Reverse Alarm	
TRLR BRK VLV	XT7130X	-No Hydraulic Trailer Brakes	
AUX RAMS	390344	-Hyd Lift With 1 int. Cyl	
REAR HITCHES/DRAWBAR	392905	-Swinging Drawbar Less Clevis	
DRAWBAR AND 3 POINT HITCH	390351	-Cat 2 Flex Links MDC	
EXTERNAL LIFT CONTROL	XT8240X	-Std Less External 3-pt	

THIS IS NOT A TAX DOCUMENT

Case II Build Codes
#1 of 3

VEHICLE	0020191375	
SALES ORDER	PRINT DATE	ORDER DATE
89194017	02/11/2026	12/31/2025
PURCHASE ORDER NO.		

BILL TO	113944
ALAMO GROUP	
1502 E WALNUT ST	
SEGUIN TX	
US 78155	

SALES AREA	CURRENCY	ORDER REASON	END CUSTOMER
CNH INDUSTRIAL AMERICA LLC AGRICULTURE	USD	COMPANY STOCK WITH INTERNAL SALES ORDER	

Description	Origin	List Price	Net Price
REAR REMOTES	429472	Control	
FRONT AXLE	XT401XX	-2 Bosch RR Flow Ctrl	
FRONT WHEELS AND TIRES	8267724	-Less 2WD Front Axle	
REAR AXLE	390331	-13.6R28 (340/85R28) R1W	
REAR WHEELS AND TIRES	8367123	Maxam	
FRONT FENDERS	390860	-Heavy-Duty Flange Axle	
LOADER BRACKETS	390819	-18.4R34 (460/85R34) R1W	
FUEL TANK	391270	Singl	
STEPS	X0182XX	-Less Front Fenders	
FRONT BALLAST	390215	-Less Loader Ready_	
REAR BALLAST	XT4961X	-Fuel Tank With Guard	
ALTERNATOR	390505	-LH and RH Steps	
OPERATORS MANUAL	XT9802X	-Less Front Carrier and	
RADIO	392295	Weights	
		-Less Rear Weights	
		-120 AMP Alternator.	
		-Less Add Operator Manual	
		-Radio_	
		Dealer Net	
		Net for Wholegood	
		Programs	
		-Load Fee	
		-Mrkt Development Fee	
		Total Sundries	
		Total Taxes	
		Total	
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.			
CONFIRMATION UPDATED:			
REQUESTED DELIVERY DATE YEAR 2026 MONTH MAY			
CONFIRMED DELIVERY DATE YEAR MONTH			

THIS IS NOT A TAX DOCUMENT

Case II Build Codes
#2 of 3

VEHICLE	0020191375	
SALES ORDER	PRINT DATE	ORDER DATE
89194017	02/11/2026	12/31/2025
PURCHASE ORDER NO.		

BILL TO	113944
ALAMO GROUP 1502 E WALNUT ST SEGUIN TX US 78155	

SALES AREA	CURRENCY	ORDER REASON	END CUSTOMER
CNH INDUSTRIAL AMERICA LLC AGRICULTURE	USD	COMPANY STOCK WITH INTERNAL SALES ORDER	

Description	Origin	List Price	Net Price
<p>MODE OF TRANSPORTATION : TRUCK LOAD SHIP TO: ALAMO GROUP 1502 E WALNUT ST 78155 SEGUIN</p> <p>Please go to Web Academy to ensure your dealership has training & certification for product that has just been ordered.</p>			

THIS IS NOT A TAX DOCUMENT

*Case II Build Codes
3 of 3*

Exemption List for City of Columbus Bid

- 1. 4.1 We have units outside of Franklin County we can setup a Demo could require up to 15 working days to set Demo.**

**City of Columbus, Department of Public Service
Division of Infrastructure Management
Double Flail Mow Tractor
Detailed Specifications**

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3	<p>Specification Information: The intent of this specification is to describe new and unused Diesel-Powered Tractors with 2 flail mowing decks per tractor, one (1) rear and one (1) right side to be mounted and installed on the tractors. The tractor shall be a Case IH Farmall 110A Pro and the flail mowing decks shall be Alamo Flail Mowers or approved equivalent. <u>Bidders shall note compliance with the following specifications in the Describe Actual Product Bid column.</u> Indicate make, model, year and description of equipment bid. Bidders shall submit a copy of dealers build sheets with bid.</p>	
3.3.1	Alternates	
	Bids will be considered on units complying with the specifications. All alternates must be detailed in an attached letter to bid and the Manufacturer and Model clearly identified. Explanations must fully state what is to be furnished. All alternates must exceed specifications. The City of Columbus reserves the right to determine whether any proposed alternates are within the specifications.	
3.3.2	Line Item #1: The purpose of these specifications is to describe new and unused Diesel-Powered Tractors.	
3.3.2.1	The tractors shall be Case Farmall 110A Pro's or approved equivalent	Yes
3.3.2.2	The tractors shall be adequately configured and equipped for proper mounting, installation, and operation of Line Item #2.	Yes
3.3.2.3	Engine	
3.3.2.3.1	Shall be a 4-cylinder, Tier 4 B/Final, FPT turbocharged & aftercooled or equivalent.	Yes
3.3.2.3.2	Minimum displacement shall be 4.5 L.	Yes
3.3.2.3.3	Shall be a minimum of 110HP.	Yes
3.3.2.3.4	Shall have a minimum fuel capacity of 35 gallons.	56.8 Gallons standard - <i>yes</i>
3.3.2.3.5	Shall have a minimum DEF capacity of 3 gallons.	7.9 Gallons Standard - <i>yes</i>
3.3.2.3.6	Shall have a lockable fuel tank cap.	Yes
3.3.2.3.7	Shall have a bottom fuel tank shield.	Yes
3.3.2.3.8	Shall have minimum 120-amp alternator.	Yes
3.3.2.3.9	Shall have a Cold Start Package	<i>Yes - Engine Block Heater</i>
3.3.2.3.10	Shall have a vertical exhaust	Yes
3.3.2.4	Transmission	
3.3.2.4.1	Shall have a 16 x 8 Power Shuttle wet clutch or approved equivalent.	Yes - 16X8 PS Trans
3.3.2.5	Rear PTO	
3.3.2.5.1	Shall be an Independent Rear PTO	Yes

All answers in BLUE by Jeff Tribull 6/2/16!

**City of Columbus, Department of Public Service
Division of Infrastructure Management
Double Flail Mow Tractor
Detailed Specifications**

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.2.5.2	Shall be Electro-hydraulic	Yes
3.3.2.5.3	Shall be Rated PTO HP @ 2100 RPM: Minimum 100 HP	92 PTO HP at Rated Speed of 2200 RPM
3.3.2.6	Hydraulic System	
3.3.2.6.1	Shall be an open center system, closed center load sensing (CCLS) remotes.	Yes
3.3.2.6.2	Pump rated output shall be a minimum of 22 GPMs.	<i>Twice</i> Yes
3.3.2.6.3	Shall have a joystick SCV control in cab.	Single lever controls for rear SCV's - No Mid SCV
3.3.2.7	3 Point Hitch	
3.3.2.7.1	Shall have an electro-hydraulic Hitch Draft Control Load Sense.	Yes
3.3.2.7.2	Shall have a Category 2 hitch.	Yes
3.3.2.7.3	Shall have minimum of 2 Remote Control Valves	Yes
3.3.2.7.4	Shall have a Maximum Lift Capacity behind lift point of 7200 lbs.	Yes
3.3.2.7.5	Shall have telescoping draft links.	Yes
3.3.2.7.6	Remote hitch controls shall be on the left side.	On rear fender
3.3.2.8	Front Axle & Tires	
3.3.2.8.1	Shall have a 4WD Front Axle, unsuspended, flanged.	Yes
3.3.2.8.2	Shall have appropriately sized and rated tires for tractor and mower size.	Yes - Steering will be limited to RH side
3.3.2.9	Rear Axle and Tires	
3.3.2.9.1	Shall have Inboard Planetary drive.	Yes
3.3.2.9.2	Rear Axle Differential Lock shall be electro-hydraulic	
3.3.2.9.3	Shall be flanged	Yes <i>13.6x28</i>
3.3.2.9.4	Shall have appropriately sized and rated tires for tractor and mower size.	Yes <i>14.5x24 and 18.4x34</i>
3.3.2.10	Wheelbase	
3.3.2.10.1	Shall be a minimum of 92"	<i>yes</i> No 103.9" on current Farmall 110A Pro
3.3.2.11	Brakes	
3.3.2.11.1	Shall be Hydraulic wet disc.	Yes
3.3.2.12	Operators Station	
3.3.2.12.1	Shall have an enclosed cab.	Yes
3.3.2.12.2	Shall have Right Hand steps and door.	Yes, RH Steps will be removed for mower installation
3.3.2.12.3	Shall have Panorama Front Windshield.	Curved W/S Standard

**City of Columbus, Department of Public Service
Division of Infrastructure Management
Double Flail Mow Tractor
Detailed Specifications**

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.2.12.4	Shall have front and rear windshield wipers and washer.	Yes
3.3.2.12.5	Shall have air suspension seat with seat belt.	Yes
3.3.2.12.6	Shall have backup alarm and horn.	Yes
3.3.2.12.7	Shall have left and right-side mirrors, manually adjustable.	Yes
3.3.2.12.8	Shall have in-cab rearview mirror.	Yes
3.3.2.12.9	Shall have sun visor.	Yes
3.3.2.12.10	Shall have tilt and telescopic steering column.	Yes
3.3.2.12.11	Shall have cup holder.	Yes
3.3.2.12.12	Shall have Bluetooth radio.	Yes
3.3.2.12.13	Shall have power outlet socket.	Yes
3.3.2.12.14	Shall have heat and air conditioning.	Yes
3.3.2.12.15	Shall have right hand operational controls.	Yes
3.3.2.12.16	Shall have hand and foot throttle controls.	Yes
3.3.2.12.17	Shall have a slow-moving vehicle triangle mounted at the rear of the unit.	Yes
3.3.2.12.18	Shall be equipped with OSHA approved roll over protection system.	Yes
3.3.2.13	Lighting	
3.3.2.13.1	Shall have front head lamps, with high and low beam.	Yes
3.3.2.13.2	Shall have taillights.	Yes
3.3.2.13.3	Shall have hazard lights.	Yes
3.3.2.13.4	Shall have front and rear work lights with on/off switch in the cab.	Yes
3.3.2.13.5	Shall have LED strobes in the front and rear of the unit providing 360 visibility with on/off switch in the cab. Strobes should not be higher than the roof of the cab.	Yes
3.3.2.13.6	Shall have additional LED strobe light mounted on the left and right rear fenders with on/off switch in the cab.	Yes

**City of Columbus, Department of Public Service
Division of Infrastructure Management
Double Flail Mow Tractor
Detailed Specifications**

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.3	Line Item #2: The purpose of these specifications is to describe new and unused Twin Flail Mowing Decks that include the mounting and installation to Line Item #1. The installation and mounting cost will include all related components (wiring/control module/cab command controls/hydraulics etc.), in accordance with the enclosed terms, conditions and specifications. All parts not specifically mentioned, which are necessary to provide a complete unit, or normally furnished as standard equipment, shall be furnished. The parts shall conform in strength, quality of material and workmanship to what is normally provided in the industry.	
3.3.3.1	Shall be Alamo twin flail system with one (1) rear flail and one (1) right side flail or approved equivalent.	
3.3.3.2	The twin flail system shall be adequately configured and properly mounted and installed per manufacturer's specifications to Line Item #1 and fully operational with Line Item #1.	
3.3.3.4	Rear Flail	
3.3.3.4.1	Shall be PTO driven.	Yes
3.3.3.4.2	Shall have a category 2, 3 point hitch.	Yes
3.3.3.4.3	Maximum cutting width shall be 96".	Yes
3.3.3.4.4	Shall be offset from the mounting point allowing for overlap in conjunction with the side flail mower.	Yes
3.3.3.4.5	Shall have an automatic self-tensioned belt on the mechanical motor assemblies.	Yes - Spring Tensioned Belt
3.3.3.5	Right Side Flail	
3.3.3.5.1	Shall have a self-contained hydraulic system with its own gear pumps and motors.	Yes
3.3.3.5.2	Shall have properly sized, side-mounted oil reservoirs to maintain proper oil temperature thus eliminating add-on oil coolers.	Yes
3.3.3.5.3	Shall have a maximum cutting width of 74"	75" Side Flail
3.3.3.5.4	Shall be adequately configured and properly braced to the tractor.	Yes
3.3.3.5.5	Shall be lowered for cutting and raised for transport by hydraulic cylinders from within the cab.	Yes

**City of Columbus, Department of Public Service
Division of Infrastructure Management
Double Flail Mow Tractor
Detailed Specifications**

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.3.5.6	Shall be equipped with a travel locking mechanism that locks the flail when in travel/transport position which can be performed from within the cab of the tractor.	Yes
3.4	Keys	
3.4.1	4 sets of keys shall be provided.	Yes
3.5	Paint	
3.5.1	Complete body unit shall be primed and painted, to paint manufacturers' recommendations.	Yes
3.6	Wiring	
3.6.1	In the interest of durability and longevity, all electrical wiring shall be color coded full length runs, enclosed within wire loom, terminating in waterproof junction boxes.	<i>yes</i>
3.6.2	If it becomes absolutely necessary to splice wire, both wire ends shall be stripped, twisted around the other, soldered, and then covered with a shrink waterproof type covering.	<i>yes</i>
3.6.3	Tap in type splices shall be unacceptable.	<i>yes</i>
3.7	Training	
3.7.1	Manufacturer shall provide a training program that covers the unit's safe operational instruction. The training program shall be for a minimum of (1) one working day for the operators of the machine and minimum (1) one working day for Fleet Services personnel. Training will take place at locations determined by the City.	<i>yes</i>
3.7.2	Manufacturer shall provide training that covers the unit's routine maintenance procedures. The training program shall be for a minimum of (1) one working day for the operators of the machine and minimum (1) one working day for Fleet Services personnel. Training will take place at locations determined by the City.	<i>yes</i>

4.0 SAMPLING, INSPECTION AND TEST PROCEDURES