

EXHIBIT A

Page 1 of 3

LPA RX 851 WD

Rev. 06/09

Ver. Date 01/10/2018

PID 99852

**PARCEL 39B-WD
HAMILTON ROAD
ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE
IN THE FOLLOWING DESCRIBED PROPERTY
WITHOUT LIMITATION OF EXISTING ACCESS RIGHTS
IN THE NAME AND FOR THE USE OF THE
CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO**

Grantor/Owner, for himself and his heirs, executors, administrators, successors and assigns, reserves all existing rights of ingress and egress to and from any residual area (as used herein, the expression "Grantor/Owner" includes the plural, and words in the masculine include the feminine or neuter).

[Surveyor's description of the premises follows]

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in Quarter Township 4, Township 2, Range 17 of the United States Military Lands and being 0.063 acres within a 1.158 acre parcel conveyed to CHRISTOPHER M KRISIEWICZ, SUCCESSOR TRUSTEE as described in Instrument Number 201509110128077 and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of a survey made for project Hamilton Road, made by the Department of Transportation, and being located within the following described points in the boundary thereof:

Commencing for reference at Franklin County Geodetic Survey (FCGS) monument #6616 found in the centerline of right-of-way of Hamilton Road intersection with Morse Road, being at Station 61+88.00 and being South 3°18'14" West a distance of 1769.60 feet, along the centerline of right-of-way of Hamilton Road, from Franklin County Geodetic Survey (FCGS) monument #6671 found;

Thence from the said FCGS #6616 and along the said centerline of right-of-way of Hamilton Road, North 3°18'14" East a distance of 1076.67 feet to a point at Station 72+64.67;

Thence across the lands North 86°41'46" West a distance of 80.00 feet to an iron pin set on the existing northerly right-of-way line of Broadview Road as dedicated in Plat Book 93, Page 95, being 80.00 feet left of Hamilton Road Station 72+64.67 and the True Point of Beginning;

EXHIBIT A

Page 2 of 3

LPA RX 851 WD

Rev. 06/09

Thence along the northerly existing right-of-way of the said Broadview Road, North $86^{\circ}41'46''$ West, a distance of 195.01 feet to an iron pin set at a southeast property corner of the 9.842 acre tract conveyed to Ben Hale, Jr., Tr. in Instrument Number 200401280019844, being 30.00 feet left of Broadview Road centerline Station 66+89.98;

Thence along the easterly property line of the said 9.842 acre tract, North $3^{\circ}18'14''$ East a distance of 10.00 feet to an iron pin set being 40.00 feet left of Broadview Road centerline Station 66+89.98;

Thence across the said 1.158 acre tract, South $86^{\circ}41'46''$ East a distance of 160.02 feet to an iron pin set, being 40.00 feet left of Broadview Road Station 68+50.00 and being 114.99 feet left of Hamilton Road centerline Station 72+74.67;

Thence across the said 1.158 acre tract, North $68^{\circ}34'08''$ East a distance of 60.54 feet to an iron pin set on the westerly right-of-way line of Hamilton Road, the westerly line of a tract conveyed to the City of Columbus in Deed Book 3578, Page 558, and being 60.00 feet left of centerline Station 73+00.00;

Thence along the westerly right-of-way line of Hamilton Road as conveyed to the said City of Columbus in Deed Book 3578, Page 558, South $3^{\circ}18'14''$ West a distance of 15.33 feet to an iron pin set being 60.00 feet left of centerline Station 72+84.67;

Thence along the said northerly right-of-way line of Broadview Road with a curve to the right having a radius of 20.00 feet, a central angle of $90^{\circ}00'00''$, an arc length of 31.42 feet, and a chord that bears South $48^{\circ}18'14''$ West, a distance of 28.28 feet to the True Point of Beginning, containing 0.063 acres, more or less.

The above described parcel contains 0.063 acres, more or less, including the present road occupies which is 0.000 acres, for a net take of 0.063 acres from Auditors Permanent Parcel Number 600-254194.

All iron pins set are 5/8 inch rebar (30 inches long) with a yellow plastic cap stamped "R/W Dynotec, Inc." and are to be set after construction.

This description was prepared and reviewed on January 10, 2018 by Robert A. Bosworth, Registered Surveyor #7750.

EXHIBIT A

LPA RX 851 WD


Rev. 06/09

This description is based upon a field survey performed by Dynotec, Inc. in January, 2015.

Grantor claims title by Instrument Number 201509110128077 in the Franklin County Recorder's Office.

The basis of bearings shown are based on the State Plane Coordinate System, Ohio South, as per NAD 83 (96 CORS) established by Dynotec, Inc. using GPS procedures and equipment, which sets the centerline of Hamilton Road as North 3°18'14" East.

The stations referred to herein are from the centerline of right-of-way of Hamilton Road as found on O.D.O.T. right of way plan "Hamilton Road" on file with the Ohio Department of Transportation, District 6, City of Delaware, Delaware County, State of Ohio.



Robert A. Bosworth, PS, PE
Reg. Surveyor No. 7750

Date