



UTILITY TRUCK EQUIPMENT, INC.  
23893 U.S. 23 SOUTH  
P.O. BOX 130  
CIRCLEVILLE OH 43113

---

Telephone 740-474-5151

Fax 740-474-4402

## **37' AERIAL UNIT** **AERIAL TOWER AND ACCESSORIES**

Versalift model SST-37-EIH insulated aerial tower with a maximum working height of 42', and a maximum horizontal side reach of 27'- 9". Includes the following features and accessories:

- 24" x 30" x 42" enclosed fiberglass platform with cover.
- Full pressure platform mounted 3-function single handle control.
- Full pressure individual lower controls, with upper control override.
- Hydraulic platform leveling system with upper and lower tilt controls.
- Combination articulating/telescoping boom assembly.
- Upper fiberglass telescoping boom with outer boom insert.
- Articulating steel lower boom assembly.
- ANSI category "C" insulation rating for 46KV and below.
- 360 degree continuous rotation.
- Center mount pedestal at front of body, with booms stowed to the rear.
- Two (2) vertical hydraulic outriggers between cab and body.
- Outrigger / boom interlock system.
- 12 gallon integral oil reservoir located in pedestal.
- 3 GPM open center hydraulic system.
- Engine driven clutch pump assembly with brake interlock.
- One (1) set of hydraulic tool outlets located at platform.
- Remote engine stop/start system with upper and lower controls.



- 2-speed engine throttle system with upper, lower, and curbside rear controls.
- 12 volt emergency power system with upper and lower controls.
- Upper boom storage cradle with ratchet type tie down strap.
- Tubular rubber platform support.
- Safety harness and lanyard.
- Two (2) operator/service manuals.
- Finish paint standard white urethane.
- ANSI A92.2 data plate.
- Inclinator each side on rear of body.
- Complete installation and testing of aerial tower and accessories.

## **AERIAL SERVICE BODY**

Fiberglass service body, 132" long, 94" wide, with 18" deep side compartments. Includes the following features and accessories:

- Heavy duty 6" steel body understructure.
- Body modification for installation of aerial tower.
- Stainless steel hinges and recessed two stage paddle latches.
- Steel treadplate cargo area floor.
- Door holders on all side compartment doors.
- Automotive bulb type rubber door seals on all body doors.
- Deluxe interior package with material trays, hooks, and long shelf storage.
- Curbside #2 access opening with steps to cargo area.
- 30" full width steel treadplate rear tailshelf.
- Removable rear tailboard.
- ICC rear bumper with gripstrut step each side.
- Grab rail installed at curbside rear.
- Two (2) composite outrigger pads and holders.
- Two (2) rubber wheel chocks and holders.
- Combination ball / pintle hook assembly.
- Fire extinguisher, first aid kit, and triangle reflector kit.



- Standard LED lighting package.
- LED rope lighting in each compartment with dash switch.
- Four (4) light strobe system, including two (2) Hella LED amber strobes at front of body, and two (2) 417SA amber strobe type flashers in tailshelf.
- Lighted master switch on dash.
- Electric back up alarm.
- Rear trailer receptacle.
- Rear mud flaps.
- Standard white gelcoat finish on sideboxes.
- Complete installation of body and accessories.

**STANDARD UNIT PRICE.....\$64,120.00.**

**CONTRACT DISCOUNT.....(\$5130.00).**

**TOTAL F.O.B. DESTINATION.....\$58,990.00.**

**CURBSIDE COMPARTMENTATION**

First Vertical – Three (3) adjustable shelves with adjustable dividers.

Second Vertical - Gripstrut access steps to cargo area – Includes a grab handle on the rear of the # 1 compartment.

6" high recycled plastic board installed at floor level at access opening to close off cargo area.

Third Horizontal – Two (2) full length divider shelves, one (1) in center and one on bottom of compartment, each with twelve (12) adjustable dividers.

Fourth Vertical – Five (5) locking swivel material hooks, 1-3-1

**STREETSIDE COMPARTMENTATION**

Full length through shelf installed in top of streetside sidebox, 10" down from top, with drop down access door on rear body panel.

First Vertical – Two (2) adjustable shelves with adjustable dividers.

Second Vertical - Two (2) adjustable shelves with adjustable dividers.

Third Horizontal - Full length bottom shelf with twelve (12) adjustable dividers.

Fourth Vertical - Two (2) adjustable shelves with adjustable dividers.



## STANDARD UNIT OPTIONS

<u>OPTION #</u>	<u>PRICE EACH</u>
<b>BASE PACKAGE PRICE</b>	<b>\$58,990.00</b>
1) 40' aerial tower in lieu of 37'.	\$1740.00
2) Non-insulated aerial tower in lieu of insulated. <b>DEDUCT</b>	(\$950.00)
3) 4-function single handle upper control in lieu of 3-function.	\$720.00
4) 180 degree hydraulic platform rotator.	\$1530.00
5) 50 KV 24" x 30" platform liner.	\$530.00
6) 24" x 42" platform with cover and dual platform supports (reduces platform capacity by 50 pounds, 100 pounds with rotator).	\$705.00
7) 50KV 24" x 42" platform liner.	\$575.00
8) 24" x 30" walk-in platform with L.H. door.	\$410.00
9) Fiberglass lower boom insert ( <b>insulated unit only</b> ).	\$1525.00
10) Torsion bar stabilizers in lieu of outriggers. <b>DEDUCT</b>	(\$1500.00)
11) Torsion bar stabilizers <b>in addition to outriggers</b> .	\$3840.00
12) Hydraulic tool outlets at curbside rear of tailshelf.	\$850.00
13) 36 volt hybrid "electric drive" system to provide hydraulic power for all tower, tool circuit, and outrigger functions. Provides on-demand power ( <b>FORD F550 ONLY</b> ).	\$22,400.00
14) Standard non-metallic colors other than white. Includes matching color on tower and body.	\$1050.00
15) Ziebart rustproof chassis cab and body understructure.	\$700.00
16) Aluminum understructure with aluminum treadplate cargo floor.	\$1150.00
17) Aluminum treadplate cargo wall liners and compartment tops.	\$995.00
18) Fiberglass transverse compartment with aluminum treadplate overlay, between front verticals, with top opening lid and center shelf (front compt. Hooks 2-0-2) <b>(AVAILABLE WITH 40' TOWER, OPTION # 1 ONLY)</b> .	\$935.00
19) Pull out drawer in bottom of transverse <b>(WITH OPTION #18 ONLY)</b> .	\$515.00
20) 18" wide through tunnel under tailshelf, door each side.	\$625.00
21) Through shelf from horizontal to rear in top of curbside sidebox	



with rear door and top opening lid above horizontal compartment.	\$605.00
22) Aluminum ladder rack assembly, installed.	\$885.00
23) #2 curbside compt. with shelving in lieu of access opening.	No Charge
24) Curbside tailshelf access steps in lieu of #2 access opening.	\$440.00
25) Curbside #4 access opening in lieu of #2 access opening.	No Charge
26) Aluminum gripstrut installed full length of sidebox, per side.	\$610.00
27) Rod lock door system for side compartments.	\$450.00
28) D-ring 3-point latches in lieu of rotary latches on side compts.	\$980.00
29) Additional divider shelves, (2) @ \$100.00 each	\$200.00
30) Two (2) pull-out material drawers with criss-cross dividers under shelf in horizontal.	\$700.00
31) Aluminum wheel well liners.	\$360.00
32) Complete 60" C.A. package in lieu of 84" C.A. - <b>DEDUCT</b>	(\$1350.00)

### GENERAL OPTIONS FOR ALL UNITS

#### **OPTION # PRICE EACH**

1) Lower boom operation from 3 function Unitrol handle with Telescoping boom on individual lever, SST and VST units.	\$275.00
2) Hard plastic lower boom saddle (not avail. on all units).	\$335.00
3) Boom out-of-stow light on chassis dash.	\$295.00
4) Outrigger warning alarms, per set of two (2).	\$425.00
5) 1TB bucket tool tray.	\$130.00
6) Hastings tool board with pouch.	\$225.00
7) Bucket scuff pad with step, with or without liner.	\$300.00
8) Hastings single conductor holder, for square jib.	\$895.00
9) Hastings single conductor holder, for round jib.	\$360.00
10) Chance PST4002856 conductor holder for 4" square jib.	\$1495.00
11) Winch and Jib storage post for cargo area.	\$365.00
12) Two (2) Dica D1818 outrigger pads and holders.	\$875.00
13) Two (2) Dica D24242 outrigger pads and holders.	\$1185.00
14) D-ring 3-point latches in lieu of standard, per door (glass body).	\$130.00
15) 72" x 18" x 12" aluminum top box with center top lid.	\$1800.00
16) 96" x 18" x 12" aluminum top box with two (2) lids.	\$2200.00
17) Rear frame rail enclosure with drop down rear access door (Not available on all units).	\$1295.00
18) Weatherguard 304-3 Rat Pack Drawer unit at rear between frame rails (if space permits).	\$1725.00
19) Ring style cone holder on front bumper.	\$390.00
20) Post type cone holder – any location.	\$385.00
21) Swing out horizontal cone holder on front bumper.	\$775.00
22) Reese receiver with removable "L" shaped vice bracket.	\$510.00



23) Bicycle style aluminum wire storage rack.	\$585.00
24) Slide-N-Lock rail with two (2) sliding hooks, one (1) side.	\$325.00
25) UTE swing-out style ground spool carrying rack.	\$385.00
26) UTE ground spool spindle on frame with retainer pin, each.	\$180.00
27) 4" or 6" PVC storage tube with aluminum canister kit, each, up to 10' long, installed exterior.	\$385.00
28) Golight Stryker model 3067 wireless remote control spotlight.	\$960.00
29) Golight Stryker model 30004 LED wireless remote control spotlight.	\$1280.00
30) Night Ray NR-755-20KFDW Wireless remote control spotlight.	\$1210.00
31) Streamlight 45861 LED spotlight with charger base.	\$435.00
32) Unity standard 6" post mount spotlight, per side.	\$445.00
33) Unity LED 6" post mount spotlight, per side.	\$675.00
34) Additional Hella H27113001 12 volt amber LED strobes, each.	\$520.00
35) Whelen L31HAF strobes in lieu of standard, each.	\$325.00
36) Additional Whelen L31HAF strobes, each.	\$830.00
37) Additional Whelen 2GA00FAR LED amber warning lights, each.	\$670.00
38) Soundoff Signal NRoads LED high dome double beacon in lieu standard.	\$395.00
39) Additional NRoads LED high dome double beacon, each.	\$850.00
40) Soundoff Signal Pinnacle mini LED light bar, each.	\$975.00
41) Tomar model 970L-4980-0102 light bar assembly installed on roof with controller in cab.	\$3750.00
42) Ecco LED cargo spot or flood light.	\$445.00
43) LED underbody lighting kit for night operations.	\$990.00
44) LED tractor mount lights at rear under tailshelf, wired to back up light circuit or a dash mounted control switch.	\$435.00
45) 1200 watt pure sine wave inverter, dash switch, rear receptacle.	\$2275.00
46) 1800 watt pure sine wave inverter, dash switch, rear receptacle.	\$2945.00
47) Whelen TA637A traffic control light bar at rear center under tailshelf with dash mounted controller.	\$1250.00
48) Mobile Awareness VisionStat backup camera system.	\$1140.00
49) Mobile Awareness VisionStat Plus backup camera w/ sensors.	\$1695.00
50) UTE grounding system with tower, body, and grounding stirrup attached to a single point on chassis frame. Includes curbside rear grounding stirrup.	\$720.00
51) Hannay SGCR10-17-19 spring retractable ground wire reel with 50' of 1/0 cable and clamp. Reel to be grounded to a single location on chassis frame.	\$1590.00
52) Hastings yellow retractable grounding reel with 50' of 1/0 yellow Cable and grounding clamp. Reel to be grounded to a single Location on chassis frame.	\$2290.00
53) Ram computer mount in chassis cab.	\$540.00
54) Warn 16,500# winch mounted on the front bumper. Includes heavy duty grille guard, 90' x 7/16" wire rope, 4-way roller, hand-held control pendant and complete installation (Ford F550 or	



OCTOBER 2016

Dodge 5500 only).	\$5175.00
55) Remote engine stop/start switch at curbside rear (aerial unit only).	\$275.00

**NOTES**

- Provided chassis cab must meet minimum specifications.
- Delivery: Approximately 240-270 days after receipt of order.
- Terms: NET 10.
- Freight: Delivery to Columbus facilities is included.
- Bucket Capacity Will be 300# With the Combination of Options Currently Chosen

We appreciate the opportunity to assist with your equipment requirements. If you have any questions or require additional information, please contact us at your earliest convenience.

Thank you for your consideration.

Sincerely,

Utility Truck Equipment, Inc.

*Rick Ellingsworth*



## SUMMARY SHEET FOR COLUMBUS SST37

<u>OPTION #</u>	<u>PRICE EACH</u>
<b>BASE PACKAGE PRICE</b>	<b>\$58,990.00</b>
3) 4-function single handle upper control in lieu of 3-function.	\$720.00
4) 180 degree hydraulic platform rotator.	\$1530.00
6) 24" x 42" platform with cover and dual platform supports (reduces platform capacity by 50 pounds, 100 pounds with rotator).	\$705.00
7) 50KV 24" x 42" platform liner.	\$575.00
9) Fiberglass lower boom insert ( <b>insulated unit only</b> ).	\$1525.00
11) Torsion bar stabilizers <i>in addition to outriggers</i> .	\$3840.00
13) 36 volt hybrid "electric drive" system to provide hydraulic power for all tower, tool circuit, and outrigger functions. Provides on-demand power ( <b>FORD F550 ONLY</b> ).	\$22,400.00
14) Standard non-metallic colors other than white. Includes matching color on tower and body.	\$1050.00
15) Ziebart rustproof chassis cab and body understructure.	\$700.00
16) Aluminum understructure with aluminum treadplate cargo floor.	\$1150.00
22) Aluminum ladder rack assembly, installed.	\$885.00
24) Curbside tailshelf access steps in lieu of #2 access opening.	\$440.00
30) Two (2) pull-out material drawers with criss-cross dividers under shelf in horizontal.	\$700.00
31) Aluminum wheel well liners.	\$360.00

### GENERAL OPTIONS FOR ALL UNITS

3) Boom out-of-stow light on chassis dash.	\$295.00
4) Outrigger warning alarms, per set of two (2).	\$425.00
5) 1TB bucket tool tray.	\$130.00
7) Bucket scuff pad with step, with or without liner.	\$300.00
16) 96" x 18" x 12" aluminum top box with two (2) lids.	\$2200.00





OCTOBER 2016

19) Ring style cone holder on front bumper.	\$390.00
20) Post type cone holder – any location.	\$385.00
22) Reese receiver with removable “L” shaped vice bracket.	\$510.00
35) Whelen L31 HAF strobes in lieu of standard, 2 @ \$325.00 each.	\$650.00
37) Additional Whelen 2GA00FAR LED amber warning lights, 2 @ \$670.00 each.	\$1340.00

**TOTAL WITH ALL STS OPTIONS.....\$102,195.00**