

EXHIBIT A

PARCEL 3-T ROBERTS ROAD TEMPORARY EASEMENT FOR MINOR GRADING

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 348.08 feet to a point at centerline station 13+48.08;

thence South 2 degrees 27 minutes 18 seconds West a distance of 49.99 feet to a point on the Grantor's west line and the southerly right of way line of Roberts Road; said point being 49.99 feet right of station 13+48.08 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said right of way line a distance of 486.74 feet to a point, said point being 56.19 feet right of station 18+33.95;

thence on a curve to the right a distance of 37.15 feet with a radius of 25.00 feet and whose chord bears South 44 degrees 58 minutes 36 seconds East a distance of 33.82 feet along said right of way line to a point, said point being 79.48 feet right of station 18+58.47;

thence on a curve to the left a distance of 25.37 feet with a radius of 270.00 feet and whose chord bears South 05 degrees 05 minutes 56 seconds East a distance of 25.36 feet along the westerly right of way line of Potts Place to a point, said point being 104.67 feet right of station 18+61.39;

thence South 82 degrees 12 minutes 35 seconds West a distance of 8.53 to a point, said point being 106.05 feet right of station 18+52.97;

thence North 11 degrees 22 minutes 15 seconds West a distance of 42.11 feet to a point, said point being 65.00 feet right of station 18+43.59;

thence N 88 degrees 29 minutes 34 seconds a distance of 343.59 feet to the point on the Grantor's west line, said point being 59.99 feet right of station 13+49.63;

thence North 06 degrees 20 minutes 00 seconds West a distance of 10.12 feet to the point of beginning.

The above described area of 0.143 acres is contained within Auditor's parcel number 560-168621.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 19960125005492 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT B

PARCEL 4-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 261.35 feet to a point at centerline station 12+61.35;

thence North 02 degrees 27 minutes 18 seconds East a distance of 40.00 feet to a point on the Grantor's west line and the existing northerly right of way line of Roberts Road; said point being 40.00 feet left of station 12+61.35 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 01 degrees 33 minutes 36 seconds East along Grantor's west line a distance of 20.00 feet to an IP set (passing a bent IP found at 9.10 feet), said point being 60.00 feet left of station 12+61.04;

thence South 87 degrees 32 minutes 46 seconds East a distance of 198.26 to an IP set, said point being 60.00 feet left of station 14+60.30;

thence South 88 degrees 29 minutes 34 seconds East a distance of 277.12 to a point on the Grantor's east line, said point being 60.00 feet left of station 17+37.43;

thence South 03 degrees 37 minutes 31 seconds East a distance of 24.72 feet to a point on the existing northerly right of way line of Roberts Road, said point being 35.38 feet left of station 17+39.64;

thence N 87 degrees 32 minutes 46 seconds West along said right of way line a distance of 477.66 feet to the point of beginning.

The above described area is contained within Auditor's parcel number 560-168644 containing 0.233 acres, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200401150011068 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 4-T
ROBERTS ROAD
TEMPORARY EASEMENT FOR MINOR GRADING**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 390.00 feet to a point at centerline station 13+90.00;

thence North 2 degrees 27 minutes 18 seconds East a distance of 60.00 feet to a point; said point being 60.00 feet left of station 13+90.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 27 minutes 18 seconds East a distance of 8.86 feet to a point, said point being 68.86 feet left of station 13+90.00;

thence South 88 degrees 29 minutes 34 seconds East a distance of 345.38 feet to a point on the Grantor's east line, said point being 70.00 feet left of station 17+36.53;

thence South 03 degrees 37 minutes 31 seconds East a distance of 10.04 feet to a point, said point being 60.00 feet left of station 17+37.43;

thence North 88 degrees 32 minutes 46 seconds East a distance of 277.12 feet to an IP set, said point being 60.00 feet left of station 14+60.30;

thence North 87 degrees 32 minutes 46 seconds West a distance of 69.31 feet to the point of beginning.

The above described area of 0.078 acres is contained within Auditor's parcel number 560-168644.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200401150011068 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT C

PARCEL 8-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 81 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 278.52 feet to a point at centerline station 17+37.84;

thence North 01 degrees 30 minutes 26 seconds East a distance of 55.41 feet to a point on the grantor's west line; said point being 55.41 feet left of station 17+37.84 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West a distance of 4.61 feet to an IP set, said point being 60.00 feet left of station 17+37.43;

thence South 88 degrees 29 minutes 34 seconds East a distance of 104.08 feet to an IP set, said point being 60.00 feet left of station 18+41.50;

thence on a curve to the left a distance of 24.91 feet with a radius of 15.00 feet and whose chord bears North 43 degrees 56 minutes 28 seconds East a distance of 22.14 feet to an IP set on the existing westerly right of way line of Bressler Drive (and the Grantor's east line), said point being 76.34 feet left of station 18+56.44;

thence South 03 degrees 37 minutes 31 seconds East along said right of way line a distance of 0.77 feet to a point, said point being 75.57 feet left of station 18+56.51;

thence along said right of way line on a curve to the right a distance of 33.54 feet with a radius of 20.00 feet and whose chord bears South 44 degrees 24 minutes 52 seconds West a distance of 29.74 feet to an IP found, said point being 53.79 feet left of station 18+36.26;

thence North 87 degrees 32 minutes 46 seconds West a distance of 98.44 feet to the point of beginning.

The above described area of 0.014 acres is contained within Auditor's parcel number 560-214365, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199807020166189 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 8-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 278.11 feet to a point at centerline station 17+37.43;

thence North 01 degrees 30 minutes 26 seconds East a distance of 60.00 feet to a point on the grantor's west line; said point being 60.00 feet left of station 17+37.43 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West a distance of 10.04 feet to a point, said point being 70.00 feet left of station 17+36.53;

thence South 88 degrees 29 minutes 34 seconds East a distance of 104.97 feet to a point, said point being 70.00 feet left of station 18+41.50;

thence North 52 degrees 36 minutes 15 seconds East a distance of 8.96 feet to a point, said point being 75.63 feet left of station 18+48.48;

thence North 03 degrees 37 minutes 31 seconds West a distance of 14.11 feet to a point, said point being 89.68 feet left of station 18+47.21;

thence North 86 degrees 22 minutes 29 seconds East a distance of 8.00 feet to a point on the existing westerly right of way of Bressler Drive (and the Grantor's east line), said point being 90.39 feet left of station 18+55.18;

thence South 03 degrees 37 minutes 31 seconds East along said right of way line a distance of 14.11 feet to a point, said point being 76.34 feet left of station 18+56.44;

thence leaving said right of way line on a curve to the right a distance of 24.91 feet with a radius of 15.00 feet and whose chord bears South 43 degrees 56 minutes 28 seconds West a distance of 22.14 feet to a point, said point being 60.00 feet left of station 18+41.50;

thence North 88 degrees 29 minutes 34 seconds West a distance of 104.08 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-214365.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199807020166189 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT D

PARCEL 9-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 82 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 476.76 feet to a point at centerline station 19+36.08;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to an IP set, said point being 54.00 feet left of station 19+36.08 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 88 degrees 29 minutes 34 seconds East a distance of 93.06 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 20+29.13;

thence South 03 degrees 37 minutes 31 seconds East along said property line a distance of 3.42 feet to an IP found on the existing northerly right of way line of Roberts Road and being 50.59 feet left of station 20+29.44;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line (and grantor's south line) a distance of 102.70 feet to an IP found, said point being 52.29 feet left of station 19+26.76;

thence along said right of way line on a curve to the right a distance of 29.29 feet with a radius of 20.00 feet and whose chord bears North 45 degrees 35 minutes 08 seconds West a distance of 26.75 feet to an IP found on the existing easterly right of way line of Bressler Drive (and the Grantor's east line), said point being 70.50 feet left of station 19+07.17;

thence North 03 degrees 37 minutes 31 seconds West along said right of way a distance of 10.86 feet to an IP set, said point being 81.32 feet left of station 19+06.20;

thence on a curve to the left a distance of 67.22 feet with a radius of 30.00 feet and whose chord bears South 46 degrees 03 minutes 32 seconds East a distance of 40.48 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-214366, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199309210220353 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 9-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 446.88 feet to a point at centerline station 19+06.20;

thence North 01 degrees 30 minutes 26 seconds East a distance of 81.32 feet to a point on the existing easterly right of way line of Bressler Drive (and the grantor's west line); said point being 81.32 feet left of station 19+06.20 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West a distance of 17.60 feet to a point, said point being 98.85 feet left of station 19+04.62;

thence North 86 degrees 22 minutes 29 seconds East a distance of 5.00 feet to a point, said point being 99.29 feet left of station 19+09.60;

thence South 03 degrees 37 minutes 31 seconds West a distance of 17.60 feet to a point, said point being 81.76 feet left of station 19+11.18;

thence South 50 degrees 23 minutes 52 seconds East a distance of 31.64 feet to a point, said point being 62.24 feet left of station 19+36.08;

thence North 88 degrees 29 minutes 34 seconds West a distance of 20.66 feet to the point on said right of way line, said point being 62.24 feet left of station 19+15.42;

thence along said right of way line on a curve to the right a distance of 44.44 feet with a radius of 30.00 feet and whose chord bears North 46 degrees 03 minutes 32 seconds West a distance of 40.48 feet to the point of beginning.

The above described area of 0.029 acres is contained within Auditor's parcel number 560-214366.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199309210220353 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 9-U
ROBERTS ROAD
UTILITY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 476.76 feet to a point at centerline station 19+36.08;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 19+36.08 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence on a curve to the right a distance of 22.78 feet with a radius of 30.00 feet and whose chord bears North 66 degrees 44 minutes 12 seconds West a distance of 22.24 feet to a point, said point being 62.24 feet left of station 19+15.42;

thence South 88 degrees 29 minutes 34 seconds East a distance of 112.98 feet to a point on the grantor's east line, said point being 62.24 feet left of station 20+28.39;

thence South 03 degrees 37 minutes 31 seconds East along said property line a distance of 8.28 feet to a point, said point being 54.00 feet left of station 20+29.13;

thence North 88 degrees 29 minutes 34 seconds West a distance of 93.06 feet to the point of beginning.

The above described area of 0.020 acres is contained within Auditor's parcel number 560-214366, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199309210220353 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT E

PARCEL 11-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 549.67 feet to a point at centerline station 20+08.99;

thence South 01 degrees 30 minutes 26 seconds West a distance of 9.08 feet to a point on the grantor's west line and the existing centerline of right of way of Roberts Road, said point being 9.08 feet right of station 20+08.99 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said centerline (and grantor's north line) a distance of 140.00 feet to a point on the grantor's east line, said point being 11.39 feet right of station 21+48.97;

thence South 06 degrees 35 minutes 17 seconds East along said property line a distance of 50.63 feet to an IP set, said point being 61.51 feet right of station 21+56.10;

thence North 87 degrees 32 minutes 46 seconds West a distance of 140.00 feet to an IP set on the grantor's west line, said point being 59.20 feet right of station 20+16.12;

thence North 06 degrees 35 minutes 17 seconds West along said property line (passing an IP found at 28.03 feet) a distance of 50.63 feet to the point of beginning.

The above described area of 0.161 acres is contained within Auditor's parcel number 560-154699, which includes 0.096 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the

PARCEL 11-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 556.80 feet to a point at centerline station 20+16.12;

thence South 01 degrees 30 minutes 26 seconds West a distance of 59.20 feet to a point on the grantor's west line, said point being 59.20 feet right of station 20+16.12 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East a distance of 58.89 feet to a point, said point being 60.17 feet right of station 20+75.00;

thence South 01 degrees 30 minutes 26 seconds West along said property line a distance of 9.83 feet to a point, said point being 70.00 feet right of station 20+75.00;

thence North 88 degrees 29 minutes 34 seconds West a distance of 57.34 feet to a point on the grantor's west line, said point being 70.00 feet right of station 20+17.66;

thence North 06 degrees 35 minutes 17 seconds West along said property line a distance of 10.91 feet to the point of beginning.

The above described area of 0.014 acres is contained within Auditor's parcel number 560-154699.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200210070251029 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT F

PARCEL 12-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 103 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 570.12 feet to a point at centerline station 20+29.44;

thence North 01 degrees 30 minutes 26 seconds East a distance of 50.59 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 50.59 feet left of station 20+29.44 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West along said property line a distance of 3.42 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 20+29.13;

thence South 88 degrees 29 minutes 34 seconds East a distance of 122.28 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 21+51.42;

thence South 17 degrees 51 minutes 23 seconds West along said property line a distance of 5.62 feet to a point on said right of way line (and the grantor's south line), said point being 48.60 feet left of station 21+49.84;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 120.41 feet to the point of beginning.

The above described area of 0.012 acres is contained within Auditor's parcel number 560-214387, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199403220098821 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 12-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 569.81 feet to a point at centerline station 20+29.13;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 20+29.13 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West along said property line a distance of 8.28 feet to a point on the grantor's west line, said point being 62.24 feet left of station 20+28.39;

thence South 88 degrees 29 minutes 34 seconds East a distance of 125.44 feet to a point on the grantor's east line, said point being 62.24 feet left of station 21+53.84;

thence South 17 degrees 51 minutes 23 seconds West along said property line a distance of 8.59 feet to a point, said point being 54.00 feet left of station 21+51.42;

thence North 88 degrees 29 minutes 34 seconds West a distance of 122.28 feet to the point of beginning.

The above described area of 0.023 acres is contained within Auditor's parcel number 560-214387.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199403220098821 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 12-U
ROBERTS ROAD
UTILITY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 569.81 feet to a point at centerline station 20+29.13;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 20+29.13 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 31 seconds West along said property line a distance of 8.28 feet to a point on the grantor's west line, said point being 62.24 feet left of station 20+28.39;

thence South 88 degrees 29 minutes 34 seconds East a distance of 125.44 feet to a point on the grantor's east line, said point being 62.24 feet left of station 21+53.84;

thence South 17 degrees 51 minutes 23 seconds West along said property line a distance of 8.59 feet to a point, said point being 54.00 feet left of station 21+51.42;

thence North 88 degrees 29 minutes 34 seconds West a distance of 122.28 feet to the point of beginning.

The above described area of 0.023 acres is contained within Auditor's parcel number 560-214387.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199403220098821 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT G

PARCEL 13-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 689.65 feet to a point at centerline station 21+48.97;

thence South 01 degrees 30 minutes 26 seconds West a distance of 11.39 feet to a point on the grantor's west line and the existing centerline of right of way of Roberts Road, said point being 11.39 feet right of station 21+48.97 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said centerline (and grantor's north line) a distance of 200.01 feet to a point on the grantor's east line, said point being 12.98 feet right of station 23+49.24;

thence South 06 degrees 35 minutes 17 seconds East along said property line a distance of 50.63 feet to an IP set (passing an IP found at 30.38 feet), said point being 62.94 feet right of station 23+57.50;

thence North 87 degrees 32 minutes 46 seconds West a distance of 200.01 feet to an IP set on the grantor's west line, said point being 61.51 feet right of station 21+56.10;

thence North 06 degrees 35 minutes 17 seconds West along said property line a distance of 50.63 feet to the point of beginning.

The above described area of 0.230 acres is contained within Auditor's parcel number 560-154604, which includes 0.138 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 199007050119130 and ORV 199007050119130 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 13-T

**ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence South 18 degrees 08 minutes 27 seconds East a distance of 66.25 feet to a point, said point being 62.36 feet right of station 22+09.63 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East a distance of 45.00 feet to a point, said point being 62.84 feet right of station 22+55.00;

thence South 02 degrees 00 minutes 57 seconds West a distance of 7.14 feet to a point, said point being 69.98 feet right of station 22+55.00;

thence North 88 degrees 08 minutes 59 seconds West a distance of 45.00 feet to a point, said point being 69.98 feet right of station 22+09.58;

thence North 02 degrees 00 minutes 57 seconds East along said property line a distance of 7.62 feet to the point of beginning.

The above described area of 0.008 acres is contained within Auditor's parcel number 560-154604.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 199007050119130 and ORV 199007050119130 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83.

EXHIBIT H

PARCEL 14-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 104 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 690.52 feet to a point at centerline station 21+49.84;

thence North 01 degrees 30 minutes 26 seconds East a distance of 48.60 feet to a point on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 48.60 feet left of station 21+49.84 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 17 degrees 51 minutes 23 seconds East along said property line a distance of 5.62 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 21+51.42;

thence South 88 degrees 29 minutes 34 seconds East a distance of 35.75 feet to an IP set, said point being 54.00 feet left of station 21+87.17;

thence on a curve to the right a distance of 60.89 feet with a radius of 7693.44 feet and whose chord bears South 88 degrees 15 minutes 58 seconds East a distance of 60.89 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 22+47.63;

thence South 13 degrees 03 minutes 08 seconds East along said property line a distance of 7.03 feet to a point on said right of way line (and the grantor's south line), said point being 47.21 feet left of station 22+49.44;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 100.00 feet to the point of beginning.

The above described area of 0.014 acres is contained within Auditor's parcel number 560-214388, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200008110161849 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 14-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 692.10 feet to a point at centerline station 21+51.42;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 21+51.42 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 17 degrees 51 minutes 23 seconds East along said property line a distance of 8.59 feet to a point on the grantor's west line, said point being 62.24 feet left of station 21+53.84;

thence South 88 degrees 29 minutes 34 seconds East a distance of 33.33 feet to a point, said point being 62.24 feet left of station 21+87.17;

thence on a curve to the right a distance of 58.74 feet with a radius of 7701.68 feet and whose chord bears North 88 degrees 16 minutes 27 seconds East a distance of 58.74 feet to a point on the grantor's east line, said point being 62.24 feet left of station 22+45.44;

thence South 13 degrees 03 minutes 08 East seconds along said property line a distance of 8.53 feet to a point, said point being 54.00 feet left of station 22+47.63;

thence on a curve to the left a distance of 60.89 feet with a radius of 7693.44 feet and whose chord bears South 88 degrees 15 minutes 58 seconds West a distance of 60.89 feet to a point, said point being 54.00 feet left of station 22+87.17;

thence North 88 degrees 29 minutes 34 seconds West a distance of 35.75 feet to the point of beginning.

The above described area of 0.018 acres is contained within Auditor's parcel number 560-214388.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200008110161849 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 14-U
ROBERTS ROAD
UTILITY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 692.10 feet to a point at centerline station 21+51.42;

thence North 01 degrees 30 minutes 26 seconds East a distance of 54.00 feet to a point on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 54.00 feet left of station 21+51.42 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 17 degrees 51 minutes 23 seconds East along said property line a distance of 8.59 feet to a point on the grantor's west line, said point being 62.24 feet left of station 21+53.84;

thence South 88 degrees 29 minutes 34 seconds East a distance of 33.33 feet to a point, said point being 62.24 feet left of station 21+87.17;

thence on a curve to the right a distance of 58.74 feet with a radius of 7701.68 feet and whose chord bears North 88 degrees 16 minutes 27 seconds East a distance of 58.74 feet to a point on the grantor's east line, said point being 62.24 feet left of station 22+45.44;

thence South 13 degrees 03 minutes 08 East seconds along said property line a distance of 8.53 feet to a point, said point being 54.00 feet left of station 22+47.63;

thence on a curve to the left a distance of 60.89 feet with a radius of 7693.44 feet and whose chord bears South 88 degrees 15 minutes 58 seconds West a distance of 60.89 feet to a point, said point being 54.00 feet left of station 22+87.17;

thence North 88 degrees 29 minutes 34 seconds West a distance of 35.75 feet to the point of beginning.

The above described area of 0.018 acres is contained within Auditor's parcel number 560-214388.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200008110161849 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT I

PARCEL 15-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Phase 1 of Saddlebrook Condominiums, as recorded in C.P.B. 74 at Pages 18-24, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 354.83 feet to a point at centerline station 26+83.54;

thence South 03 degrees 37 minutes 50 seconds West a distance of 57.08 feet to an IP found on the grantor's west line and the existing southerly right of way line of Roberts Road, said point being 57.08 feet right of station 26+83.54 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 10.92 feet to an IP set on the grantor's west line, said point being 68.00 feet right of station 26+83.77;

thence North 86 degrees 22 minutes 10 seconds West a distance of 56.20 feet to an IP set, said point being 68.00 feet right of station 26+27.57;

thence North 12 degrees 17 minutes 29 seconds West a distance of 10.10 feet to an IP set on said right of way line, said point being 58.29 feet right of station 26+24.80;

thence South 87 degrees 32 minutes 46 seconds East a distance of 58.76 feet to the point of beginning.

The above described area of 0.014 acres is contained within Condominium Plat Book 74, pages 18-24, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199708040062029 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 15-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 355.06 feet to a point at centerline station 26+83.77;

thence South 03 degrees 37 minutes 50 seconds West a distance of 68.00 feet to a point on the grantor's east line, said point being 68.00 feet right of station 26+83.77 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 40.01 feet to a point, said point being 108.00 feet right of station 26+84.59;

thence North 86 degrees 22 minutes 10 seconds West a distance of 68.83 feet to a point, said point being 108.00 feet right of station 26+15.76;

thence North 03 degrees 37 minutes 50 seconds East a distance of 38.00 feet to a point, said point being 70.00 feet right of station 26+15.76;

thence North 77 degrees 34 minutes 31 seconds West a distance of 66.54 feet to a point on said right of way line, said point being 59.83 feet right of station 25+50.00;

thence South 87 degrees 32 minutes 46 seconds East along said right of way line (and grantor's north line) a distance of 74.81 feet to a point, said point being 58.29 feet right of station 26+24.80;

thence South 12 degrees 17 minutes 29 seconds East a distance of 10.10 feet to a point, said point being 68.00 feet right of station 26+27.57;

thence South 86 degrees 22 minutes 10 seconds East a distance of 56.20 feet to the point of beginning.

The above described area of 0.074 acres is contained within Condominium Plat Book 74, pages 18-24.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199708040062029 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 15-T1
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Sections No. 6554 and No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 487.25 feet to a point at centerline station 28+15.96;

thence South 03 degrees 37 minutes 50 seconds West a distance of 54.36 feet to a point on the grantor's west line, said point being 54.36 feet right of station 28+15.96 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said right of way line (and grantor's north line) a distance of 60.00 feet to a point on the grantor's east line, said point being 53.13 feet right of station 28+75.94;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 11.87 feet to a point, said point being 65.00 feet right of station 28+76.19;

thence North 86 degrees 22 minutes 10 seconds West a distance of 60.01 feet to a point on the grantor's west line, said point being 65.00 feet right of station 28+16.17;

thence North 02 degrees 27 minutes 14 seconds East a distance of 10.64 feet to the point of beginning.

The above described area of 0.016 acres is contained within Condominium Plat Book 74, pages 65-66.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199712230173692 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT J

PARCEL 16-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 105 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 54 degrees 39 minutes 34 seconds East a distance of 78.29 feet to a point on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 47.21 feet left of station 22+49.44 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 7.03 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 22+47.63;

thence on a curve to the right a distance of 62.19 feet with a radius of 7693.44 feet and whose chord bears South 87 degrees 48 minutes 28 seconds East a distance of 62.19 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 23+09.38;

thence South 13 degrees 03 minutes 08 seconds East along said property line a distance of 7.33 feet to an IP found on said right of way line (and the grantor's south line), said point being 46.94 feet left of station 23+11.32;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 62.27 feet to the point of beginning.

The above described area of 0.010 acres is contained within Auditor's parcel number 560-214389, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199012030180104 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 16-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 50 degrees 03 minutes 52 seconds East a distance of 81.22 feet to a point on the grantor's west line, said point being 54.00 feet left of station 22+47.63 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 6.21 feet to a point on the grantor's west line, said point being 60.00 feet left of station 22+46.03;

thence on a curve to the right a distance of 62.18 feet with a radius of 7699.44 feet and whose chord bears South 87 degrees 49 minutes 12 seconds East a distance of 62.18 feet to a point on the grantor's east line, said point being 60.00 feet left of station 23+07.73;

thence South 13 degrees 03 minutes 08 East seconds along said property line a distance of 6.23 feet to a point, said point being 54.00 feet left of station 23+09.38;

thence on a curve to the left a distance of 62.19 feet with a radius of 7693.44 feet and whose chord bears North 87 degrees 48 minutes 28 seconds West a distance of 62.19 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-214389.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199012030180104 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT K

PARCEL 17-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 106 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 71 degrees 19 minutes 17 seconds East a distance of 133.09 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 46.94 feet left of station 23+11.32 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 7.33 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 23+09.38;

thence on a curve to the right a distance of 62.33 feet with a radius of 7693.44 feet and whose chord bears South 87 degrees 20 minutes 39 seconds East a distance of 62.33 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 23+71.27;

thence South 13 degrees 03 minutes 08 seconds East along said property line a distance of 7.10 feet to an IP found on said right of way line (and the grantor's south line), said point being 47.17 feet left of station 23+73.21;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 62.27 feet to the point of beginning.

The above described area of 0.010 acres is contained within Auditor's parcel number 560-214390, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199009270154763 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 17-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 68 degrees 12 minutes 07 seconds East a distance of 134.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 23+09.38 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 6.23 feet to a point on the grantor's west line, said point being 60.00 feet left of station 23+07.73;

thence on a curve to the right a distance of 62.32 feet with a radius of 7699.44 feet and whose chord bears South 87 degrees 21 minutes 24 seconds East a distance of 62.32 feet to a point on the grantor's east line, said point being 60.00 feet left of station 23+69.57;

thence South 13 degrees 03 minutes 08 East seconds along said property line a distance of 6.24 feet to a point, said point being 54.00 feet left of station 23+71.27;

thence on a curve to the left a distance of 62.33 feet with a radius of 7693.44 feet and whose chord bears North 87 degrees 20 minutes 39 seconds West a distance of 62.33 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-214390.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199009270154763 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT L

PARCEL 18-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 107 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 78 degrees 01 minutes 08 seconds East a distance of 192.48 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 47.17 feet left of station 23+73.21 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 7.10 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 23+71.27;

thence on a curve to the right a distance of 62.47 feet with a radius of 7693.44 feet and whose chord bears South 86 degrees 52 minutes 46 seconds East a distance of 62.47 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 24+33.30;

thence South 13 degrees 03 minutes 08 seconds East along said property line a distance of 6.35 feet to an IP found on said right of way line (and the grantor's south line), said point being 47.91 feet left of station 24+35.09;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 62.27 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-214391, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200102010021112 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 18-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 75 degrees 54 minutes 20 seconds East a distance of 192.48 feet to a point on the grantor's west line, said point being 54.00 feet left of station 23+71.27 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 6.24 feet to a point on the grantor's west line, said point being 60.00 feet left of station 23+69.57;

thence on a curve to the right a distance of 62.47 feet with a radius of 7699.44 feet and whose chord bears South 86 degrees 53 minutes 32 seconds East a distance of 62.47 feet to a point on the grantor's east line, said point being 60.00 feet left of station 24+31.55;

thence South 13 degrees 03 minutes 08 East seconds along said property line a distance of 6.25 feet to a point, said point being 54.00 feet left of station 24+33.30;

thence on a curve to the left a distance of 62.47 feet with a radius of 7693.44 feet and whose chord bears North 86 degrees 52 minutes 46 seconds West a distance of 62.47 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-214391.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200102010021112 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT M

PARCEL 19-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 108 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 81 degrees 31 minutes 58 seconds East a distance of 253.26 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 47.91 feet left of station 24+35.09 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 6.35 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 24+33.30;

thence on a curve to the right a distance of 37.24 feet with a radius of 7693.44 feet and whose chord bears South 86 degrees 30 minutes 29 seconds East a distance of 37.24 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 24+70.29;

thence South 86 degrees 22 minutes 10 seconds East a distance of 2.58 feet to an IP set on the grantor's east line, said point being 54.00 feet left of station 24+72.86;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 5.39 feet to an IP found on said right of way line (and the grantor's south line), said point being 48.61 feet left of station 24+72.97;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 38.11 feet to the point of beginning.

The above described area of 0.005 acres is contained within Auditor's parcel number 560-214392, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199711070139401 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 19-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 727.85 feet to a point at centerline station 21+87.17;

thence North 80 degrees 05 minutes 58 seconds East a distance of 252.83 feet to a point on the grantor's west line, said point being 54.00 feet left of station 24+33.30 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 13 degrees 03 minutes 08 seconds West along said property line a distance of 6.25 feet to a point on the grantor's west line, said point being 60.00 feet left of station 24+31.55;

thence on a curve to the right a distance of 39.03 feet with a radius of 7699.44 feet and whose chord bears South 86 degrees 30 minutes 53 seconds East a distance of 39.03 feet to a point on the grantor's east line, said point being 60.00 feet left of station 24+72.73;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 6.00 feet to a point, said point being 54.00 feet left of station 24+72.86;

thence on a curve to the left a distance of 37.24 feet with a radius of 7693.44 feet and whose chord bears North 86 degrees 30 minutes 29 seconds West a distance of 37.24 feet to the point of beginning.

The above described area of 0.006 acres is contained within Auditor's parcel number 560-214392.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199711070139401 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT N

PARCEL 20-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 111 of Westwind Subdivision, Section No. 2, as recorded in P.B. 70 at Page 15, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 144.02 feet to a point at centerline station 24+72.73;

thence North 03 degrees 37 minutes 50 seconds East a distance of 48.61 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 48.61 feet left of station 24+72.97 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 27 minutes 14 seconds East along said property line a distance of 5.39 feet to an IP set on the grantor's west line, said point being 54.00 feet left of station 24+72.86;

thence South 86 degrees 22 minutes 10 seconds East a distance of 107.96 feet to an IP set, said point being 54.00 feet left of station 25+80.82;

thence on a curve to the left a distance of 35.32 feet with a radius of 20.00 feet and whose chord bears North 43 degrees 02 minutes 18 seconds East a distance of 30.91 feet to an IP set on the existing westerly right of way line of Windflower Drive (and the Grantor's east line), said point being 77.88 feet left of station 26+00.44;

thence South 07 degrees 33 minutes 13 seconds East along said right of way line a distance of 3.21 feet to a point, said point being 74.73 feet left of station 26+01.06;

thence along said right of way line on a curve to the right a distance of 34.91 feet with a radius of 20.00 feet and whose chord bears South 42 degrees 27 minutes 01 seconds West a distance of 30.64 feet to an IP found on the existing northerly right of way line of Windflower Drive (and the Grantor's south line), said point being 50.85 feet left of station 25+81.85;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 108.91 feet to the point of beginning.

The above described area of 0.012 acres is contained within Auditor's parcel number 560-214395, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199308040184982 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 20-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 144.15 feet to a point at centerline station 24+72.86;

thence North 03 degrees 37 minutes 50 seconds East a distance of 54.00 feet to a point on the grantor's west line, said point being 54.00 feet left of station 24+72.86 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 27 minutes 14 seconds East along said property line a distance of 6.00 feet to a point on the grantor's west line, said point being 60.00 feet left of station 24+72.73;

thence South 86 degrees 22 minutes 10 seconds East a distance of 108.08 feet to a point, said point being 60.00 feet left of station 25+80.82;

thence North 35 degrees 14 minutes 27 seconds East a distance of 18.72 feet to a point, said point being 75.94 feet left of station 25+90.63;

thence North 07 degrees 33 minutes 13 seconds West a distance of 32.68 feet to a point, said point being 108.00 feet left of station 25+84.29;

thence North 82 degrees 26 minutes 48 seconds East a distance of 10.00 feet to a point on the existing westerly right of way line of Windflower Road (and the grantor's east line), said point being 109.10 feet left of station 25+94.10;

thence South 07 degrees 33 minutes 13 seconds East along said right of way line a distance of 32.68 feet to a point, said point being 77.88 feet left of station 26+00.44;

thence on a curve to the right a distance of 35.32 feet with a radius of 20.00 feet and whose chord bears South 43 degrees 02 minutes 18 seconds West a distance of 30.91 feet to a point, said point being 54.00 feet left of station 25+80.82;

thence North 86 degrees 22 minutes 10 seconds West along said right of way line a distance of 107.96 feet to the point of beginning.

The above described area of 0.029 acres is contained within Auditor's parcel number 560-214395.

This description was prepared and reviewed on August 17, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199308040184982 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT O

PARCEL 21-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 354.83 feet to a point at centerline station 26+83.54;

thence South 03 degrees 37 minutes 50 seconds West a distance of 57.08 feet to a point on the grantor's east line and the existing southerly right of way line of Roberts Road, said point being 57.08 feet right of station 26+83.54 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said right of way line (and grantor's north line) a distance of 132.44 feet to a point on the grantor's east line, said point being 54.36 feet right of station 28+15.96;

thence South 02 degrees 27 minutes 14 seconds West along said property line a distance of 10.64 feet to a point, said point being 65.00 feet right of station 28+16.17;

thence North 86 degrees 22 minutes 10 seconds West a distance of 125.13 feet to a point, said point being 65.00 feet right of station 26+91.05;

thence South 19 degrees 33 minutes 10 seconds West a distance of 24.97 feet to a point, said point being 89.01 feet right of station 26+84.20;

thence North 02 degrees 27 minutes 14 seconds East a distance of 31.93 feet to the point of beginning.

The above described area of 0.030 acres is contained within Condominium Plat Book 73, pages 67-69.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199706160023715 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT P

PARCEL 22-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, in Lot 1 of Westwind Subdivision, Section No. 1, as recorded in P.B. 68 at Page 22, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 354.67 feet to a point at centerline station 26+83.38;

thence North 03 degrees 37 minutes 50 seconds East a distance of 52.94 feet to an IP found on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 52.94 feet left of station 26+83.38 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence on a curve to the right a distance of 27.92 feet with a radius of 20.00 feet and whose chord bears North 47 degrees 33 minutes 00 seconds West a distance of 25.71 feet to a point on the existing easterly right of way line of Windflower Drive (and the Grantor's west line), said point being 69.05 feet left of station 26+63.34;

thence North 07 degrees 33 minutes 12 seconds West along said right of way line a distance of 7.21 feet to an IP set on the grantor's west line, said point being 76.12 feet left of station 26+61.95;

thence on a curve to the left a distance of 27.51 feet with a radius of 20.00 feet and whose chord bears South 46 degrees 57 minutes 41 seconds East a distance of 25.39 feet to an IP set, said point being 60.00 feet left of station 26+81.57;

thence South 86 degrees 22 minutes 10 seconds East a distance of 105.89 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 27+87.46;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 5.00 feet to an IP found on the existing northerly right of way line of Roberts Road, said point being 55.09 feet left of station 27+88.43;

thence North 87 degrees 32 minutes 46 seconds West along said right of way line and grantor's south line a distance of 105.07 feet to the point of beginning.

The above described area of 0.017 acres is contained within Auditor's parcel number 560-211561, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200110300249992 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 22-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 6554, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 352.86 feet to a point at centerline station 26+81.57;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to a point on the grantor's west line and the existing northerly right of way line of Roberts Road, said point being 60.00 feet left of station 26+81.57 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence on a curve to the right a distance of 27.51 feet with a radius of 20.00 feet and whose chord bears North 46 degrees 57 minutes 41 seconds West a distance of 25.39 feet to a point on the existing easterly right of way line of Windflower Drive (and the Grantor's west line), said point being 76.12 feet left of station 26+61.95;

thence North 07 degrees 33 minutes 12 seconds West along said right of way line a distance of 47.79 feet to a point on the grantor's north line, said point being 123.01 feet left of station 26+52.68;

thence North 82 degrees 26 minutes 48 seconds East along said property line a distance of 15.00 feet to a point on the grantor's east line, said point being 125.92 feet left of station 26+67.39;

thence South 07 degrees 33 minutes 13 seconds East a distance of 57.00 feet to a point, said point being 70.00 feet left of station 26+78.45;

thence South 86 degrees 22 minutes 10 seconds East a distance of 107.03 feet to a point on the grantor's east line, said point being 70.00 feet left of station 27+85.48;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 10.19 feet to a point, said point being 60.00 feet left of station 27+87.46;

thence North 86 degrees 22 minutes 10 seconds West a distance of 105.89 feet to the point of beginning.

The above described area of 0.046 acres is contained within Auditor's parcel number 560-211561.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200110300249992 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT Q

PARCEL 23-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Sections No. 6554 and No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 458.75 feet to a point at centerline station 28+00.25;

thence South 03 degrees 37 minutes 50 seconds West a distance of 4.68 feet to a point on the grantor's west line and the centerline of existing right of way of Roberts Road, said point being 4.68 feet right of station 28+00.25 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 65.92 feet to an IP set (passing an IP found at 60.92 feet), said point being 60.00 feet left of station 27+87.46;

thence South 86 degrees 22 minutes 10 seconds East a distance of 125.47 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 29+12.93;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 63.31 feet to a point on the centerline of existing right of way of Roberts Road, said point being 2.11 feet right of station 29+25.21;

thence North 87 degrees 32 minutes 46 seconds West (passing a pony spike found at 15.00 feet) along said centerline a distance of 124.99 feet to the point of beginning.

The above described area of 0.183 acres is contained within Auditor's parcel number 560-154701, which includes 0.086 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198605280103480 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 23-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Sections No. 6554 and No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 458.75 feet to a point at centerline station 27+87.46;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to a point on the grantor's west line, said point being 60.00 feet left of station 27+87.46 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West a distance of 10.19 feet to a point, said point being 70.00 feet left of station 27+85.48;

thence South 86 degrees 22 minutes 10 seconds East a distance of 125.47 feet to a point on the grantor's east line, said point being 70.00 feet left of station 29+10.95;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 10.19 feet to a point, said point being 60.00 feet left of station 29+12.93;

thence North 86 degrees 22 minutes 10 seconds West a distance of 125.47 feet to the point of beginning.

The above described area of 0.029 acres is contained within Auditor's parcel number 560-154701.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198605280103480 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT R

PARCEL 24-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 596.50 feet to a point at centerline station 29+25.21;

thence South 03 degrees 37 minutes 50 seconds West a distance of 2.11 feet to a point on the grantor's west line and the centerline of existing right of way of Roberts Road, said point being 2.11 feet right of station 29+25.21 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 63.31 feet to an IP set, said point being 60.00 feet left of station 29+12.93;

thence South 86 degrees 22 minutes 10 seconds East a distance of 118.10 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 30+31.03;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 62.77 feet to a point on the centerline of the existing right of way of Roberts Road, said point being 1.58 feet right of station 30+43.21;

thence North 86 degrees 32 minutes 49 seconds West along said centerline a distance of 108.52 feet to a point, said point being 1.92 feet right of station 29+34.69;

thence continuing along said centerline North 87 degrees 32 minutes 46 seconds West a distance of 9.48 feet to the point of beginning.

The above described area of 0.167 acres is contained within Auditor's parcel number 560-154702, which includes 0.081 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in Volume 3549 at Page 505 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 24-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 596.50 feet to a point at centerline station 29+12.93;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to a point on the grantor's west line and the centerline of existing right of way of Roberts Road, said point being 60.00 feet left of station 29+12.93 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 10.19 feet to a point, said point being 70.00 feet left of station 29+10.95;

thence South 86 degrees 22 minutes 10 seconds East a distance of 118.10 feet to a point on the grantor's east line, said point being 70.00 feet left of station 30+29.06;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 10.19 feet to a point, said point being 60.00 feet left of station 30+31.03;

thence North 86 degrees 22 minutes 10 seconds West a distance of 118.10 feet to the point of beginning.

The above described area of 0.027 acres is contained within Auditor's parcel number 560-154702.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in Volume 3549 at Page 505 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT S

PARCEL 25-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 565.49 feet to a point at centerline station 28+94.20;

thence South 03 degrees 37 minutes 50 seconds West a distance of 2.75 feet to a point on the grantor's west line and the centerline of existing right of way of Roberts Road, said point being 2.75 feet right of station 28+94.20 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said centerline a distance of 40.49 feet to a point (passing a pony spike found at 16.01 feet), said point being 1.92 feet right of station 29+34.69;

thence continuing along said centerline South 86 degrees 32 minutes 49 seconds East a distance of 109.45 feet to a point on the grantor's east line, said point being 1.58 feet right of station 30+44.13;

thence South 03 degrees 58 minutes 37 seconds East along said property line a distance of 50.42 feet to an IP set, said point being 51.56 feet right of station 30+50.81;

thence North 86 degrees 46 minutes 33 seconds West a distance of 149.89 feet to an IP set on the grantor's west line, said point being 52.62 feet right of station 29+00.92;

thence North 04 degrees 02 minutes 10 seconds West along said property line a distance of 50.32 feet to the point of beginning.

The above described area of 0.173 acres is contained within Auditor's parcel number 560-233754, which includes 0.103 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 199703200056733 and ORV

PARCEL 25-T ROBERTS ROAD

TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 550.23 feet to a point at centerline station 28+78.94;

thence South 03 degrees 37 minutes 50 seconds West a distance of 54.36 feet to a point on the grantor's west line and the existing southerly right of way line of Roberts Road, said point being 53.13 feet right of station 28+75.94 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 32 minutes 46 seconds East along said right of way line a distance of 24.98 feet to a point, said point being 52.62 feet right of station 29+00.92;

thence South 86 degrees 46 minutes 33 seconds East a distance of 149.89 feet to a point on the grantor's east line, said point being 51.56 feet right of station 30+50.81;

thence South 03 degrees 58 minutes 37 seconds East along said property line a distance of 13.56 feet to a point, said point being 65.00 feet right of station 30+52.60;

thence North 86 degrees 22 minutes 10 seconds West a distance of 50.74 feet to a point, said point being 65.00 feet right of station 30+01.86;

thence South 87 degrees 14 minutes 16 seconds West a distance of 61.23 feet to a point, said point being 71.82 feet right of station 29+41.01;

thence North 02 degrees 45 minutes 43 seconds West a distance of 6.86 feet to a point, said point being 65.00 feet right of station 29+41.01;

thence North 86 degrees 22 minutes 10 seconds West a distance of 64.06 feet to a point on the grantor's west line, said point being 65.00 feet right of station 28+76.19;

thence North 02 degrees 27 minutes 14 seconds West along said property line a distance of 11.87 feet to the point of beginning.

The above described area of 0.056 acres is contained within Auditor's parcel number 560-233754.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 199703200056733 and ORV 199512210232306 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT T

PARCEL 26-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446 and 16049, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1808.93 feet to a point at centerline station 33+29.36;

thence North 86 degrees 22 minutes 10 seconds West along said centerline a distance of 278.55 feet to a point at centerline station 30+50.81;

thence South 03 degrees 37 minutes 50 seconds West a distance of 51.56 feet to a point at the grantor's northwest corner (and the existing southerly right of way of Roberts Road), said point being 51.56 feet right of station 30+50.81 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 86 degrees 32 minutes 49 seconds East a distance of 169.78 feet to a point, said point being 51.03 feet right of station 32+20.59;

thence on a curve to the right a distance of 31.43 feet with a radius of 20.00 feet and whose chord bears South 41 degrees 32 minutes 01 seconds East a distance of 28.29 feet to a point, said point being 70.98 feet right of station 32+40.65;

thence on a curve to the left a distance of 19.36 feet with a radius of 330.00 feet and whose chord bears South 01 degrees 46 minutes 22 seconds West a distance of 19.35 feet to a point, said point being 90.32 feet right of station 32+41.28;

thence North 43 degrees 47 minutes 45 seconds West a distance of 37.43 feet to a point, said point being 65.00 feet right of station 32+13.72;

thence North 86 degrees 22 minutes 10 seconds West a distance of 161.11 feet to a point on the grantor's west line, said point being 65.00 feet right of station 30+52.60;

thence North 03 degrees 58 minutes 37 seconds West a distance of 13.56 feet to the point of beginning.

The above described area of 0.067 acres is contained within Auditor's parcel number 560-244165.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200303060066959 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT U

PARCEL 27-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446 and 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1798.80 feet to a point at centerline station 33+80.81;

thence South 03 degrees 14 minutes 20 seconds West a distance of 0.89 feet to a point at the grantor's southeast corner and the centerline of existing right of way of Roberts Road, said point being 0.89 feet right of station 33+80.81 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said centerline a distance of 227.74 feet to a point in the grantor's west line, said point being 1.24 feet right of station 31+53.08;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 62.39 feet to an IP set, said point being 60.00 feet left of station 31+40.97;

thence South 86 degrees 22 minutes 10 seconds East a distance of 188.19 feet to an IP set, said point being 60.00 feet left of station 33+29.16;

thence South 86 degrees 45 minutes 40 seconds East a distance of 41.12 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 33+70.68;

thence South 06 degrees 12 minutes 06 seconds East along said property line (passing an IP found at 11.00 feet) a distance of 61.72 feet to the point of beginning.

The above described area of 0.320 acres is contained within Auditor's parcel number 560-154695, which includes 0.157 acres in the present road occupied.

This description was prepared and reviewed on September 15, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200407090159749 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 27-T

**ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446 and 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1850.25 feet to a point at centerline station 33+29.36;

thence North 86 degrees 22 minutes 10 seconds West along said centerline a distance of 408.27 feet to a point at centerline station 31+40.97;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to an IP set on the grantor's west line, said point being 60.00 feet left of station 31+40.97 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 10.19 feet to a point, said point being 70.00 feet left of station 31+38.99;

thence South 86 degrees 22 minutes 10 seconds East a distance of 190.13 feet to a point, said point being 70.00 feet left of station 33+29.12;

thence South 86 degrees 45 minutes 40 seconds East a distance of 39.42 feet to a point on the grantor's east line, said point being 70.00 feet left of station 33+69.02;

thence South 06 degrees 12 minutes 06 seconds East along said property line a distance of 10.14 feet to an IP set, said point being 60.00 feet left of station 33+70.68;

thence North 86 degrees 22 minutes 10 seconds West a distance of 188.19 feet to the point of beginning.

The above described area of 0.053 acres is contained within Auditor's parcel number 560-154695.

This description was prepared and reviewed on September 15, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200407090159749 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 27A-WD
ROBERTS ROAD
IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446 and 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 714.50 feet to a point at centerline station 30+43.21;

thence South 03 degrees 37 minutes 50 seconds West a distance of 1.58 feet to a point on the grantor's west line and the centerline of existing right of way of Roberts Road, said point being 1.58 feet right of station 30+43.21 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 62.77 feet to an IP set, said point being 60.00 feet left of station 30+31.03;

thence South 86 degrees 22 minutes 10 seconds East a distance of 109.93 feet to an IP set on grantor's east line, said point being 60.00 feet left of station 31+40.97;

thence South 07 degrees 33 minutes 13 seconds East along said property line a distance of 62.39 feet to a point on said centerline of existing right of way, and the grantor's south line, said point being 1.24 feet right of station 31+53.08;

thence North 86 degrees 32 minutes 49 seconds West along said centerline a distance of 109.87 feet to the point of beginning.

The above described area of 0.0155 acres is contained within Auditor's parcel number 560-154694, which includes 0.076 acres in the present road occupied.

This description was prepared and reviewed on September 15, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200407090159747 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 27A-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446 and 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 6665 at the intersection of Hilliard-Rome Road and Roberts Road; said point being South 87 degrees 30 minutes 33 seconds East a distance of 1698.48 from Franklin County monument No. 5427; said point also being designated as station 10+00.00 of the centerline of Roberts Road;

thence South 87 degrees 32 minutes 42 seconds East along said centerline a distance of 459.32 feet to a point at centerline station 14+59.32;

thence South 88 degrees 29 minutes 34 seconds East along said centerline a distance of 869.42 feet to a point at centerline PI station 23+28.74;

thence South 86 degrees 22 minutes 10 seconds East along said centerline a distance of 702.32 feet to a point at centerline station 30+43.21;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to a point on the grantor's west line, said point being 60.00 feet left of station 30+31.03 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 07 degrees 33 minutes 13 seconds West along said property line a distance of 10.19 feet to a point, said point being 70.00 feet left of station 30+29.06;

thence South 86 degrees 22 minutes 10 seconds East a distance of 109.93 feet to a point on the grantor's east line, said point being 70.00 feet left of station 31+38.99;

thence South 06 degrees 07 minutes 33 seconds East along said property line a distance of 10.14 feet to an IP set, said point being 60.00 feet left of station 31+40.97;

thence North 86 degrees 22 minutes 10 seconds West a distance of 15.97 feet to a point, said point being 60.00 feet left of station 31+25.00;

thence North 03 degrees 37 minutes 50 seconds East a distance of 5.00 feet to a point, said point being 65.00 feet left of station 31+25.00;

thence North 86 degrees 22 minutes 10 seconds West a distance of 10.00 feet to a point, said point being 65.00 feet left of station 31+15.00;

thence South 03 degrees 37 minutes 50 seconds West a distance of 5.00 feet to a point, said point being 60.00 feet left of station 31+15.00;

thence North 86 degrees 22 minutes 10 seconds West a distance of 83.97 feet to the point of beginning.

The above described area of 0.024 acres is contained within Auditor's parcel number 560-154694.

This description was prepared and reviewed on September 15, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200407090159747 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

PARCEL 27A-S

**ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 16049, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1850.25 feet to a point at centerline station 33+29.36;

thence North 86 degrees 22 minutes 10 seconds West along said centerline a distance of 214.36 feet to a point at centerline station 31+15.00;

thence North 03 degrees 37 minutes 50 seconds East a distance of 60.00 feet to a point, said point being 60.00 feet left of station 31+15.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 37 minutes 50 seconds East a distance of 5.00 feet to a point, said point being 65.00 feet left of station 31+15.00;

thence North 86 degrees 22 minutes 10 seconds West a distance of 10.00 feet to a point, said point being 65.00 feet left of station 31+25.00;

thence South 03 degrees 37 minutes 50 seconds West a distance of 5.00 feet to a point, said point being 60.00 feet left of station 31+25.00;

thence North 86 degrees 22 minutes 10seconds West a distance of 10.00 feet to the point of beginning.

The above described area of 0.001 acres is contained within Auditor's parcel number 560-154694.

This description was prepared and reviewed on September 15, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instruments recorded in ORV 200407090159747 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT V

PARCEL 29-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1690.42 feet to a point at centerline station 34+89.19;

thence North 03 degrees 14 minutes 20 seconds East a distance of 48.71 feet to a point on the grantor's east line and the existing northerly right of way line of Roberts Road, said point being 48.43 feet left of station 34+89.19 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 116.70 feet to an IP found on the grantor's east line, said point being 49.15 feet left of station 33+72.49;

thence North 06 degrees 12 minutes 06 seconds West along said property line a distance of 11.00 feet to an IP set, said point being 60.00 feet left of station 33+70.68;

thence South 86 degrees 45 minutes 40 seconds East a distance of 116.60 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 34+87.29;

thence South 06 degrees 19 minutes 11 seconds East along said property line a distance of 11.45 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-227061, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200403010043621 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 29-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1690.42 feet to a point at centerline station 34+87.29;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point on the grantor's east line, said point being 60.00 feet left of station 34+87.29 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West a distance of 116.60 feet to a point on the grantor's east line, said point being 60.00 feet left of station 33+70.68;

thence North 06 degrees 12 minutes 06 seconds West along said property line a distance of 10.14 feet to a point, said point being 70.00 feet left of station 33+69.02;

thence South 86 degrees 45 minutes 40 seconds East a distance of 116.58 feet to a point on the grantor's east line, said point being 70.00 feet left of station 34+85.60;

thence South 06 degrees 19 minutes 11 seconds East along said property line a distance of 10.14 feet to the point of beginning.

The above described area of 0.027 acres is contained within Auditor's parcel number 560-227061.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200403010043621 in the records of Franklin County, Ohio. The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83.

EXHIBIT W

PARCEL 30-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, in Lot 18 of Westmill Subdivision, as recorded in P.B. 80 at Page 3, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1616.75 feet to a point at centerline station 35+62.86;

thence North 03 degrees 14 minutes 20 seconds East a distance of 48.43 feet to a point on the grantor's east line and the existing northerly right of way line of Roberts Road, said point being 48.43 feet left of station 35+62.86 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 73.67 feet to a point on the grantor's east line, said point being 48.71 feet left of station 34+89.19;

thence North 06 degrees 19 minutes 11 seconds West along said property line a distance of 11.45 feet to an IP set, said point being 60.00 feet left of station 34+87.29;

thence South 86 degrees 45 minutes 40 seconds East a distance of 79.61 feet to an IP set, said point being 60.00 feet left of station 35+66.90;

thence on a curve to the left a distance of 26.06 feet with a radius of 15.00 feet and whose chord bears North 43 degrees 27 minutes 35 seconds East a distance of 22.91 feet to an IP set on the grantor's east line (and the existing westerly right of way line of Renmill Drive), said point being 77.49 feet left of station 35+81.69;

thence South 06 degrees 19 minutes 11 seconds East along said right of way a distance of 5.82 feet to a point, said point being 71.75 feet left of station 35+82.66;

thence on a curve to the right a distance of 34.83 feet with a radius of 20.00 feet and whose chord bears South 43 degrees 34 minutes 00 seconds West a distance of 30.59 feet to the point of beginning.

PARCEL 30-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1612.71 feet to a point at centerline station 35+66.90;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point, said point being 60.00 feet left of station 35+66.90 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 79.61 feet to a point on the grantor's east line, said point being 60.00 feet left of station 34+87.29;

thence North 06 degrees 19 minutes 11 seconds West along said property line a distance of 10.14 feet to a point, said point being 70.00 feet left of station 34+85.60;

thence South 86 degrees 45 minutes 40 seconds East a distance of 82.14 feet to a point, said point being 70.00 feet left of station 35+67.74;

thence North 06 degrees 19 minutes 11 seconds West a distance of 43.28 feet to a point, said point being 112.68 feet left of station 35+60.56;

thence North 83 degrees 40 minutes 49 seconds East a distance of 15.00 feet to a point on the grantor's east line (and the existing westerly right of way line of Renmill Drive), said point being 115.17 feet left of station 35+75.35;

thence South 06 degrees 19 minutes 11 seconds East along said right of way a distance of 38.21 feet to a point, said point being 77.49 feet left of station 35+81.69;

thence on a curve to the right a distance of 26.06 feet with a radius of 15.00 feet and whose chord bears South 43 degrees 27 minutes 35 seconds West a distance of 22.91 feet to the point of beginning.

The above described area of 0.036 acres is contained within Auditor's parcel number 560-227934.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200011160232992 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT X

PARCEL 31-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 992.51 feet to a point at centerline station 41+87.10;

thence South 03 degrees 14 minutes 20 seconds West a distance of 53.90 feet to a point on the grantor's northeast corner and the existing southerly right of way line of Roberts Road, said point being 53.90 feet right of station 41+87.10 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 06 degrees 15 minutes 58 seconds East a distance of 21.39 feet to a point, said point being 75.00 feet right of station 41+90.63;

thence North 86 degrees 45 minutes 40 seconds West a distance of 402.02 feet to a point, said point being 75.00 feet right of station 37+88.61;

thence North 03 degrees 14 minutes 20 seconds East a distance of 10.00 feet to a point, said point being 65.00 feet right of station 37+88.61;

thence North 86 degrees 45 minutes 40 seconds West a distance of 371.58 feet to a point on the grantor's west line, said point being 65.00 feet right of station 34+17.03;

thence North 06 degrees 09 minutes 28 seconds West along said property line a distance of 14.18 feet to a point on said right of way line, said point being 51.01 feet right of station 34+14.71;

thence South 86 degrees 32 minutes 49 seconds East along said right of way a distance of 772.39 feet to the point of beginning.

The above described area of 0.314 acres is contained within Auditor's parcel number 560-154700.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199906290164755 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT Y

PARCEL 32-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, in Lot 1 of Westmill Subdivision, as recorded in P.B. 80 at Page 3, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1440.80 feet to a point at centerline station 37+38.81;

thence North 03 degrees 14 minutes 20 seconds East a distance of 47.78 feet to an IP found at the grantor's southeast corner and the existing northerly right of way line of Roberts Road, said point being 47.78 feet left of station 37+38.81 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 84.62 feet to a point, said point being 48.09 feet left of station 36+54.19;

thence along said right of way on a curve to the right a distance of 28.00 feet with a radius of 20.00 feet and whose chord bears North 46 degrees 25 minutes 59 seconds West a distance of 25.77 feet to an IP set on the grantor's east line (and the existing easterly right of way line of Renmill Drive), said point being 64.77 feet left of station 36+34.54;

thence North 06 degrees 19 minutes 11 seconds West along said right of way line a distance of 3.62 feet to an IP set, said point being 68.34 feet left of station 36+33.94;

thence on a curve to the left a distance of 14.04 feet with a radius of 10.00 feet and whose chord bears South 46 degrees 32 minutes 26 seconds East a distance of 12.91 feet to an IP set, said point being 60.00 feet left of station 36+43.82;

thence South 86 degrees 45 minutes 40 seconds East a distance of 92.95 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 37+36.75;

thence South 06 degrees 19 minutes 11 seconds East along said property line a distance of 12.40 feet to the point of beginning.

The above described area of 0.027 acres is contained within Auditor's parcel number 560-227917, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200108310202606 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 32-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1442.86 feet to a point at centerline station 37+36.75;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point on the grantor's east line, said point being 60.00 feet left of station 37+36.75 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West a distance of 92.95 feet to a point, said point being 60.00 feet left of station 36+43.82;

thence on a curve to the right a distance of 14.04 feet with a radius of 10.00 feet and whose chord bears North 46 degrees 32 minutes 26 seconds West a distance of 12.91 feet to a point on the grantor's east line (and the existing easterly right of way line of Renmill Drive), said point being 68.34 feet left of station 36+33.94;

thence North 06 degrees 19 minutes 11 seconds West along said right of way line a distance of 58.95 feet to a point, said point being 126.47 feet left of station 36+24.15;

thence North 83 degrees 40 minutes 49 seconds East a distance of 15.00 feet to a point, said point being 128.96 feet left of station 36+38.94;

thence South 06 degrees 19 minutes 11 seconds East a distance of 65.19 feet to a point, said point being 64.67 feet left of station 36+49.77;

thence North 83 degrees 43 minutes 44 seconds East a distance of 85.00 feet to a point on the grantor's east line, said point being 78.71 feet left of station 37+33.60;

thence South 06 degrees 19 minutes 11 seconds West along said property line a distance of 18.98 feet to the point of beginning.

The above described area of 0.046 acres is contained within Auditor's parcel number 560-227917.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200108310202606 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT Z

PARCEL 33-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1291.79 feet to a point at centerline station 38+87.82;

thence South 03 degrees 14 minutes 20 seconds West a distance of 2.78 feet to a point at the grantor's southeast corner and the centerline of existing right of way of Roberts Road, said point being 2.78 feet right of station 38+87.82 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said centerline a distance of 140.59 feet to a point in the grantor's west line, said point being 2.26 feet right of station 37+47.23;

thence North 06 degrees 19 minutes 11 seconds West along said property line a distance of 63.13 feet to an IP set (passing an IP found at 128.14 feet), said point being 60.00 feet left of station 37+36.75;

thence South 86 degrees 45 minutes 40 seconds East a distance of 140.54 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 38+77.29;

thence South 06 degrees 16 minutes 58 seconds East along said property line (passing an IP found at 2.78 feet) a distance of 63.66 feet to the point of beginning.

The above described area of 0.202 acres is contained within Auditor's parcel number 560-154580, which includes 0.097 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200004110070410 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

PARCEL 33-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1291.79 feet to a point at centerline station 38+77.29;

thence South 03 degrees 14 minutes 20 seconds West a distance of 60.00 feet to a point on the grantor's east line, said point being 60.00 feet left of station 38+77.29 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 140.54 feet to a point on the grantor's west line, said point being 60.00 feet right of station 37+36.75;

thence North 06 degrees 19 minutes 11 seconds West along said property line a distance of 18.98 feet to a point, said point being 78.71 feet left of station 37+33.60;

thence North 80 degrees 48 minutes 16 seconds East a distance of 46.94 feet to a point, said point being 88.82 feet left of station 37+79.44;

thence South 09 degrees 11 minutes 43 seconds East a distance of 19.27 feet to a point, said point being 70.00 feet left of station 37+83.59;

thence North 86 degrees 45 minutes 40 seconds West a distance of 92.03 feet to a point on the grantor's east line, said point being 70.00 feet left of station 38+75.62;

thence South 06 degrees 16 minutes 58 seconds East along said property line a distance of 10.14 feet to the point of beginning.

The above described area of 0.048 acres is contained within Auditor's parcel number 560-154580.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200004110070410 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT AA

PARCEL 34-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, in Lot 1 of Columbus One Subdivision, as recorded in P.B. 84 at Page 91, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1091.14 feet to a point at centerline station 40+88.47;

thence North 03 degrees 14 minutes 20 seconds East a distance of 56.47 feet to a point on the grantor's east line and the existing northerly right of way line of Roberts Road, said point being 56.47 feet left of station 40+88.47 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 210.72 feet to an IP found on the grantor's east line, said point being 57.26 feet left of station 38+77.75;

thence North 06 degrees 16 minutes 58 seconds West along said property line a distance of 2.78 feet to an IP set, said point being 60.00 feet left of station 38+77.29;

thence South 86 degrees 45 minutes 40 seconds East a distance of 210.66 feet to an IP set, said point being 60.00 feet left of station 40+87.96;

thence on a curve to the left a distance of 34.73 feet with a radius of 20.00 feet and whose chord bears North 43 degrees 29 minutes 32 seconds East a distance of 30.53 feet to an IP set on the grantor's east line (and the existing westerly right of way line of Roberts Court), said point being 83.30 feet left of station 41+07.68;

thence South 06 degrees 15 minutes 16 seconds East along said right of way a distance of 3.58 feet to a point, said point being 79.77 feet left of station 41+08.27;

thence on a curve to the right a distance of 34.80 feet with a radius of 20.00 feet and whose chord bears South 43 degrees 35 minutes 58 seconds West a distance of 30.58 feet to the point of beginning.

The above described area of 0.017 acres is contained within Auditor's parcel number 560-236165, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199612190247347 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 34-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 1091.65 feet to a point at centerline station 40+87.96;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point, said point being 60.00 feet left of station 40+87.96 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 210.66 feet to a point on the grantor's east line, said point being 60.00 feet left of station 38+77.29;

thence North 06 degrees 16 minutes 58 seconds West along said property line a distance of 10.14 feet to a point, said point being 70.00 feet left of station 38+75.62;

thence South 86 degrees 45 minutes 40 seconds East a distance of 229.66 feet to a point, said point being 70.00 feet left of station 41+05.28;

thence on a curve to the right a distance of 20.94 feet with a radius of 20.00 feet and whose chord bears South 63 degrees 14 minutes 14 seconds West a distance of 20.00 feet to the point of beginning.

The above described area of 0.051 acres is contained within Auditor's parcel number 560-236165, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199612190247347 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT BB

PARCEL 35-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, in Lot 3 of Columbus One Subdivision, as recorded in P.B. 84 at Page 91, Franklin County Recorder and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 709.40 feet to a point at centerline station 44+70.21;

thence North 03 degrees 14 minutes 20 seconds East a distance of 55.04 feet to an IP found at the grantor's southeast corner and the existing northerly right of way line of Roberts Road, said point being 55.04 feet left of station 44+70.21 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 290.44 feet to a point on the grantor's east line, said point being 56.13 feet left of station 41+79.77;

thence on a curve to the right a distance of 28.02 feet with a radius of 20.00 feet and whose chord bears North 46 degrees 23 minutes 03 seconds West a distance of 25.78 feet to a point on the grantor's east line (and the existing easterly right of way line of Roberts Court), said point being 72.83 feet left of station 41+60.13;

thence North 06 degrees 15 minutes 16 seconds West along said right of way line a distance of 3.93 feet to an IP set, said point being 76.70 feet left of station 41+59.48;

thence on a curve to the left a distance of 28.10 feet with a radius of 20.00 feet and whose chord bears South 46 degrees 30 minutes 28 seconds East a distance of 25.85 feet to an IP set, said point being 60.00 feet left of station 41+79.21;

thence South 86 degrees 45 minutes 40 seconds East a distance of 290.16 feet to an IP set on the grantor's east line, said point being 60.00 feet left of station 44+69.36;

thence South 06 degrees 25 minutes 37 seconds East along said property line a distance of 5.07 feet to the point of beginning.

The above described area of 0.031 acres is contained within Auditor's parcel number 560-236167, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199612190247347 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 35-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 710.25 feet to a point at centerline station 44+69.36;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to an iron pin set on the grantor's east line, said point being 60.00 feet left of station 44+69.36 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 264.36 feet to a point, said point being 60.00 feet left of station 42+05.00;

thence North 03 degrees 14 minutes 20 seconds West a distance of 6.00 feet to a point, said point being 65.00 feet left of station 42+05.00;

thence North 86 degrees 45 minutes 40 seconds West a distance of 10.00 feet to a point, said point being 65.00 feet left of station 41+95.00;

thence South 03 degrees 14 minutes 20 seconds East a distance of 6.00 feet to a point, said point being 60.00 feet left of station 41+95.00;

thence North 86 degrees 45 minutes 40 seconds West a distance of 15.79 feet to an iron pin set, said point being 60.00 feet left of station 41+79.21;

thence on a curve to the right a distance of 28.10 feet with a radius of 20.00 feet and whose chord bears North 46 degrees 30 minutes 28 seconds West a distance of 25.85 feet to a point on the grantor's east line (and the existing easterly right of way line of Roberts Court), said point being 72.83 feet left of station 41+60.13;

thence North 06 degrees 15 minutes 16 seconds West along said right of way line a distance of 3.93 feet to a point, said point being 76.70 feet left of station 41+59.48;

thence South 86 degrees 45 minutes 40 seconds East a distance of 55.52 feet to a point, said point being 76.70 feet left of station 42+15.00;

thence South 03 degrees 14 minutes 20 seconds West a distance of 11.70 feet to a point, said point being 65.00 feet left of station 42+15.00;

thence South 86 degrees 45 minutes 40 seconds East a distance of 253.51 feet to a point on the grantor's east line, said point being 65.00 feet left of station 44+68.51;

thence South 06 degrees 25 minutes 37 seconds West along said property line a distance of 5.03 feet to the point of beginning.

The above described area of 0.048 acres is contained within Auditor's parcel number 560-236167.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199612190247347 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 35-S
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 984.61 feet to a point at centerline station 41+95.00;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point, said point being 60.00 feet left of station 41+95.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 03 degrees 14 minutes 20 seconds East a distance of 6.00 feet to a point, said point being 66.00 feet left of station 41+95.00;

thence South 86 degrees 45 minutes 40 seconds East a distance of 10.00 feet to a point, said point being 66.00 feet left of station 42+05.00;

thence South 03 degrees 14 minutes 20 seconds West a distance of 6.00 feet to a point, said point being 60.00 feet left of station 42+05.00;

thence North 86 degrees 45 minutes 40 seconds West a distance of 10.00 feet to the point of beginning.

The above described area of 0.001 acres is contained within Auditor's parcel number 560-236167.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199612190247347 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT CC

PARCEL 36-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 690.80 feet to a point at centerline station 44+88.81;

thence South 03 degrees 14 minutes 20 seconds West a distance of 55.03 feet to a point on the grantor's northeast corner and the existing southerly right of way line of Roberts Road, said point being 55.03 feet right of station 44+88.81 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 06 degrees 16 minutes 12 seconds East along the grantor's east line a distance of 20.25 feet to a point, said point being 75.00 feet right of station 44+92.16;

thence North 86 degrees 45 minutes 40 seconds West a distance of 301.53 feet to a point on the Grantor's west line, said point being 75.00 feet right of station 41+90.63;

thence North 06 degrees 15 minutes 58 seconds West along said property line a distance of 21.30 feet to a point on said right of way line, said point being 53.90 feet right of station 41+87.10;

thence South 86 degrees 32 minutes 49 seconds East along said right of way a distance of 301.72 feet to the point of beginning.

The above described area of 0.142 acres is contained within Auditor's parcel number 560-260329.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200201150013738 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT DD

PARCEL 37-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 492.48 feet to a point at centerline station 46+87.13;

thence North 03 degrees 14 minutes 20 seconds East a distance of 54.23 feet to a PK nail found at the grantor's southeast corner and the existing northerly right of way line of Roberts Road, said point being 54.23 feet left of station 46+87.13 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said right of way (and the grantor's south line) a distance of 216.92 feet to an IP found on the grantor's east line, said point being 55.04 feet left of station 44+70.21;

thence North 06 degrees 25 minutes 37 seconds West along said property line a distance of 5.07 feet to an IP set, said point being 60.00 feet left of station 44+69.36;

thence South 86 degrees 45 minutes 40 seconds East a distance of 196.79 feet to an IP set, said point being 60.00 feet left of station 46+66.15;

thence South 86 degrees 45 minutes 40 seconds East a distance of 20.00 feet to a point on the grantor's east line, said point being 60.00 feet left of station 46+86.15;

thence South 06 degrees 21 minutes 35 seconds East along said property line a distance of 5.85 feet to the point of beginning.

The above described area of 0.027 acres is contained within Auditor's parcel number 560-238076, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199901290023914 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 37-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 493.46 feet to a point at centerline station 46+86.15;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point at the grantor's southeast corner and the existing northerly right of way line of Roberts Road, said point being 60.00 feet left of station 46+86.15 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 26.15 feet to a point, said point being 60.00 feet left of station 46+60.00;

thence North 03 degrees 14 minutes 20 seconds East a distance of 25.00 feet to a point, said point being 85.00 feet left of station 46+60.00;

thence South 86 degrees 45 minutes 40 seconds East a distance of 21.92 feet to a point on the grantor's east line, said point being 85.00 feet left of station 46+81.92;

thence South 06 degrees 21 minutes 35 seconds West along said property line a distance of 25.35 feet to the point of beginning.

The above described area of 0.014 acres is contained within Auditor's parcel number 560-238076.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199901290023914 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT DD

PARCEL 39-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 505.72 feet to a point at centerline station 46+73.89;

thence South 03 degrees 14 minutes 20 seconds West a distance of 65.72 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 65.72 feet right of station 46+73.89 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 86 degrees 32 minutes 49 seconds East along said right of way a distance of 56.11 feet to a point, said point being 65.93 feet right of station 47+30.00;

thence South 03 degrees 14 minutes 20 seconds West a distance of 24.07 feet to a point, said point being 90.00 feet right of station 47+30.00;

thence North 86 degrees 45 minutes 40 seconds West a distance of 54.15 feet to a point on the grantor's west line, said point being 90.00 feet right of station 46+75.85;

thence North 01 degrees 22 minutes 22 seconds West along said property line a distance of 24.36 feet to the point of beginning.

The above described area of 0.031 acres is contained within Auditor's parcel number 560-259011.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200307250231080 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT EE

**PARCEL 40-WD
ROBERTS ROAD
IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 492.48 feet to a point at centerline station 46+87.13;

thence North 03 degrees 14 minutes 20 seconds East a distance of 54.23 feet to a PK nail found at the grantor's southwest corner and the existing northerly right of way line of Roberts Road, said point being 54.23 feet left of station 46+87.13 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 06 degrees 21 minutes 35 seconds West along the grantor's west line a distance of 5.85 feet to a point, said point being 60.00 feet left of station 46+86.15;

thence South 86 degrees 45 minutes 40 seconds East a distance of 209.87 feet to an IP set in the grantor's east line (passing an IP set @ 25.00 feet), said point being 60.00 feet left of station 48+96.02;

thence South 06 degrees 21 minutes 35 seconds East a distance of 6.65 feet to an IP found on said right of way line, said point being 53.44 feet left of station 48+97.12;

thence North 86 degrees 32 minutes 49 seconds West along said right of way a distance of 210.00 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-158110, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200212030309537 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 40-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 493.46 feet to a point at centerline station 46+86.15;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point on the grantor's west line, said point being 60.00 feet left of station 46+86.15 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 06 degrees 21 minutes 35 seconds West along said property line a distance of 25.35 feet to a point, said point being 60.00 feet left of station 46+81.92;

thence South 86 degrees 45 minutes 40 seconds East a distance of 48.08 feet to a point, said point being 60.00 feet left of station 47+30.00;

thence South 03 degrees 14 minutes 20 seconds West a distance of 25.00 feet to a point, said point being 60.00 feet left of station 47+30.00;

thence North 86 degrees 32 minutes 49 seconds West a distance of 43.85 feet to the point of beginning.

The above described area of 0.026 acres is contained within Auditor's parcel number 560-158110.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200212030309537 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT FF

PARCEL 41-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 233.58 feet to a point at centerline station 49+46.03;

thence South 03 degrees 14 minutes 20 seconds West a distance of 66.74 feet to a point on the grantor's northeast corner and the existing southerly right of way line of Roberts Road, said point being 66.74 feet right of station 49+46.03 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 02 degrees 57 minutes 36 seconds West along the grantor's east line a distance of 27.24 feet to a point, said point being 93.98 feet right of station 49+46.16;

thence North 87 degrees 46 minutes 18 seconds West a distance of 35.15 feet to a point, said point being 94.60 feet right of station 49+11.02;

thence North 02 degrees 13 minutes 42 seconds East a distance of 27.99 feet to a point on said right of way, said point being 66.61 feet right of station 49+10.53;

thence South 86 degrees 32 minutes 49 seconds East along said right of way a distance of 35.50 feet to the point of beginning.

The above described area of 0.022 acres is contained within Auditor's parcel number 560-158107.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199903260075515 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT GG

PARCEL 42-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 47.76 feet to a point at centerline station 51+31.85;

thence North 03 degrees 14 minutes 20 seconds East a distance of 52.57 feet to an IP found on the grantor's southeast corner and the existing northerly right of way line of Roberts Road (and the existing westerly right of way line of Walcutt Road), said point being 52.57 feet left of station 51+31.85 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 32 minutes 49 seconds West along said Roberts Road right of way a distance of 234.73 feet to an IP found on the grantor's west line, said point being 53.44 feet left of station 48+97.12;

thence North 06 degrees 21 minutes 35 seconds West along said property line a distance of 6.65 feet to an IP set, said point being 60.00 feet left of station 48+96.02;

thence South 86 degrees 45 minutes 40 seconds East a distance of 222.74 feet to an IP set, said point being 60.00 feet left of station 51+18.76;

thence on a curve to the left a distance of 17.38 feet with a radius of 10.00 feet and whose chord bears North 43 degrees 26 minutes 31 seconds East a distance of 15.28 feet to an IP set on the grantor's east line (and said Walcutt Road right of way), said point being 71.67 feet left of station 51+28.62;

thence South 06 degrees 21 minutes 18 seconds East along said right of way a distance of 19.37 feet to the point of beginning.

The above described area of 0.038 acres is contained within Auditor's parcel number 560-215159, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198911130171568 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 42-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 60.85 feet to a point at centerline station 51+18.76;

thence North 03 degrees 14 minutes 20 seconds East a distance of 60.00 feet to a point, said point being 60.00 feet left of station 51+18.76 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 86 degrees 45 minutes 40 seconds West a distance of 222.74 feet to a point on the grantor's west line, said point being 60.00 feet left of station 48+96.02;

thence North 06 degrees 21 minutes 35 seconds West along said property line a distance of 5.07 feet to a point, said point being 65.00 feet left of station 48+95.17;

thence South 86 degrees 45 minutes 40 seconds East a distance of 232.25 feet to a point, said point being 65.00 feet left of station 51+27.42;

thence on a curve to the right a distance of 10.47 feet with a radius of 10.00 feet and whose chord bears South 63 degrees 14 minutes 21 seconds East a distance of 10.00 feet to the point of beginning.

The above described area of 0.026 acres is contained within Auditor's parcel number 560-215159.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198911130171568 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT HH

PARCEL 43-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 27.70 feet to a point at centerline station 51+51.91;

thence South 03 degrees 14 minutes 20 seconds West a distance of 67.51 feet to an IP found on the grantor's northeast corner and the existing southerly right of way line of Roberts Road (and the existing westerly right of way line of Walcutt Road), said point being 67.51 feet right of station 51+51.91 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 06 degrees 06 minutes 51 seconds East along said Walcutt Road right of way a distance of 42.28 feet to an IP set, said point being 109.23 feet right of station 51+58.79;

thence on a curve to the left a distance of 70.19 feet with a radius of 50.00 feet and whose chord bears North 46 degrees 19 minutes 50 seconds West a distance of 64.57 feet to an IP set on said Roberts Road right of way line, said point being 67.35 feet right of station 51+09.64;

thence South 86 degrees 32 minutes 49 seconds East along said Roberts Road right of way a distance of 42.28 feet to the point of beginning.

The above described area of 0.008 acres is contained within Auditor's parcel number 560-249319, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199908020194877 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 43-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 3446, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence North 86 degrees 45 minutes 40 seconds West along said centerline a distance of 233.58 feet to a point at centerline station 49+46.03;

thence South 03 degrees 14 minutes 20 seconds West a distance of 66.74 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 66.74 feet right of station 49+46.03 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 86 degrees 32 minutes 49 seconds East along said right of way a distance of 34.01 feet to a point, said point being 66.87 feet right of station 49+80.04;

thence South 02 degrees 13 minutes 42 seconds West a distance of 26.51 feet to a point, said point being 93.37 feet right of station 49+80.51;

thence North 87 degrees 46 minutes 18 seconds West a distance of 34.35 feet to a point on the grantor's west line, said point being 93.98 feet right of station 49+46.16;

thence North 02 degrees 57 minutes 36 seconds East along said property line a distance of 27.24 feet to the point of beginning.

The above described area of 0.021 acres is contained within Auditor's parcel number 560-249319.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199908020194877 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT II

PARCEL 44-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 93.02 feet to a point at centerline station 52+72.63;

thence South 02 degrees 59 minutes 46 seconds West a distance of 48.54 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 48.54 feet right of station 52+72.63 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way a distance of 179.66 feet to a point on the grantor's east line, said point being 48.34 feet right of station 54+52.28;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 1.68 feet to an IP set, said point being 50.00 feet right of station 54+52.55;

thence North 87 degrees 00 minutes 14 seconds West a distance of 181.02 feet to an IP set on the grantor's west line, said point being 50.00 feet right of station 52+71.53;

thence North 39 degrees 52 minutes 39 seconds East along said property line a distance of 1.83 feet to the point of beginning.

The above described area of 0.006 acres is contained within Auditor's parcel number 560-158114, which include 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199602090062512 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 44-T ROBERTS ROAD

TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 91.92 feet to a point at centerline station 52+71.53;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 52+71.53 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East along said right of way a distance of 181.02 feet to a point on the grantor's east line, said point being 50.00 feet right of station 54+52.55;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 15.19 feet, said point being 65.00 feet right of station 54+54.97;

thence North 87 degrees 00 minutes 14 seconds West a distance of 175.94 feet to a point, said point being 65.00 feet right of station 52+79.03;

thence South 39 degrees 52 minutes 39 seconds West a distance of 50.29 feet to a point on the grantor's west line and the existing easterly right of way line of Walcutt Road, said point being 105.23 feet right of station 52+48.85;

thence North 06 degrees 06 minutes 51 seconds West along said right of way line a distance of 20.86 feet to a point, said point being 84.64 feet right of station 52+45.54;

thence continuing along said right of way line North 39 degrees 52 minutes 39 seconds East along said property line a distance of 43.30 feet to the point of beginning.

The above described area of 0.078 acres is contained within Auditor's parcel number 560-158114.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199602090062512 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT JJ

PARCEL 45-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 33.98 feet to a point at centerline station 52+13.59;

thence North 02 degrees 59 minutes 46 seconds East a distance of 52.40 feet to a point on the grantor's southwest corner and the existing northerly right of way line of Roberts Road (and the existing easterly right of way line of Walcutt Road), said point being 52.40 feet left of station 52+13.59 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 06 degrees 21 minutes 18 seconds West along said Walcutt Road right of way a distance of 36.84 feet to an IP set, said point being 88.75 feet left of station 52+07.60;

thence on a curve to the left a distance of 28.15 feet with a radius of 20.00 feet and whose chord bears South 46 degrees 40 minutes 46 seconds East a distance of 25.88 feet to an IP set, said point being 72.00 feet left of station 52+27.33;

thence South 87 degrees 00 minutes 14 seconds East a distance of 311.14 feet to an IP set, said point being 72.00 feet left of station 55+38.48;

thence South 73 degrees 31 minutes 34 seconds East a distance of 51.49 feet to an IP set, said point being 60.00 feet left of station 55+88.55;

thence South 87 degrees 00 minutes 14 seconds East a distance of 839.28 feet to an IP set, said point being 60.00 feet left of station 64+27.83;

thence on a curve to the left a distance of 47.12 feet with a radius of 30.00 feet and whose chord bears North 47 degrees 59 minutes 46 seconds East a distance of 42.43 feet to an IP set on the grantor's east line (and the existing westerly right of way line of Charter Street), said point being 90.00 feet left of station 64+57.83;

thence South 02 degrees 55 minutes 58 seconds West along said right of way a distance of 36.23 feet to a point, said point being 53.77 feet left of station 64+57.87;

thence North 87 degrees 04 minutes 02 seconds West along said right of way (passing an IP found at 1225.37 feet) a distance of 1244.28 feet to the point of beginning.

The above described area of 0.300 acres is contained within Auditor's parcel number 560-193792, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198308030105462 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 45-T1
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 27.99 feet to a point at centerline station 52+07.60;

thence North 02 degrees 59 minutes 46 seconds East a distance of 88.75 feet to a point on the existing easterly right of way line of Walcutt Road, said point being 88.75 feet left of station 52+07.60 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 06 degrees 21 minutes 18 seconds West along said right of way a distance of 15.33 feet to a point, said point being 103.88 feet left of station 52+05.11;

thence South 34 degrees 59 minutes 18 seconds East a distance of 40.44 feet to a point, said point being 72.00 feet left of station 55+30.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 2.67 feet to a point, said point being 72.00 feet left of station 55+27.33;

thence on a curve to the right a distance of 28.15 feet with a radius of 20.00 feet and whose chord bears North 46 degrees 40 minutes 46 seconds West a distance of 25.88 feet to the point of beginning.

The above described area of 0.006 acres is contained within Auditor's parcel number 560-193792.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198308030105462 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 45-T2
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 408.94 feet to a point at centerline station 55+88.55;

thence North 02 degrees 59 minutes 46 seconds East a distance of 60.00 feet to a point on the existing westerly right of way line of Walcutt Road, said point being 60.00 feet left of station 55+88.55 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 73 degrees 31 minutes 34 seconds West a distance of 8.58 feet to a point, said point being 62.00 feet left of station 55+80.20;

thence South 87 degrees 00 minutes 14 seconds East a distance of 845.38 feet to a point, said point being 62.00 feet left of station 64+25.58;

thence North 47 degrees 59 minutes 46 seconds East a distance of 21.58 feet to a point, said point being 77.26 feet left of station 64+40.84;

thence North 02 degrees 55 minutes 58 seconds East a distance of 129.69 feet to a point, said point being 206.95 feet left of station 64+40.70;

thence South 87 degrees 04 minutes 02 seconds East a distance of 17.00 feet to a point on the existing westerly right of Way line of Charter Street, said point being 206.97 feet left of station 64+57.70;

thence South 02 degrees 55 minutes 58 seconds West along said right of way a distance of 116.97 feet to a point, said point being 90.00 feet left of station 64+57.83;

thence on a curve to the right a distance of 47.12 feet with a radius of 30.00 feet and whose chord bears South 47 degrees 59 minutes 46 seconds West a distance of 42.43 feet to a point, said point being 60.00 feet left of station 64+27.83;

thence North 87 degrees 00 minutes 14 seconds West a distance of 839.28 feet to the point of beginning.

The above described area of 0.095 acres is contained within Auditor's parcel number 560-193792.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198308030105462 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monumen

EXHIBIT KK

PARCEL 46-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 272.67 feet to a point at centerline station 54+52.28;

thence South 02 degrees 59 minutes 46 seconds West a distance of 48.34 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 48.34 feet right of station 54+52.28 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way a distance of 70.90 feet to a point on the grantor's east line, said point being 48.26 feet right of station 55+23.18;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 1.76 feet to an IP set, said point being 50.00 feet right of station 55+23.48;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to an IP set on the grantor's west line, said point being 50.00 feet right of station 54+52.55;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 1.68 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158126, which include 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199204230104149 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 46-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 272.94 feet to a point at centerline station 54+52.55;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to an iron pin set on the grantor's northwest corner, said point being 50.00 feet right of station 54+52.55 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 37.45 feet to a point, said point being 50.00 feet right of station 54+90.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 15.00 feet, said point being 65.00 feet right of station 54+90.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 65.00 feet right of station 55+00.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 15.00 feet, said point being 50.00 feet right of station 55+00.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 23.48 feet to a point on the grantor's east line, said point being 50.00 feet right of station 55+23.48;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 20.26 feet, said point being 70.00 feet right of station 55+26.68;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to a point on the grantor's west line, said point being 70.00 feet right of station 54+55.77;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 20.26 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-158126.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199204230104149 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 46-S
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 310.39 feet to a point at centerline station 54+90.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 54+90.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 50.00 feet right of station 55+00.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 15.00 feet, said point being 65.00 feet right of station 55+00.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 10.00 feet to a point, said point being 65.00 feet right of station 54+90.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 15.00 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158126, which include 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 29, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199204230104149 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT LL

PARCEL 47-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 343.57 feet to a point at centerline station 55+23.18;

thence South 02 degrees 59 minutes 46 seconds West a distance of 48.26 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 48.26 feet right of station 55+23.18 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way a distance of 141.81 feet to a point on the grantor's east line, said point being 48.10 feet right of station 56+64.99;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 1.92 feet to an IP set, said point being 50.00 feet right of station 56+65.30;

thence North 87 degrees 00 minutes 14 seconds West a distance of 141.82 feet to an IP set on the grantor's west line, said point being 50.00 feet right of station 55+23.48;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 1.76 feet to the point of beginning.

The above described area of 0.006 acres is contained within Auditor's parcel numbers 560-158127 and 560-158128, which include 0.000 acres in the present road occupied. A total of 0.003 acres is contained within Auditor's parcel number 560-158127 and a total of 0.003 acres is contained within Auditor's parcel number 560-158128.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199201310057552 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 47-T ROBERTS ROAD

TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 343.85 feet to a point at centerline station 55+23.46;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to an iron pin set on the grantor's northwest corner, said point being 50.00 feet right of station 55+23.48 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 6.54 feet to a point, said point being 50.00 feet right of station 55+30.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 17.00 feet, said point being 67.00 feet right of station 55+30.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 67.00 feet right of station 55+40.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 17.00 feet, said point being 50.00 feet right of station 55+40.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 59.00 feet to a point, said point being 50.00 feet right of station 55+99.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 17.00 feet, said point being 67.00 feet right of station 55+99.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 67.00 feet right of station 56+09.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 17.00 feet, said point being 50.00 feet right of station 56+09.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 56.30 feet to a point on the grantor's east line, said point being 50.00 feet right of station 56+65.30;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 20.26 feet, said point being 70.00 feet right of station 56+68.52;

thence North 87 degrees 00 minutes 14 seconds West a distance of 141.83 feet to a point on the grantor's west line, said point being 70.00 feet right of station 55+26.68;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 20.26 feet to the point of beginning.

The above described area of 0.058 acres is contained within Auditor's parcel numbers 560-158127 and 560-158128. A total of 0.029 acres is contained within Auditor's parcel number 560-158127, and a total of 0.029 acres is contained within Auditor's parcel number 560-158128.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199201310057552 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 47-S1
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 350.39 feet to a point at centerline station 55+30.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 55+30.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 50.00 feet right of station 55+40.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 17.00 feet, said point being 67.00 feet right of station 55+40.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 10.00 feet to a point, said point being 67.00 feet right of station 55+30.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 17.00 feet to the point of beginning.

The above described area of 0.004 acres is contained within Auditor's parcel number 560-158127.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199201310057552 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 47-S2
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 419.39 feet to a point at centerline station 55+99.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 55+99.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 50.00 feet right of station 56+09.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 17.00 feet, said point being 67.00 feet right of station 56+09.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 10.00 feet to a point, said point being 67.00 feet right of station 55+99.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 17.00 feet to the point of beginning.

The above described area of 0.004 acres is contained within Auditor's parcel number 560-158128.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199201310057552 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT MM

PARCEL 48-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 485.38 feet to a point at centerline station 56+64.99;

thence South 02 degrees 59 minutes 46 seconds West a distance of 48.10 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 48.10 feet right of station 56+64.99 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way a distance of 70.90 feet to a point on the grantor's east line, said point being 48.03 feet right of station 57+35.89;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 2.00 feet to an IP set, said point being 50.00 feet right of station 57+36.21;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to an IP set on the grantor's west line, said point being 50.00 feet right of station 56+65.30;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 1.92 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158129, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199008010130162 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 48-T

**ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 485.69 feet to a point at centerline station 56+65.30;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to an iron pin set on the grantor's northwest corner, said point being 50.00 feet right of station 56+65.30 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 44.95 feet to a point, said point being 50.00 feet right of station 57+10.25;

thence South 02 degrees 59 minutes 46 seconds West a distance of 12.00 feet, said point being 62.00 feet right of station 57+10.25;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 62.00 feet right of station 57+20.25;

thence North 02 degrees 59 minutes 46 seconds East a distance of 12.00 feet, said point being 50.00 feet right of station 57+20.25;

thence South 87 degrees 00 minutes 14 seconds East a distance of 15.96 feet to a point on the grantor's east line, said point being 50.00 feet right of station 57+36.21;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 20.26 feet, said point being 70.00 feet right of station 57+39.43;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to a point on the grantor's west line, said point being 70.00 feet right of station 56+68.52;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 20.26 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-158129.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199008010130162 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 48-S
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 530.64 feet to a point at centerline station 57+10.25;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 57+10.25 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 50.00 feet right of station 57+20.25;

thence South 02 degrees 59 minutes 46 seconds West a distance of 12.00 feet, said point being 62.00 feet right of station 57+20.25;

thence North 87 degrees 00 minutes 14 seconds West a distance of 10.00 feet to a point, said point being 62.00 feet right of station 57+10.25;

thence North 02 degrees 59 minutes 46 seconds East a distance of 12.00 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158129, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199008010130162 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT NN

PARCEL 49-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 556.28 feet to a point at centerline station 57+35.89;

thence South 02 degrees 59 minutes 46 seconds West a distance of 48.03 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 48.03 feet right of station 57+35.89 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way a distance of 70.90 feet to a point on the grantor's east line, said point being 47.95 feet right of station 58+06.79;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 2.08 feet to an IP set, said point being 50.00 feet right of station 58+07.12;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to an IP set on the grantor's west line, said point being 50.00 feet right of station 57+36.21;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 2.00 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158130, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200209240238338 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

PARCEL 49-T ROBERTS ROAD

TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 556.60 feet to a point at centerline station 57+36.21;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to an iron pin set on the grantor's northwest corner, said point being 50.00 feet right of station 57+36.21 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 59.29 feet to a point, said point being 50.00 feet right of station 57+95.50;

thence South 02 degrees 59 minutes 46 seconds West a distance of 12.00 feet, said point being 62.00 feet right of station 57+95.50;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 62.00 feet right of station 58+05.50;

thence North 02 degrees 59 minutes 46 seconds East a distance of 12.00 feet, said point being 50.00 feet right of station 58+05.50;

thence South 87 degrees 00 minutes 14 seconds East a distance of 1.62 feet to a point on the grantor's east line, said point being 50.00 feet right of station 58+07.12;

thence South 06 degrees 08 minutes 45 seconds East along said property line a distance of 20.26 feet, said point being 70.00 feet right of station 58+10.34;

thence North 87 degrees 00 minutes 14 seconds West a distance of 70.91 feet to a point on the grantor's west line, said point being 70.00 feet right of station 57+39.43;

thence North 06 degrees 08 minutes 45 seconds West along said property line a distance of 20.26 feet to the point of beginning.

The above described area of 0.030 acres is contained within Auditor's parcel number 560-158130.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200209240238338 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 49-S
ROBERTS ROAD
STORM SEWER EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 615.89 feet to a point at centerline station 57+95.50;

thence South 02 degrees 59 minutes 46 seconds West a distance of 50.00 feet to a point on the grantor's northwest corner, said point being 50.00 feet right of station 57+95.50 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 00 minutes 14 seconds East a distance of 10.00 feet to a point, said point being 50.00 feet right of station 58+05.50;

thence South 02 degrees 59 minutes 46 seconds West a distance of 12.00 feet, said point being 62.00 feet right of station 58+05.50;

thence North 87 degrees 00 minutes 14 seconds West a distance of 10.00 feet to a point, said point being 62.00 feet right of station 57+95.50;

thence North 02 degrees 59 minutes 46 seconds East a distance of 12.00 feet to the point of beginning.

The above described area of 0.003 acres is contained within Auditor's parcel number 560-158130.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200209240238338 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT OO

PARCEL 51-T1 ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 725.39 feet to a point at centerline station 59+05.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 66.84 feet to a point on the grantor's north line and the existing southerly right of way line of Roberts Road, said point being 66.84 feet right of station 59+05.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 45.00 feet along said right of way to a point, said point being 66.79 feet right of station 59+50.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 18.21 feet, said point being 85.00 feet right of station 59+50.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 45.00 feet to a point, said point being 85.00 feet right of station 59+05.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 18.16 feet to the point of beginning.

The above described area of 0.019 acres is contained within Auditor's parcel number 560-158132.

This description was prepared and reviewed on April 23, 2003 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199901080006384 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

PARCEL 51-T2 ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 890.39 feet to a point at centerline station 60+70.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 66.66 feet to a point on the grantor's north line and the existing southerly right of way line of Roberts Road, said point being 66.66 feet right of station 60+70.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 45.00 feet along said right of way to a point, said point being 66.60 feet right of station 61+15.00;

thence South 02 degrees 59 minutes 46 seconds West a distance of 18.40 feet, said point being 85.00 feet right of station 61+15.00;

thence North 87 degrees 00 minutes 14 seconds West a distance of 45.00 feet to a point, said point being 85.00 feet right of station 60+70.00;

thence North 02 degrees 59 minutes 46 seconds East a distance of 18.34 feet to the point of beginning.

The above described area of 0.019 acres is contained within Auditor's parcel number 560-158113.

This description was prepared and reviewed on April 23, 2003 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199901080006384 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT PP

PARCEL 52-T1 ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 942.77 feet to a point at centerline station 61+22.38;

thence South 02 degrees 59 minutes 46 seconds West a distance of 66.60 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 66.60 feet right of station 61+22.38 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 476.15 feet along said right of way to a point on the grantor's east line, said point being 66.07 feet right of station 65+98.53;

thence South 04 degrees 41 minutes 26 seconds East along said property line a distance of 14.05 feet, said point being 80.00 feet right of station 66+00.41;

thence North 87 degrees 00 minutes 14 seconds West a distance of 475.61 feet to a point on the grantor's west line, said point being 80.00 feet right of station 61+24.80;

thence North 07 degrees 14 minutes 02 seconds West along said property line a distance of 13.62 feet to the point of beginning.

The above described area of 0.149 acres is contained within Auditor's parcel number 560-241822.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199712180170220 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

PARCEL 52-T2 ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 1639.32 feet to a point at centerline station 68+18.93;

thence South 02 degrees 59 minutes 46 seconds West a distance of 65.83 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 65.83 feet right of station 68+18.93 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 240.00 feet along said right of way to a point, said point being 65.56 feet right of station 70+58.93;

thence South 82 degrees 24 minutes 27 seconds East a distance of 123.10 feet along said right of way to a point, said point being 75.43 feet right of station 71+81.63;

thence South 87 degrees 04 minutes 02 seconds East a distance of 81.15 feet along said right of way to a point, said point being 75.34 feet right of station 72+62.78;

thence along said right of way on a curve to the right a distance of 31.66 feet with a radius of 50.00 feet and whose chord bears South 68 degrees 55 minutes 35 seconds East a distance of 31.14 feet to a point, said point being 85.00 feet right of station 72+92.38;

thence North 87 degrees 00 minutes 14 seconds West a distance of 470.86 feet to a point on the grantor's west line, said point being 85.00 feet right of station 68+21.52;

thence North 04 degrees 41 minutes 26 seconds West along said property line a distance of 19.34 feet to the point of beginning.

The above described area of 0.169 acres is contained within Auditor's parcel number 560-241822.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199712180170220 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT QQ

PARCEL 53-WD ROBERTS ROAD

IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 1338.26 feet to a point at centerline station 65+17.87;

thence North 02 degrees 59 minutes 46 seconds West a distance of 53.84 feet to an IP found on the grantor's southwest corner and the existing northerly right of way line of Roberts Road (and the existing westerly right of way line of Charter Street), said point being 53.84 feet left of station 65+17.87 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 55 minutes 58 seconds East along said Charter Street right of way a distance of 46.12 feet to an IP set, said point being 99.96 feet left of station 65+17.82;

thence on a curve to the left a distance of 62.79 feet with a radius of 40.00 feet and whose chord bears South 42 degrees 02 minutes 08 seconds East a distance of 56.54 feet to an IP set, said point being 60.00 feet left of station 65+57.82;

thence South 87 degrees 00 minutes 14 seconds East a distance of 442.77 feet to an IP set on said Roberts Road right of way, said point being 60.00 feet left of station 70+00.00;

thence South 86 degrees 15 minutes 42 seconds West along said right of way a distance of 48.45 feet to a point, said point being 54.32 feet left of station 69+52.47;

thence North 87 degrees 04 minutes 02 seconds West along said right of way a distance of 434.60 feet to the point of beginning.

The above described area of 0.070 acres is contained within Auditor's parcel number 560-189898, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200207290184655 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

**PARCEL 53-T
ROBERTS ROAD
IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 1338.21 feet to a point at centerline station 65+17.82;

thence North 02 degrees 59 minutes 46 seconds West a distance of 99.96 feet to a point on the grantor's southwest corner and the existing northerly right of way line of Roberts Road (and the existing westerly right of way line of Charter Street), said point being 99.96 feet left of station 65+17.82 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 55 minutes 58 seconds East along said Charter Street right of way a distance of 50.07 feet to a point, said point being 150.03 feet left of station 65+17.76;

thence South 08 degrees 22 minutes 38 seconds East a distance of 50.99 feet to a point, said point being 100.04 feet left of station 65+27.82;

thence South 44 degrees 54 minutes 22 seconds East a distance of 29.90 feet to a point, said point being 80.00 feet left of station 65+50.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 150.00 feet to a point, said point being 80.00 feet left of station 67+00.00;

thence South 78 degrees 56 minutes 58 seconds East a distance of 107.06 feet to a point, said point being 65.00 feet left of station 68+06.00;

thence South 87 degrees 00 minutes 14 seconds East a distance of 194.29 feet to a point, said point being 65.00 feet left of station 70+00.29;

thence North 86 degrees 15 minutes 42 seconds East a distance of 85.28 feet to a point, said point being 75.00 feet left of station 70+84.97;

thence South 87 degrees 00 minutes 14 seconds East a distance of 26.64 feet to a point on the grantor's east line, said point being 75.00 feet left of station 71+11.61;

thence South 02 degrees 55 minutes 58 seconds West along said property line a distance of 5.42 feet to a point on the existing northerly right of way line of Roberts Road, said point being 69.58 feet left of station 71+11.62;

thence North 87 degrees 04 minutes 02 seconds West along said right of way line a distance of 30.16 feet to a point, said point being 69.55 feet left of station 70+81.46;

thence South 86 degrees 15 minutes 42 seconds West along said right of way line a distance of 81.44 feet to a point, said point being 60.00 feet left of station 70+00.00;

thence North 87 degrees 04 minutes 02 seconds West a distance of 442.77 feet to a point, said point being 60.00 feet left of station 65+57.82;

thence on a curve to the right a distance of 62.79 feet with a radius of 40.00 feet and whose chord bears North 42 degrees 02 minutes 08 seconds West a distance of 56.54 feet to the point of beginning.

The above described area of 0.157 acres is contained within Auditor's parcel number 560-189898.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200207290184655 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT RR

PARCEL 54-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 1418.92 feet to a point at centerline station 65+98.53;

thence South 02 degrees 59 minutes 46 seconds West a distance of 66.07 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 66.07 feet right of station 65+98.53 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 144.70 feet along said right of way to a point on the grantor's east line, said point being 65.91 feet right of station 67+43.23;

thence South 04 degrees 41 minutes 26 seconds East along said property line a distance of 5.04 feet, said point being 70.91 feet right of station 67+43.90;

thence North 87 degrees 04 minutes 02 seconds West a distance of 79.65 feet to a point, said point being 71.00 feet right of station 66+64.25;

thence South 84 degrees 58 minutes 19 seconds West a distance of 64.47 feet to a point on the grantor's west line, said point being 80.00 feet right of station 66+00.41;

thence North 04 degrees 41 minutes 26 seconds West along said property line a distance of 14.05 feet to the point of beginning.

The above described area of 0.023 acres is contained within Auditor's parcel number 560-154552.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199810070256492 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT SS

PARCEL 55-T ROBERTS ROAD TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 1563.62 feet to a point at centerline station 67+43.23;

thence South 02 degrees 59 minutes 46 seconds West a distance of 65.91 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 65.91 feet right of station 67+43.23 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East a distance of 75.70 feet along said right of way to a point on the grantor's east line, said point being 65.83 feet right of station 68+18.93;

thence South 04 degrees 41 minutes 26 seconds East along said property line a distance of 5.04 feet, said point being 70.83 feet right of station 68+19.60;

thence North 87 degrees 04 minutes 02 seconds West a distance of 75.70 feet to a point, said point being 75.70 to a point on the grantor's west line, said point being 70.91 feet right of station 67+43.90;

thence North 04 degrees 41 minutes 26 seconds West along said property line a distance of 5.04 feet to the point of beginning.

The above described area of 0.009 acres is contained within Auditor's parcel number 560-154576.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200302060037337 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT TT

PARCEL 56-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2133.01 feet to a point at centerline station 73+12.62;

thence North 02 degrees 59 minutes 46 seconds West a distance of 69.81 feet to a point on the grantor's southwest corner and the existing northerly right of way line of Roberts Road (and the existing westerly right of way line of International Street), said point being 69.81 feet left of station 73+12.62 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 87 degrees 04 minutes 02 seconds West along said right of way a distance of 40.00 feet to an IP set, said point being 69.76 feet left of station 72+72.62;

thence on a curve to the left a distance of 62.83 feet with a radius of 40.00 feet and whose chord bears North 47 degrees 55 minutes 58 seconds East a distance of 56.57 feet to an IP set on said International Street right of way, said point being 109.81 feet left of station 73+12.58;

thence South 02 degrees 55 minutes 58 seconds West along said right of way a distance of 40.00 feet to the point of beginning.

The above described area of 0.008 acres is contained within Auditor's parcel number 560-211622, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198804200086753 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

EXHIBIT UU

PARCEL 57-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2193.01 feet to a point at centerline station 73+72.62;

thence North 02 degrees 59 minutes 46 seconds West a distance of 69.87 feet to a point on the grantor's southwest corner and the existing northerly right of way line of Roberts Road (and the existing easterly right of way line of International Street), said point being 69.87 feet left of station 73+72.62 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 55 minutes 58 seconds East along said International Street right of way a distance of 43.37 feet to an IP set, said point being 113.24 feet left of station 73+72.57;

thence on a curve to the left a distance of 66.82 feet with a radius of 40.00 feet and whose chord bears South 44 degrees 55 minutes 21 seconds East a distance of 59.32 feet to an IP set, said point being 73.48 feet left of station 74+16.60;

thence North 87 degrees 13 minutes 21 seconds East a distance of 285.83 feet to an IP set, said point being 103.55 feet left of station 75+00.00;

thence South 89 degrees 36 minutes 14 seconds East a distance of 180.62 feet to an IP found on said Roberts Road right of way, said point being 113.45 feet left of station 78+80.35;

thence South 87 degrees 13 minutes 21 seconds West a distance of 401.99 feet to an IP found, said point being 69.99 feet left of station 74+81.46;

thence North 87 degrees 04 minutes 02 seconds West a distance of 108.84 feet to the point of beginning.

The above described area of 0.093 acres is contained within Auditor's parcel number 560-189897, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198810060158658 in the records of Franklin County, Ohio. The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83.

**PARCEL 57-T
ROBERTS ROAD
TEMPORARY EASEMENT**

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2192.90 feet to a point at centerline station 73+72.51;

thence North 02 degrees 59 minutes 46 seconds West a distance of 172.35 feet to a point on the existing easterly right of way line of International Street, said point being 172.35 feet left of station 73+72.51 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 55 minutes 58 seconds East along said International Street right of way a distance of 10.60 feet to a point, said point being 182.95 feet left of station 73+72.49;

thence South 60 degrees 44 minutes 05 seconds East a distance of 156.66 feet to a point, said point being 113.61 feet left of station 75+12.98;

thence South 02 degrees 46 minutes 39 seconds East a distance of 3.73 feet to a point, said point being 109.90 feet left of station 75+13.35;

thence South 87 degrees 13 minutes 21 seconds West a distance of 10.00 feet to a point, said point being 108.87 feet left of station 75+03.41;

thence on a curve to the right a distance of 34.28 feet with a radius of 55.00 feet and whose chord bears North 74 degrees 55 minutes 21 seconds West a distance of 33.73 feet to a point, said point being 115.96 feet left of station 74+70.42;

thence North 57 degrees 04 minutes 02 seconds West a distance of 112.99 feet to the point of beginning.

The above described area of 0.046 acres is contained within Auditor's parcel number 560-189897.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198810060158658 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

**PARCEL 57-SHV
ROBERTS ROAD**

IN THE NAME AND FOR THE USE OF CONSOLIDATED RAIL CORPORATION

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2192.96 feet to a point at centerline station 73+72.57;

thence North 02 degrees 59 minutes 46 seconds West a distance of 118.33 feet to a point on the existing easterly right of way line of International Street, said point being 118.33 feet left of station 73+72.57 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence North 02 degrees 55 minutes 58 seconds East along said International Street right of way a distance of 54.01 feet to a point, said point being 172.35 feet left of station 73+72.51;

thence South 57 degrees 04 minutes 02 seconds East a distance of 112.99 feet to a point, said point being 115.96 feet left of station 74+70.42;

thence on a curve to the left a distance of 34.28 feet with a radius of 55.00 feet and whose chord bears South 74 degrees 55 minutes 21 seconds East a distance of 33.73 feet to a point, said point being 108.87 feet left of station 75+03.41;

thence North 87 degrees 13 minutes 21 seconds East a distance of 10.00 feet to a point, said point being 109.90 feet left of station 75+13.35;

thence South 02 degrees 46 minutes 39 seconds East a distance of 26.50 feet to a point, said point being 83.54 feet left of station 75+16.02;

thence South 87 degrees 13 minutes 21 seconds West a distance of 34.14 feet to a point, said point being 80.10 feet left of station 74+82.05;

thence on a curve to the right a distance of 28.50 feet with a radius of 85.00 feet and whose chord bears North 66 degrees 40 minutes 23 seconds West a distance of 28.37 feet to a point, said point being 89.96 feet left of station 74+55.45;

thence North 57 degrees 03 minutes 44 seconds West a distance of 50.94 feet to a point, said point being 115.38 feet left of station 74+11.31;

thence on a curve to the left a distance of 40.18 feet with a radius of 45.00 feet and whose chord bears North 82 degrees 38 minutes 49 seconds West a distance of 38.86 feet to the point of beginning.

The above described area of 0.113 acres is contained within Auditor's parcel number 560-189897.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198810060158658 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT VV

PARCEL 58-S ROBERTS ROAD STORM SEWER EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2266.13 feet to a point at centerline station 74+45.74;

thence South 02 degrees 59 minutes 46 seconds East a distance of 75.14 feet to a point on the existing southerly right of way line of Roberts Road, said point being 75.14 feet right of station 74+45.74 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 87 degrees 04 minutes 02 seconds East along said right of way line a distance of 26.46 feet to a point, said point being 75.11 feet right of station 74+72.20;

thence South 37 degrees 58 minutes 26 seconds East a distance of 91.66 feet to a point, said point being 144.31 feet right of station 75+32.30;

thence South 50 degrees 56 minutes 15 seconds West a distance of 20.00 feet to a point, said point being 157.71 feet right of station 75+17.45;

thence North 37 degrees 58 minutes 26 seconds West a distance of 109.37 feet to the point of beginning.

The above described area of 0.046 acres is contained within Auditor's parcel number 560-241821.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 199712180170219 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT WW

PARCEL 59-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2382.04 feet to a point at centerline station 75+61.65;

thence South 86 degrees 27 minutes 45 seconds East along said centerline a distance of 574.14 feet to a point at centerline station 81+35.79;

thence South 87 degrees 08 minutes 48 seconds East along said centerline a distance of 1264.21 feet to a point at centerline station 94+00.00;

thence South 02 degrees 51 minutes 12 seconds East a distance of 79.35 feet to an IP set on the existing southerly right of way line of Roberts Road, said point being 79.35 feet right of station 94+00.00 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence South 89 degrees 51 minutes 57 seconds East along said right of way line a distance of 81.06 feet to a point, said point being 75.50 feet right of station 94+80.96;

thence North 81 degrees 07 minutes 23 seconds East along said right of way line a distance of 83.56 feet to a point on the existing westerly right of way line of Westbelt Drive, said point being 58.52 feet right of station 95+62.78;

thence South 02 degrees 53 minutes 29 seconds West along said right of way line a distance of 63.04 feet to an IP set, said point being 121.56 feet right of station 95+62.74;

thence North 72 degrees 36 minutes 23 seconds West a distance of 168.12 feet to the point of beginning.

The above described area of 0.106 acres is contained within Auditor's parcel number 560-154558, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on December 20, 2002 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 198806200112627 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

All iron pins (IP) set are 5/8" rebar with a plastic cap stamped "COC". All monuments are to be set upon completion of construction.

EXHIBIT XX

PARCEL 63-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the left side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2382.04 feet to a point at centerline station 75+61.65;

thence South 86 degrees 27 minutes 45 seconds East along said centerline a distance of 574.14 feet to a point at centerline station 81+35.79;

thence South 87 degrees 08 minutes 48 seconds East along said centerline a distance of 1483.08 feet to a point at centerline station 96+18.87;

thence North 02 degrees 51 minutes 12 seconds West a distance of 65.49 feet to a point on the grantor's southwest corner and the existing northerly right of way line of Roberts Road, said point being 65.49 feet left of station 96+18.87 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence continuing along said right of way the following six courses; North 02 degrees 53 minutes 29 seconds East a distance of 18.31 feet to a point, said point being 83.80 feet left of station 96+18.88;

thence on a curve to the right a distance of 21.99 feet with a radius of 14.00 feet and whose chord bears North 47 degrees 53 minutes 29 seconds East a distance of 19.80 feet to a point, said point being 97.79 feet left of station 96+32.89;

thence South 87 degrees 06 minutes 31 seconds East a distance of 10.00 feet to a point, said point being 97.78 feet left of station 96+42.89;

thence on a curve to the right a distance of 21.99 feet with a radius of 14.00 feet and whose chord bears South 42 degrees 06 minutes 30 seconds East a distance of 19.80 feet to a point, said point being 83.77 feet left of station 96+56.88;

thence South 02 degrees 53 minutes 29 seconds West a distance of 20.77 feet to a point, said point being 63.00 feet left of station 96+56.87;

thence North 83 degrees 24 minutes 22 seconds West a distance of 38.08 feet to the point of beginning.

The above described area of 0.027 acres is contained within Auditor's parcel number 560-208814, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200306170181348 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.

EXHIBIT YY

PARCEL 64-WD ROBERTS ROAD IN THE NAME AND FOR THE USE OF THE CITY OF COLUMBUS

Situated in the State of Ohio, County of Franklin, City of Columbus, being in VMS Section No. 287, and being more particularly described as follows:

Being a parcel of land lying on the right side of the centerline of survey of Roberts Road made by the city of Columbus in 2002 and being located within the following described points in the boundary thereof:

Commencing at the Franklin County monument No. 7746 at the intersection of Walcutt Road and Roberts Road; said point being South 87 degrees 00 minutes 32 seconds East a distance of 4182.20 feet from Franklin County monument No. 6665; said point also being 7.64 feet right of Roberts Road centerline station 51+82.56;

thence North 18 degrees 06 minutes 39 seconds West a distance of 8.18 feet to a point at centerline station 51+79.61;

thence South 87 degrees 00 minutes 14 seconds East along said centerline a distance of 2382.04 feet to a point at centerline station 75+61.65;

thence South 86 degrees 27 minutes 45 seconds East along said centerline a distance of 574.14 feet to a point at centerline station 81+35.79;

thence South 87 degrees 08 minutes 48 seconds East along said centerline a distance of 1483.49 feet to a point at centerline station 96+19.28;

thence South 02 degrees 51 minutes 12 seconds East a distance of 54.60 feet to a point on the grantor's northwest corner and the existing southerly right of way line of Roberts Road, said point being 54.60 feet right of station 96+19.28 and being the TRUE POINT OF BEGINNING of the parcel herein described;

thence continuing along said right of way the following five courses; South 87 degrees 06 minutes 31 seconds East a distance of 37.00 feet to a point, said point being 54.62 feet right of station 96+56.28;

thence South 02 degrees 53 minutes 29 seconds West a distance of 50.00 feet to a point, said point being 104.62 feet right of station 96+56.25;

thence South 34 degrees 51 minutes 42 seconds West a distance of 34.94 feet to a point, said point being 134.25 feet right of station 96+37.73;

thence North 29 degrees 04 minutes 44 seconds West a distance of 34.94 feet to a point, said point being 104.60 feet right of station 96+19.25;

thence North 02 degrees 53 minutes 29 seconds East a distance of 50.00 feet to the point of beginning.

The above described area of 0.055 acres is contained within Auditor's parcel number 560-126834, which includes 0.000 acres in the present road occupied.

This description was prepared and reviewed on April 9, 2004 by Joseph S. Bolzenius, Registered Surveyor No. 6336, and is based on a survey made under the direction and supervision of Steven Lamphear, Registered Surveyor No. 7876 on January 15, 2002.

Grantor claims title by instrument recorded in ORV 200306170181348 in the records of Franklin County, Ohio.

The basis of bearings in this description are based on the State Plane Coordinate System, Ohio South Zone, NAD 83, which were determined by GPS observations conducted by the Franklin County Engineer's office and by occupying geodetic survey monuments.