

ANNEXATION:

Annexation No. AN04-023

Location of land that is to be annexed:

Hector M. & Brenda K. Ramos
 Orange Township 2.25+-acres

Include a specific location and a general description of the area to be annexed including descriptors such as rural, farmland, pre-development planning, etc.

RESPONSE:

Normal Emergency Apparatus Response Matrix

Response	Unit Assigned	Staffing		Unit Response time (minutes)	Unit Travel Distance (miles)	Mutual Aid Unit
		Day	Night			
1 st Engine	33	3	4	9.0	04.5	<input checked="" type="checkbox"/>
2 nd Engine	6	3	4	14.0	07.0	<input checked="" type="checkbox"/>
1 st Ladder	33	3	4	9.0	04.5	<input checked="" type="checkbox"/>
Rescue	11	4	4	25.0	12.5	<input checked="" type="checkbox"/>
Medic	33	2	2	9.0	04.0	<input checked="" type="checkbox"/>
EMS Supervisor	12	1	1	14.0	07.0	<input checked="" type="checkbox"/>
1 st Battalion Chief	2	1	1	14.0	07.0	<input checked="" type="checkbox"/>
Level of Emergency Response						
Commercial						
3 rd Engine	24	3	4	20.0	10.0	<input checked="" type="checkbox"/>
2 nd Ladder	24	3	4	20.0	10.0	<input checked="" type="checkbox"/>
2 nd Battalion Chief	7	1	1	25.0	12.5	<input checked="" type="checkbox"/>

Yes No

Does 1st engine meet the National Standards for staffing?

Does 1st alarm residential responses meet National Standards for staffing and times?

Does the standard commercial response address all specific hazards within the annexed area?

Will existing apparatus and human resources be able to handle this annexed area?

ADDITIONAL RESOURCES:

If existing resources are unable to serve the proposed annexation, what additional resources are required?

Sta.33@440 Lazelle Rd. Batt.Ch.2& EMS12@ Sta.6 5750 Maple Canyon Ave.Sta.24@ 1585 Morse Rd.Batt.Ch.7@ Sta.11 2200 West Case Rd.

Include specifics such as new fire stations, additional apparatus and staffing requirements, etc.

Information Prepared By: Lieutenant Art Wiley Col.Fire Date July 20, 2004

