PARCEL 72-T TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in ½ Section 29, Section 18, Township 12, Range 21, Refugee Lands, and being part of Lot 31 of Easthampton Addition, as recorded in Plat Book 16, page 65, as said Lot is described in a deed to AR & CR Properties, LLC, of record in Instrument Number 201108110100414, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, being a parcel on the right side of the proposed centerline of construction for James Road, as seen on the centerline plat for James Road, of record in Plat Book _____, page _____, said parcel being more particularly bounded and described as follows:

Commencing for reference at a railroad spike set at the intersection of the existing centerline of right-of-way for Livingston Avenue and the existing north centerline of right-of-way for James Road, being the southwest corner of said ½ Section 29, said point being 34.65 feet left of James Road proposed centerline of construction station 104+07.31;

Thence North 04 degrees 27 minutes 26 seconds East, along the existing north centerline of right-of-way for James Road and along the west line of said ½ Section 29, a distance of 510.12 feet to an angle point, said point being 9.00 feet left of James Road proposed centerline of construction Station 109+09.33;

Thence North 04 degrees 26 minutes 27 seconds East, continuing along the existing centerline of right-of-way for James Road and continuing along the west line of said ½ Section 29, a distance of 1,696.81 feet to a point, said point being 7.93 feet left of James Road proposed centerline of construction Station 126+06.19;

Thence **South 85 degrees 33 minutes 33 seconds East**, along a line perpendicular to the previous course, a distance of **40.00 feet** to a point on the existing east right-of-way line for said James Road, as established by said Easthampton Addition, being the southwest corner of said Lot 31, and being the northwest corner of Lot 30 of said Easthampton Addition, as said Lot is described in a deed to Ahmad E. Salama, of record in Instrument Number 201103230039825, said point being 32.06 feet right of James Road proposed centerline of construction Station 126+05.92;

Thence South 85 degrees 33 minutes 33 seconds East, along the south line of said Lot 31 and along the north line of said Lot 30, a distance of 7.00 feet to an iron pin set on the proposed east right-of-way line for said James Road, said iron pin set being 39.06 feet right of James Road proposed centerline of construction Station 126+05.87, and said iron pin set being the TRUE POINT OF BEGINNING for the herein described temporary easement;

Thence **North 04 degrees 26 minutes 27 seconds East**, along the proposed east right-of-way line for said James Road and across said Lot 31, a distance of **50.00 feet** to an iron pin set on the north line of said Lot 31, being the south line of Lot 32 of said Easthampton Addition, as said Lot is described in a deed to Sandra Kay Dulaney, of record in Official Record 25852, page B19, said iron pin set being 39.07 feet right of James Road proposed centerline of construction Station 126+56.70;

Thence South 85 degrees 33 minutes 33 seconds East, along the north line of said Lot 31 and along the south line of said Lot 32, a distance of 25.83 feet to a point, said point being 64.89 feet right of James Road proposed centerline of construction Station 126+57.06;

Thence across said Lot 31 along the following four (4) described courses:

- 1. **South 19 degrees 19 minutes 17 seconds West**, a distance of **11.64 feet** to a point, said point being 62.06 feet right of James Road proposed centerline of construction Station 126+45.77;
- 2. **South 83 degrees 54 minutes 10 seconds West**, a distance of **17.13 feet** to a point, said point being 45.27 feet right of James Road proposed centerline of construction Station 126+42.40;
- 3. South 04 degrees 26 minutes 27 seconds West, a distance of 19.86 feet to a point, said point being 45.17 feet right of James Road proposed centerline of construction Station 126+21.59;
- 4. South 39 degrees 42 minutes 17 seconds East, a distance of 21.96 feet to a point on the south line of said Lot 31, being the north line of said Lot 30, said point being 60.36 feet right of James Road proposed centerline of construction Station 126+05.73;

Thence North 85 degrees 33 minute 33 seconds West, along the south line of said Lot 31 and along the north line of said Lot 30, a distance of 21.29 feet to the TRUE POINT OF BEGINNING for the herein described temporary easement.

The above described temporary easement contains a total area of **0.015 acres** located within Franklin County Auditor's parcel number 010-091255.

The bearings described herein are based on Grid North (reference South 85 degrees 47 minutes 50 seconds East for Livingston Avenue east of James Road) as referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (CORS '96). As established utilizing a GPS survey referencing ODOT CORS stations "COLB", "OHLI" and "OHMD".

Iron pins set are 30" by 5/8" diameter rebar with caps stamped "American Structurepoint PS 8438".

The above described temporary easement was prepared under the direct supervision of Brian P. Bingham, Registered Professional Surveyor No. 8438 on February 3, 2014, is based on an actual survey performed by Dynotec, Inc., and is true and correct to the best of my knowledge and belief.

American Structurepoint, Inc.

Brian P. Bingham, PS

Registered Professional Surveyor No. 8438

Page 3 of 3