


6121 Huntley Road - Columbus, Ohio 43229-1003 Ph.: (614) 888-0040 Fax: (614) 848-6712

1" = 60

FRANKLINTON MAIN SEWER REHABILITATION STATE OF OHIO, FRANKLIN COUNTY, CITY OF COLUMBUS. VIRGINIA MILITARY SURVEY NO. 422 0.013 & 0.021 ACRE TEMP. CONST. ESMT. 0.280 ACRE PERM. ACCESS ESMT.

DATE:



Description of a 0.280 Acre Permanent Access Easement Parcel 11-A

Situated in the State of Ohio, County of Franklin, City of Columbus, and lying in Virginia Military Survey 422, and being a variable width Permanent Access Easement lying on, over and across that 2.78 acre tract, as conveyed to Greenlawn Realty Company, by deed of record in Instrument Number 201706070076097 (all references refer to the records of the Recorder's Office, Franklin County, Ohio) and more particularly described as follows:

BEGINNING at the intersection of the southerly right-of-way line of Greenlawn Avenue (60 feet wide), with the easterly line of said 2.78 acre tract, and the westerly line of that 2.262 acre tract as conveyed to Greenlawn Realty Company by deed of record in Instrument Number 20000503007467;

Thence South 02° 23' 22" West a distance of 416.91 feet, coincident with the line common to said 2.78 acre tract and 2.262 acre tract, to a point;

North 87° 04' 18" West a distance of 210.31 feet, over and across said 2.78 acre tract, to a point on the westerly line of said 2.78 acre tract and the easterly line of that 308.60 acre tract, as conveyed to Green Lawn Cemetery Association, by deed of record in Instrument Number 195403120960202;

Thence North 11° 17' 57" West a distance of 20.63 feet, coincident with the line common to said 2.78 acre tract and 308.60 acre tract, to a point;

Thence across and through said 2.78 acre tract, the following two (2) courses:

South 87° 04' 18" East, a distance of 195.19 feet to a point;

North 02° 23' 22" East a distance of 396.68 feet to a point on the southerly right-of-way line of Greenlawn Avenue:

Thence South 87° 43' 57" East a distance of 20.00 feet, coincident with said right-of-way line, to the **TRUE POINT OF BEGINNING**, containing 0.280 acre, more or less, subject to all easements, restrictions, and right-of-way of record.

This description is based on a field survey performed by DLZ Ohio, Inc. in December 2023 under the direct supervision of Samuel L. Stiltner, Ohio Professional Surveyor No. 8364.

The bearings shown hereon are based upon the Ohio State Plane Coordinate System, South Zone, NAD 83(2011), using the Ohio Department of Transportation's Virtual Reference System.

DLZ Ohio

Samuel L. Stiltner

Professional Surveyor No. 8364

verse With Area

Mon Jan 13 11:18:13 2025

tNo	Bearing	Distance	Northing	Easting	Description
	S 02°23'22" W	416.91	706915.51	1822800.06	
	N 87°04'18" W	210 21	706498.96	1822782.68	
			706509.71	1822572.65	
	N 11°17'57" W	20.63	706529.94	1822568.61	
	S 87°04'18" E	195.19	700529.94	1022366.61	
	N 02°23'22" E	396 68	706519.97	1822763.54	
			706916.31	1822780.08	
	S 87°43'57" E	20.00	706015 51	1000000	
			706915.51	1822800.06	

osure Error Distance> 0.0000 tal Distance Inversed> 1259.72

ea: 12191, 0.2799



<u>Description of a 0.013 Acre Temporary Construction Easement</u> <u>Parcel 11-T1</u>

Situated in the State of Ohio, County of Franklin, City of Columbus, and lying in Virginia Military Survey 422, and being a variable width Temporary Construction Easement lying on, over and across that 2.78 acre tract, as conveyed to Greenlawn Realty Company, by deed of record in Instrument Number 201706070076097 (all references refer to the records of the Recorder's Office, Franklin County, Ohio) and more particularly described as follows:

COMMENCING at the intersection of the southerly right-of-way line of Greenlawn Avenue (60 feet wide), with the easterly line of said 2.78 acre tract, and the westerly line of that 2.262 acre tract as conveyed to Greenlawn Realty Company by deed of record in Instrument Number 20000503007467;

Thence South 02° 23' 22" West a distance of 416.91 feet, coincident with the line common to said 2.78 acre tract and 2.262 acre tract, to a point;

Thence North 87° 04' 18" West a distance of 171.50 feet, crossing through said 2.78 acre tract, to the TRUE POINT OF BEGINNING of the temporary construction easement herein described;

Thence South 02° 55' 42" West, a distance of 15.00 feet, continuing through said 2.78 acre tract, to a point on the southerly line of said 2.78 acre tract and the northerly line of that 308.6 acre tract as conveyed to Green Lawn Cemetery Association by deed of record in Instrument Number 195403120960202;

Thence North 87° 04' 18" West a distance of 35.00 feet, coincident with the line common to said 2.78 acre tract and 308.6 acre tract, to the southwesterly corner of said 2.78 acre tract and a northeasterly corner of said 308.6 acre tract;

Thence North 11° 17' 57" West a distance of 15.47 feet, coincident with the line common to said 2.78 acre tract and 308.6 acre tract, to a point;

Thence South 87° 04' 18" East a distance of 38.80 feet, crossing through said 2.78 acre tract, to the **TRUE POINT OF BEGINNING**, containing 0.013 acre, more or less, subject to all easements, restrictions, and right-of-way of record.

This description is based on a field survey performed by DLZ Ohio, Inc. in December 2023 under the direct supervision of Samuel L. Stiltner, Ohio Professional Surveyor No. 8364.

The bearings shown hereon are based upon the Ohio State Plane Coordinate System, South Zone, NAD 83(2011), using the Ohio Department of Transportation's Virtual Reference System.

DLZ Ohio

Samuel L. Stiltner

Professional Surveyor No. 8364

verse With Area

Mon Jan 13 11:20:23 2025

tNo	Bearing	Distance	Northing 706507.72	Easting 1822611.40	Description
	S 02°55'42" W	15.00	700507.72	1022011.40	
	NT 07004110H TT	05.00	706492.74	1822610.63	
	N 87°04'18" W	35.00	706494.53	1822575.68	
	N 11°17'57" W	15.47	,00191.00	1022373:00	
	G 0700411011 B	20.00	706509.71	1822572.65	
	S 87°04'18" E	38.80	706507.72	1822611.40	

osure Error Distance> 0.0000 tal Distance Inversed> 104.28

ea: 554, 0.0127



<u>Description of a 0.021 Acre Temporary Construction Easement</u> Parcel 11-T2

Situated in the State of Ohio, County of Franklin, City of Columbus, and lying in Virginia Military Survey 422, and being a variable width Temporary Construction Easement lying on, over and across that 2.78 acre tract, as conveyed to Greenlawn Realty Company, by deed of record in Instrument Number 201706070076097 (all references refer to the records of the Recorder's Office, Franklin County, Ohio) and more particularly described as follows:

COMMENCING at the intersection of the southerly right-of-way line of Greenlawn Avenue (60 feet wide), with the easterly line of said 2.78 acre tract, and the westerly line of that 2.262 acre tract as conveyed to Greenlawn Realty Company by deed of record in Instrument Number 20000503007467;

Thence South 02° 23' 22" West a distance of 416.91 feet, coincident with the line common to said 2.78 acre tract and 2.262 acre tract, to a point;

Thence North 87° 04' 18" West a distance of 210.31 feet, crossing through said 2.78 acre tract, to a point on the westerly line of said 2.78 acre tract and the easterly line of that 308.60 acre tract, as conveyed to Green Lawn Cemetery Association, by deed of record in Instrument Number 195403120960202;

Thence North 11° 17' 57" West a distance of 20.63 feet, coincident with the line common to said 2.78 acre tract and 308.60 acre tracts, to the TRUE POINT OF BEGINNING of the temporary construction easement herein described;

Thence North 11° 17' 57" West a distance of 20.63 feet, continuing with the line coincident to said 2.78 acre tract and 308.60 acre tracts, to a point;

Thence crossing through said 2.78 acre tract, the following three (3) courses:

South 87° 04' 18" East, a distance of 48.95 feet to a point;

South 02° 55' 42" West a distance of 20.00 feet, to a point;

North 87° 04' 18" West a distance of 43.87 feet, to the **TRUE POINT OF BEGINNING**, containing 0.021 acre, more or less, subject to all easements, restrictions, and right-of-way of record.

This description is based on a field survey performed by DLZ Ohio, Inc. in December 2023 under the direct supervision of Samuel L. Stiltner, Ohio Professional Surveyor No. 8364.

The bearings shown hereon are based upon the Ohio State Plane Coordinate System, South Zone, NAD 83(2011), using the Ohio Department of Transportation's Virtual Reference System.

SAMUEL L.
STILTNER
S-08364

DLZ Ohio

Samuel L. Stiltner

Professional Surveyor No. 8364

verse With Area

Mon Jan 13 11:24:47 2025

tNo	Bearing	Distance	Northing 706529.94	Easting 1822568.61	Description
	N 11°17'57" W	20.63	700020.04	1022500.01	
	S 87°04'18" E	18 95	706550.17	1822564.56	
	5 07 04 10 E	40.73	706547.67	1822613.44	
	S 02°55'42" W	20.00	706507 70	1000610 40	
	N 87°04'18" W	43.87	706527.70	1822612.42	
			706529.94	1822568.61	

osure Error Distance> 0.0000 Error Bearing> N 90°00'00" E osure Precision> 1 in 573173174081.0 Total Distance Inversed> 133.45

ea: 928, 0.0213

