

TAB I: Assessing Responsiveness

version: July 20, 2015

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Initial Apparent Low Bidder:	Danbert, Inc.
Section:	Distribution	Initial Apparent Low Bid :	\$ 2,231,834.90

Bids from Apparent lowest to highest:		Apparent Low	2nd	3rd	4th	5th	6th
CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	Beheler
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	\$ 2,769,226.63
		2.74%	0.01%	7.59%	10.50%	1.57%	

PART IA: Responsiveness Criteria, General Provisions (329.20)		INPUT "YES" FOR POSITIVE RESPONSE OR "NO" FOR NEGATIVE RESPONSE (all "yes" answers needed for responsive bid)					
a	The bidder is pre-qualified responsible or prequalified provisionally responsible at time of bid due date. (329.20)(c)	YES	YES	YES	YES	YES	YES
b	The bid contains the full name of every person or company interested in the same and such other relevant information as the city agency deems appropriate. (329.20)(g) FORM B1	YES	YES	YES	YES	YES	YES
c	The bidder submitted , with bid, an affidavit stating: (1) That as of the date of bid submission, there have been no changes in the information disclosed in its application for responsibility prequalification; or (2) That changes in the information disclosed in the bidder's application for responsibility prequalification have been reported to director of finance and management or designee and that the bidder is still prequalified responsible or provisionally responsible. (329.20)(d) FORM B10	YES	YES	YES	YES	YES	YES
d	There is no evidence of collusion among the bidders. (329.20)(e)	YES	YES	YES	YES	YES	YES
	BID IS:	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE

TAB I: Assessing Responsiveness

version: July 20, 2015

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Initial Apparent Low Bidder:	Danbert, Inc.
Section:	Distribution	Initial Apparent Low Bid :	\$ 2,231,834.90

Bids from Apparent lowest to highest:		Apparent Low	2nd	3rd	4th	5th	6th
CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	Beheler
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	\$ 2,769,226.63

PART IB: Responsiveness Criteria, Subcontractors (329.20)		INPUT "YES" FOR POSITIVE RESPONSE OR "NO" FOR NEGATIVE RESPONSE (all "yes" answers needed for responsive bid)					
a	The bidder provided a list of subcontractors with bid or indicated there were not any subcontracting opportunities. (329.20)(h)(1) FORM B6	YES	YES	YES	YES	YES	YES
b	If subcontractors are listed, Bidder indicated which subcontractors are licensed construction trade subcontractors. (329.20)(h)(2) FORM B6 (If no licensed trade subcontractors are listed, enter "NA")	NA	NA	NA	NA	NA	NA
c	If licensed trade subcontractors are listed, the bidder proposed pre-qualified responsible or provisionally responsible licensed trade subcontractors. (329.20)(h) (If no licensed trade subcontractors are listed, enter "NA")	NA	NA	NA	NA	NA	NA
d	If subcontractors are listed, the bidder listed the division/section of work under which the sub is performing. (329.20)(h)(5) (If no licensed trade subcontractors are listed, enter "NA") FORM B6	NA	NA	NA	NA	NA	NA
e	If subcontractors are listed and the bidder listed more than one subcontractor per division/section of work, did the bidder explain why more than one sub is listed for the division/section of work? (329.20)(h)(5) (If no licensed trade subcontractors are listed, enter "NA") FORM B6	NA	NA	NA	NA	NA	NA
f	Bidder stated, via affidavit , that its proposed licensed construction trade subcontractors are pre-qualified responsible or provisionally responsible. (329.20)(h)(3) Form B10 (If no licensed trade subcontractors are listed, enter "NA")	NA	NA	NA	NA	NA	NA
g	Bidder did not bid subcontractors who were currently suspended or debarred by the city. (329.20)(h)(4) (see links on Tab 5)	YES	YES	YES	YES	YES	YES
BID IS:		RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE

TAB I: Assessing Responsiveness

version: July 20, 2015

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Initial Apparent Low Bidder:	Danbert, Inc.
Section:	Distribution	Initial Apparent Low Bid :	\$ 2,231,834.90

Bids from Apparent lowest to highest:		Apparent Low	2nd	3rd	4th	5th	6th
CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	Beheler
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	\$ 2,769,226.63

PART IC: Responsiveness Criteria, Bid Specific (329.23)		INPUT "YES" FOR POSITIVE RESPONSE OR "NO" FOR NEGATIVE RESPONSE (all "yes" answers needed for responsive bid)					
a	Bidder did not submit more than one bid for same work. (See referenced code section for full text.) (329.23)(f)(1)(a)	YES	YES	YES	YES	YES	YES
b	Bidder acknowledged addenda. (329.23)(f)(1)(e) BID SIGNATURE PAGE, page 2	NA	NA	NA	NA	NA	NA
c	Bidder complied with technical pre-qualification requirements/specification requirements where applicable. (329.23)(f)(1)(c)	YES	YES	YES	YES	YES	YES
d	The bid contains no conditions or qualifications not provided in the invitation for bid. (329.23)(f)(1)(d)	YES	YES	YES	YES	YES	YES
e	Bidder added no provisions reserving right to accept or reject award. (329.23)(f)(1)(f)	YES	YES	YES	YES	YES	YES
f	Bidder submitted a bid guarantee. (329.23)(f)(1)(i) FORM B2, FORM B3	YES	YES	YES	YES	YES	YES
g	Bidder did not submit an irregular bid guarantee. (329.23)(f)(1)(i) FORM B2, FORM B3	YES	YES	YES	YES	YES	NO
h	Bid prices are materially balanced. (329.23)(f)(1)(b) FORM B4	YES	YES	YES	YES	YES	YES
i	Bid contains no irregularities or deviations from the bid that affect bid amount. (329.23)(f)(1)(j) and (329.23)(f)(1)(e)	YES	YES	YES	YES	YES	NO
j	Bidder submitted a unit price for each contract item listed, if required. (329.23)(f)(1)(g) FORM B4 (If a unit price is not an option, enter "NA")	YES	YES	YES	YES	YES	YES
k	Bidder submitted a lump sum price if required. (329.23)(f)(1)(h) FORM B4 (If lump sum is not an option, enter "NA")	NA	NA	NA	NA	NA	YES
l	Bidder has complied with section 329.20(h) regarding subcontractors. (329.23)(f)(1)(k) FORM B6	YES	YES	YES	YES	YES	YES
m	Bid does not contain alterations, omissions, errors, such that it does respond to the bid documents. (329.23)(f)(1)(j)	YES	YES	YES	YES	YES	NO
n	Bid responds to bid documents in all material respects. (329.23)(f)(1)(e)	YES	YES	YES	YES	YES	NO
o	Bid is complete. (329.23)(f)(1)(e)	YES	YES	YES	YES	YES	NO
	BID IS:	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	NON-RESPONSIVE

TAB I: Assessing Responsiveness

version: July 20, 2015

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Initial Apparent Low Bidder:	Danbert, Inc.
Section:	Distribution	Initial Apparent Low Bid :	\$ 2,231,834.90

Bids from Apparent lowest to highest:		Apparent Low	2nd	3rd	4th	5th	6th
CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	Beheler
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	\$ 2,769,226.63

PART ID: Responsiveness Criteria, Contract Compliance		A "no" answer in Part IE will not necessarily render a bid non-responsive. Bidder must have a valid contract compliance no. prior to contract execution.					
a	The "Evaluated Low Bidder" has an active contract compliance number at the time of bid.	YES	YES	YES	YES	YES	YES

Bid Responsiveness, Waiver Considerations:	Bid Responsive, Continue to Part II	Bid Responsive, Continue to Part II	Bid Responsive, Continue to Part II	Bid Responsive, Continue to Part II	Bid Responsive, Continue to Part II	Waiver Legislation Required to Contract; Contact Fiscal Office
Proceed to Part II?	YES	YES	YES	YES	YES	NO

LOWEST RESPONSIVE BID, TAB I	\$ 2,231,834.90	← Manually Enter Amount
LOWEST RESPONSIVE BIDDER, TAB I	Danbert, Inc.	← Manually Enter Information

TAB II: Assessing Responsibility

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Responsive Low Bidder (from Tab I):	Danbert, Inc.
Section:	Distribution	Responsive Low Bid (from Tab I):	\$ 2,231,834.90

CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	NA
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	0

PART IIA: 329.23 (2) Responsibility Criteria		INPUT "YES" FOR POSITIVE RESPONSE OR "NO" FOR NEGATIVE RESPONSE (1 point for each "yes", 0 for "no")					
a	Based on bid amount (as compared to other bids) no further documentation needed (i.e., bid statistically comparable to others). FORM B4, SPECIFICATIONS	YES	YES	YES	YES	YES	
b	The bidder has demonstrated to the city's satisfaction adequate and appropriate SPECIALIZED EQUIPMENT for the project. FORM B7, SPECIFICATIONS	YES	YES	YES	YES	YES	
c	The bidder has demonstrated to the city's satisfaction adequate and appropriate HUMAN RESOURCES for the project. FORM B7, SPECIFICATIONS	YES	YES	YES	YES	YES	
d	The bidder has actively engaged in the construction industry. FORM B8,	YES	YES	YES	YES	YES	
e	The bidder has experience in the area of construction service for which the bid has been submitted. FORM B8	YES	YES	YES	YES	YES	
f	The bidder has a successful record of complying with and meeting completion deadlines. FORM B8	YES	YES	YES	NA	NA	
g	The bidder has a successful record of controlling costs on similar construction projects. FORM B8	YES	YES	YES	NA	NA	
h	The bidder has no (substantial) uncompleted work that would hinder the success of the project. FORM B9	YES	YES	YES	YES	YES	
Responsibility Score:		8	8	8	6	6	0
Continue to TAB 3?		YES	YES	YES	YES	YES	

↑
Manually Enter Information

TAB III. Assessing Local Bidder

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
-----------------	---	------------------	-------------------------

Department/Division:	Public Utilities / Water	Evaluated Low Bidder (from Tabs I and II):	Danbert, Inc.
Section:	Distribution	Evaluated Low Bid (from Tabs I and II) :	\$ 2,231,834.90

CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	NA
Engineer's Estimate:	\$ 2,518,113.00	Bid Amount	Bid Amount	Bid Amount	Bid Amount	Bid Amount	Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	NA
PART III: 329.(01)(u) and 329.212 Local Bidder							

IS BID LOCAL?	NO	NO	YES	YES	NO
----------------------	-----------	-----------	------------	------------	-----------

To look up if a bidder is local, use the Office of Construction Prequalification's list located at <X:\Construction Prequalification>

PART IIIA:	
step 1	<p>IF APPARENT LOW BID IN PART II IS LOCAL, STOP. Skip steps 2-5 and enter data in Steps 6 & 7 and continue to TAB IV.</p> <p>IF APPARENT LOW BID IN PART II IS NOT LOCAL, CONTINUE TO TO STEP 2 (see above for apparent low bid and bidder information)</p>

Part IIIB:							
step 2	Percentage difference of bid from apparent NON-LOCAL, LOW BID.	0.000%	2.737%	2.745%	10.544%	22.156%	NA
step 3	Is amount in prior step WITHIN ONE PERCENT (1%) OF THE LOW BID?	YES	NO	NO	NO	NO	NA
step 4	If step 3 is "yes", SEE PROCEDURES ON SHAREPOINT SITE. DID AGENCY FOLLOW PROCEDURES FOR BIDDER RELATING TO CITY CODE SECTIONS 329.212 (INDICATE IF NA)?						
step 5	INPUT NEW BID AMOUNT FOR BIDDER, IF APPLICABLE, OR ZERO (\$0)						

Part IIIC:	
step 6	<p>REVISED LOW BID AMOUNT, TAB IIIB: \$ 2,231,834.90</p> <p>REVISED LOW BIDDER, TAB IIIB: Danbert, Inc.</p>

← Manually Enter Amount

← Manually Enter Information

TAB IV. Calculating Environmental Preference

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015
Department/Division:	Public Utilities / Water	Evaluated Low Bidder (from Tabs I, II and III):	Danbert, Inc.
Section:	Distribution	Evaluated Low Bid (from Tabs I, II and III) :	\$ 2,231,835

CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.	NA
Engineer's Estimate:	\$ 2,518,113.00	Bid Amount	Bid Amount	Bid Amount	Bid Amount	Bid Amount	Bid Amount
		\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	NA
PART IV: 329.(17) Environmental Preference							
Apparent Low Bid:	\$ 2,231,834.90	Apparent Low Bidder:	Danbert, Inc.				

PART IV: 329.(17) Environmental Preference							
step 1	Did apparent/evaluated low bidder submit "environmentally preferable" bid? Answer "YES" or "NO" for apparent low bidder. For all other bidder's, input "NA"	YES	NA	NA	NA	NA	NA
step 2	Excluding apparent low bidder, did bidder submit "environmentally preferable" bid?	NA	YES	NO	YES	NO	NO
step 3	STOP. If apparent/evaluated low bidder submitted an environmentally preferable bid, then the apparent/evaluated low bidder is lead bidder for Tab 4. Ignore the data in Steps 4-6, complete Step 7, and proceed to Tab 5. If the apparent/evaluated low bidder did not submit an environmentally preferable bid, proceed to Steps 6 and 7.						
step 4	Calculate environmental preference for each bid. It is up to five percent (5%) of the non-environmental low bid, for a maximum of \$20,000 per bid.	0.000%	2.737%	2.745%	10.544%	22.156%	NA
step 5	Preference amount for each eligible bid (if 0, then no environmental preference was applied).	\$ -	\$ 20,000.00	\$ 20,000.00	\$ 20,000.00	\$ 20,000.00	NA
step 6	Bid amount less environmental preference, except if both claim environmental preference; in that case, both claiming EP cancels it for both	\$ 2,231,834.90	\$ 2,272,920.60	\$ 2,273,102.30	\$ 2,447,168.52	\$ 2,706,325.70	NA
step 7	Low Bid Amount: \$ 2,231,834.90	Low Bidder:	Danbert, Inc.				

Manually Enter Amount

Manually Enter Information

TAB V. Miscellaneous

Apparent Low Bidder/Bid:	Danbert, Inc.	\$ 2,231,834.90
Project:	Fenway Road Area Water Line Improvements	

Other "responsible" requirements 329.23(f)(2)(e)

With respect to a bidder whose bid is determined to be 10% or more below that of the next lowest bidder, [do they have] supplemental details regarding the bid and/or historical information regarding performance and costs on similar contracts to demonstrate the bidder's ability to complete the contract at the price specified.

Bidders	Danbert, Inc.	Elite	Shely & Sands	Conie	Fields Excavat.	Beheler
Bid	\$ 2,231,834.90	\$ 2,292,920.60	\$ 2,293,102.30	\$ 2,467,168.52	\$ 2,726,325.70	\$ 2,769,226.63
Percent Difference btwn Bid and Next Highest Bid	2.74%	0.01%	7.59%	10.50%	1.57%	

Is any bidder 10% or more below the next bidder?

YES
YES

If yes, does the lower bidder's TAB 2 evaluation have 'yes' answers for questions c, d, g, and h?

If yes, low bidder is "responsible" under this provision.

Bid Guarantee Requirements

Below are the required documents for each bid guarantee type allowed.

Is the guarantee greater than or equal to 10% of the bid?

YES
YES

Did the bidder submit all of the required documents based upon the guarantee submitted?

Bid Bond

Bond on City's bond form

Surety power of attorney

Most recent surety financial statement

Current Ohio Dept. of Insurance Certificate of Compliance

Letter of Credit

LOC on City's LOC form

Certified/Cashier's Check

Drawn on a solvent bank

Contract Compliance

Are all subcontractors contract compliant? Required before the contract can be executed.

YES

If there are not any subcontractors, choose N/A.

Foreign/Non-Ohio Corp

Is the corporation foreign or the individual or partnership a non-resident of the State of Ohio?

NO
N/A

If yes, then did they file with the Secretary of State a power of attorney designating them or their agent or the Secretary of State, as agent, for the purpose of accepting service of summons, in any action in law or equity, or both, brought in the State of Ohio

This is required before the contract is awarded. "Awarded" means before the Director accepts/approves the bid
<http://www.sos.state.oh.us/>

Award recommendation: After evaluation of the bids, I recommend the following contractor be awarded the contract for:

Project Name:	Fenway Road Area Water Line Improvements
Recommended Bidder:	Danbert, Inc.
Contract Amount:	\$ 2,231,834.90

Evaluator's Name:	Missy Smith 645-3776
Evaluation Completion Date:	11/5/2015

Additional Information for Departments:

State of Ohio - Ohio Auditor

This is the link to the State of Ohio Auditor's web site to check for "findings for recovery"

<https://ohioauditor.gov/findings.html>

Apparent Low Bidder/Bid:	Danbert, Inc.	\$ 2,231,834.90
Project:	Fenway Road Area Water Line Improvements	

Federal - System for Award Management

This is the link to the Federal System for Awards Management site to check for "findings for recovery"

<https://www.sam.gov/portal/SAM/#1>

City of Columbus

Contact the Purchasing Office if you have a question about the City's list of debarred vendors.

State of Ohio Debarment

This is the link to multiple state agencies that lists debarred companies.

<http://ofcc.ohio.gov/Resources/Debarments.aspx>

OSHA

This is the link to the US Department of Labor's website for OSHA violations

<https://www.osha.gov>

City of Columbus Office of Prequalifications

Pre-Qualification Office email:

prequalification@columbus.gov

Pre-Qualification Office phone no:

645-0359

PROJECT:	Fenway Road Area Water Line Improvements	Bid Date:	November 4, 2015			
Department/Division:	Public Utilities / Water	Initial Apparent Low Bidder:				Danbert, Inc.
Section:	Distribution	Initial Apparent Low Bid :				\$2,231,834.90
Bidders from Apparent lowest to highest:						
		Apparent Low	2nd	3rd	4th	5th
CIP No.	690236-100055 (WSRLA loan)	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME	COMPANY NAME
Project Manager:	Bob Arnold, P.E.	Danbert, Inc.	Elite	Shelly & Sands	Conie	Fields Excavat.
Engineer's Estimate:	\$ 2,518,113.00	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount	Initial Bid Amount
		\$2,231,834.90	\$2,292,920.60	\$2,293,102.30	\$2,467,168.52	\$2,726,325.70
		2.74%	0.01%	7.59%	10.50%	1.57%
Responsiveness Criteria, WPCLF/WSRLA Compliance		A "NO" answer will not necessarily render a bid non-responsive. Bidder must have all forms completed and required				
FORM B11	The "Evaluated Low Bidder" has completed, signed, and returned the Contractor Equal Employment Opportunity (EEO) Certification Form	yes	yes	yes	yes	yes
FORM B12	The "Evaluated Low Bidder" has completed, signed, and returned the US EPA Certification Regarding Debarment, Suspension, and Other Responsibility Matters Form	yes	yes	yes	yes	yes
FORM B13.1	The "Evaluated Low Bidder" has provided documentation to show it has met the EPA Disadvantaged Business Enterprises (DBE) Utilization Goals of 1.2% MBE and 1.8% WBE (if "NO," Good Faith Efforts must be documented - see immediately below)	yes	No	yes	yes	No; said subs were not needed at this time.
FORM B13.2	The "Evaluated Low Bidder" has provided a completed and signed US EPA Form 6100-3 from each proposed subcontractor	yes	no	yes	yes	No; said subs were not needed at this time.
FORM B13.3	The "Evaluated Low Bidder" has completed, signed, and returned US EPA Form 6100-4	yes	no	yes	yes	No; said subs were not needed at this time.
GOOD FAITH EFFORTS	The "Evaluated Low Bidder" has NOT met the EPA Disadvantaged Business Enterprise (DBE) Utilization Goals of 1.2% MBE and 1.8% WBE, so documentation of Good Faith Efforts to solicit DBE participation has been provided.	n/a	yes; advertised on BX with no responses	n/a	n/a	No; said subs were not needed at this time.
FORM B14	The "Evaluated Low Bidder" has completed, signed, and returned the American Iron and Steel (AIS) Acknowledgement Form	yes	yes	No, but Sarah Harrell said we could ask for clarification.	yes	yes

LOWEST RESPONSIVE BID, TAB I	\$2,231,834.90	← Manually Enter Amount
LOWEST RESPONSIVE BIDDER, TAB 6	Danbert, Inc.	← Manually Enter Information

TAB VII: Notes

Danbert, Inc.	Elite Excavating	Shelly & Sands	Conie	Fields Excavating	Beheler	Underground Util.	Darby Creek Exc.	Savko
Tab 1, Part IC-g: Bid bond:						Bid amount = \$2,871,623.37 *Bid not evaluated; 28.66% higher than lowest, responsive, responsible bidder (Danbert).	Bid amount = \$2,981,492.67 *Bid not evaluated; 33.6% higher than lowest, responsive, responsible bidder (Danbert).	Bid amount = \$3,111,211.50 *Bid not evaluated; 39.4% higher than lowest, responsive, responsible bidder (Danbert).
					Beheler made error in subtotal so bid bond was not 10% (they wrote \$275,791.55). Marked "no". Now Non Responsive. Bid not evaluated further.			
Tab 1, Part IC-i: Irregularities or deviations that affect the bid amount:								
					See comment above. Marked "no".			
Tab 2, Part IIA-g: Meeting deadlines/costs:								
# of projects meeting costs: 11 out of 18	# of projects meeting costs: 1 out of 3	# of projects meeting costs: 2 out of 3						
# of projects meeting schedules: 8 out of 8 (8 of the 18 did not have final completion dates). Marked "yes" for both.	# of projects meeting schedules: 2 out of 3. Marked "yes" for both.	# of projects meeting schedules: 1 out of 3. Marked "yes" for both.	Info not provided. Marked "N/A".	Info not provided. Marked "N/A".				
Tab 4, Part IV-step 2: Environmental Preference:								
Submitted Construction Site Waste Mgmt. Plan to be in conformance with LEED req's. PM to evaluate. Marked "yes" for now.		Submitted weak plan so marked "no".		Submitted weak plan so marked "no". (no schedule to retrofit/replace current vehicles w/emission-reducing technologies).				
Tab 5, Subcontractors Contract Compliant?								
Bakarr Enterprises now active.								
Tab 6, Form B13.1 thru 13.3 - MBE/WBE Goals Met:								
	no	Using Lionel Construction (MBR) & M.S. Trucking for MBE/WBE goals but did not complete Form B14. Sarah Harrell said we could ask for clarification if we wanted.		No; said subs were not needed at this time.				
Tab 6, Good Faith Efforts:								
	Submitted Good Faith Effort statement.							