PARCEL 57-T TEMPORARY EASEMENT

Situated in the State of Ohio, County of Franklin, City of Columbus, being located in ½ Section 30, Section 18, Township 12, Range 21, Refugee Lands, and being part of a 6.997 acre tract, said 6.997 acre tract being described in a deed to **Columbus Montessori Education Center, Inc.**, of record in Official Record 20569, page A11, all records referenced herein are on file at the Office of the Recorder for Franklin County, Ohio, being a parcel on the left side of the proposed centerline of construction for James Road, as seen on the centerline plat for James Road, of record in Plat Book _____, page _____, said parcel being more particularly bounded and described as follows:

Commencing for reference at a railroad spike set at the intersection of the existing centerline of right-of-way for Livingston Avenue and the existing north centerline of right-of-way for James Road, being the southeast corner of said ½ Section 30, said point being 34.65 feet left of James Road proposed centerline of construction station 104+07.31;

Thence North 04 degrees 27 minutes 26 seconds East, along the existing north centerline of right-of-way for James Road and along the west line of said ½ Section 30, a distance of 510.12 feet to an angle point, said point being 9.00 feet left of James Road proposed centerline of construction Station 109+09.33;

Thence North 04 degrees 26 minutes 27 second East, continuing along the existing centerline of right-of-way for James Road and continuing along the east line of said ½ Section 30, a distance of 904.75 feet to the original southeast corner of said 6.977 acre tract, being the original northeast corner of that 0.276 acre tract described in a deed to TRI D Investments, Ltd., of record in Instrument Number 200903170037336, said point being 8.92 feet left of James Road proposed centerline of construction Station 118+14.08;

Thence North 85 degrees 31 minutes 33 seconds West, along the north line of said 0.276 acre tract and along the south line of said 6.977 acre tract, a distance of 30.00 feet to a point on the existing west right-of-way line for said James Road, as established by a 10 foot wide parcel described in a deed to the City of Columbus, of record in Deed Book 1685, page 471, said point being the southwest corner of said City of Columbus parcel, said point being 38.92 feet left of James Road proposed centerline of construction Station 118+14.10;

Thence North 85 degrees 31 minutes 33 seconds West, continuing along the south line of said 6.997 acre tract and continuing along the north line of said 0.276 acre tract, a distance of 2.00 feet to an iron pin set on the proposed west right-of-way line for said James Road, said iron pin set being 40.92 feet left of James Road proposed centerline of construction Station 118+14.10, and said iron pin set being the TRUE POINT OF BEGINNING for the herein described temporary easement.

Thence North 85 degrees 31 minutes 33 seconds West, continuing along the south line of said 6.997 acre tract and continuing along the north line of said 0.276 acre tract, a distance of **14.00 feet** to a point, said point being 54.92 feet left of James Road proposed centerline of construction Station 118+14.11;

Thence across said 6.997 acre tract along the following five (5) described courses:

- 1. North 12 degrees 32 minutes 46 seconds East, a distance of 63.83 feet to a point, said point being 45.91 feet left of James road proposed centerline of construction Station 118+77.31;
- 2. North 04 degrees 26 minutes 27 seconds East, a distance of 232.49 feet to a point, said point being 45.87 feet left of James Road proposed centerline of construction Station 121+09.80;
- 3. North 62 degrees 36 minutes 59 seconds West, a distance of 17.60 feet to a point, said point being 62.08 feet left of James Road proposed centerline of construction Station 121+16.67;
- 4. North 85 degrees 31 minutes 53 seconds West, a distance of 46.83 feet to a point, said point being 108.91 feet left of James Road proposed centerline of construction Station 121+16.70;
- 5. North 04 degrees 28 minutes 07 seconds East, a distance of 3.45 feet to a point on the existing south right-of-way line for Astor Avenue, as established by James Road Subdivision No. 1, of record in Plat Book 22, page 102, being the north line of said 6.977 acre tract, said point being 108.91 feet left of James Road proposed centerline of construction Station 121+20.15;

Thence South 85 degrees 31 minutes 53 second East, along the existing south right-of-way line for said Astor Avenue and along the north line of said 6.997 acre tract, a distance of 57.00 feet to an iron pin set on the proposed west right-of-way line for said James Road, said iron pin set being 51.91 feet left of James Road proposed centerline of construction Station 121+20.11;

Thence along the proposed west right-of-way line for said James Road and across said 6.997 acre tract along the following six (6) described courses:

1. South 45 degrees 44 minutes 02 seconds East, a distance of 14.38 feet to an iron pin set, said iron pin set being 40.87 feet left of James Road proposed centerline of construction Station 121+10.90;

- 2. South 04 degrees 26 minutes 27 seconds West, a distance of 118.28 feet to an iron pin set, said iron pin set being 40.90 feet left of James Road proposed centerline of construction Station 119+92.62;
- 3. South 42 degrees 30 minutes 58 seconds West, a distance of 4.86 feet to an iron pin set, said iron pin set being 43.90 feet left of James Road proposed centerline of construction Station 119+88.79;
- 4. South 04 degrees 26 minutes 27 seconds West, a distance of 61.58 feet to an iron pin set, said iron pin set being 43.91 feet left of James Road proposed centerline of construction Station 119+27.21;
- 5. South 32 degrees 16 minutes 56 seconds East, a distance of 5.02 feet to an iron pin set, said iron pin set being 40.91 feet left of James Road proposed centerline of construction Station 119+23.19;
- 6. South 04 degrees 26 minutes 27 seconds West, a distance of 109.08 feet to the TRUE POINT OF BEGINNING for the herein described temporary easement.

The above described temporary easement contains a total area of **0.042 acres** located within Franklin County Auditor's parcel number 010-093765.

The bearings described herein are based on Grid North (reference South 85 degrees 47 minutes 50 seconds East for Livingston Avenue east of James Road) as referenced to the Ohio State Plane Coordinate System (South Zone) and the North American Datum of 1983 (CORS '96). As established utilizing a GPS survey referencing ODOT CORS stations "COLB", "OHLI" and "OHMD".

Iron pins set are 30" by 5/8" diameter rebar with caps stamped "American Structurepoint PS 8438".

The above described temporary easement was prepared under the direct supervision of Brian P. Bingham, Registered Professional Surveyor No. 8438 on February 3, 2014, is based on an actual survey performed by Dynotec, Inc., and is true and correct to the best of my knowledge and belief.

American Structurepoint, Inc.

Brian P. Bingham, PS

Registered Professional Surveyor No. 8438