



Proposal Option List

11/5/2014

Customer:	COLUMBUS DIVISION OF FIRE	Bid Number:	604
Representative	Thomas, George	Job Number:	
Organization:	Finley Fire Equipment Co, Inc	Bid Date:	06-26-2014
Requirements Manager:		Stock Number:	
Description:	Columbus Tiller 2015	DBVersion:	02.00.0567.0000
Body:	Aerial, Tiller 2002, 100', Alum Body		
Chassis:	Arrow-XT Chassis, Tractor (Tiller), 2010, NOT FOR FUTURE USE		

Line	Option	Type	Option Description	Qty
1	0584456		Manufacture Location: Appleton, Wisconsin	1
2	0584452		RFP Location: Appleton, Wisconsin	1
3	0588609		Vehicle Destination, US	1
4	0581764		Boiler Plates, Tiller, 2002	1
5	0018180		Single Source Compliance (Aerials)	1
6	0533316		Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions	1
7	0533349		Aerial Fire Apparatus	1
8	0588613		Vehicle Certification, Aerial w/o Pump	1
9	0681279		Agency, Apparatus Certification, Aerial w/o Pump, U.L.	1
10	0008036		Career/Paid Department	1
11	0536644		Customer Service Website	1
12	0535579		Not Required, Unit of Measure, (no pump, no tank)	1
13	0030006		Bid Bond Not Requested	1
14	0540326		Performance Bond, Not Requested	1
15	0000007		Approval Drawing	1
16	0002928		Electrical Diagrams	1
17	0559944		Arrow-XT Chassis, Tractor (Tiller), 2010, NOT FOR FUTURE USE	1
18	0000110		Wheelbase	1
			Wheelbase - 178.00"	
19	0000070		GVW Rating	1
			GVW rating - 82,300	
20	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/Dash CF	1
21	0050817		Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT, Front Reinforcement	1
22	0680261	SP	Axle, Front, Meritor FL-943, 19,500 lb, w/assist, AXT	1
23	0000549		Suspension, Front Spring, 21,500 lb, FL-943/MFS Axle	1
24	0000319		Shock Absorbers on Front Axle, DLX/Qtm/AXT/Imp/Vel	1
25	0000322		Oil Seals, Front Axle	1
26	0677584		Tires, Front, Goodyear, G296 MSA, 385/65R22.50, 18 ply, Fire Service Load Rating	1
27	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
28	0668287		Axle, Rear, Meritor MT-40-14X, 40,000 lb, HDR/Tiller Tractor	1
29	0561775	SP	Axle Ratio, Gear For 68 mph, Programmed For 60 mph	1
30	0545269		Suspen, Rear, Hendrickson HN FR 42,000 lb (rubber bolster spring)	1
31	0000485		Oil Seals, Rear Axle	1
32	0599208		Tires, Rear, Goodyear, G622 RSD, 11R22.50, 16 ply, Tandem	1
33	0019639		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Tandem	1
34	0568081		Tire Balancing, Counteract Beads	1
35	0545391		Tire Pressure Monitoring Valve Cap	1
			Qty, Tire Pressure Ind - 12	
36	0691196		Extender, Valve Stem, 180 Degree, Tandem Axle, Two Pair	1
37	0002046		Mud Flaps, w/o Logo, Front & Rear	1
38	0515990	SP	Mud flaps, w/o Logo, Tiller Trailer	1
39	0544802		Chocks, Wheel, SAC-44-E, Folding	2
			Qty, Pair - 02	
40	0663124		Mounting Straps, Chocks, SAC-44-E, Folding, In Compt	1
			Location, Wheel chock - In compt D8 stood up in front of the tool board driver side.	
			Qty, Pair - 01	
41	0010673		ABS Wabco Brake System, Tandem rear axle	1
42	0508676		Brakes, Meritor, EX225, 17", Disc Plus, Front	1
43	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1

Line	Option	Type	Option Description	Qty
44	0058463		Air Compressor, Brake, Bendix 15.8 CFM	1
45	0000789		Brake Reservoirs, Five	1
46	0568012		Air Dryer, Wabco System Saver 1200, 2010	1
47	0000790		Brake Lines, Nylon	1
48	0015801	SP	Air Inlet, w/Disconnect Coupling spl location Location - driver's cab step well in the front lower corner. Qty, Air Coupling (s) - 1	1
49	0070810		All Wheel Lockup (Aerial/Tanker Chassis)	1
50	0666589		Engine, DDC DD13, 500 hp, 1650 ft-lb, W/OBD, EPA 2013, AXT	1
51	0001244		High Idle w/Electronic Engine, Custom	1
52	0590300		Engine Brake, Jacobs Compression Brake, DD13 Switch, Engine Brake - f) DD13	1
53	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
54	0043422		Air Intake, w/Ember separator, AXT	1
55	0565965		Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Officer Side	1
56	0557525		Radiator, AXT	1
57	0001091		Cooling Hoses, Silicone, Custom	1
58	0673929	SP	Fuel Tank, 65 gal, Stainless Steel, Side Mount, Tandem, Tiller	1
59	0001129		Lines, Fuel	1
60	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle Door, Material & Finish, DEF Tank - Brushed Stainless	1
61	0552793		Not Required, Fuel Priming Pump	1
62	0552712		Not Required, Shutoff Valve, Fuel Line	1
63	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
64	0690880		No Selection Required From This Category	1
65	0642579		Trans, Allison 5th Gen, 4000 EVS P, With Prognostics	1
66	0001475		Transmission Oil Cooler, Internal	1
67	0001375		Driveline, Spicer 1810	1
68	0669989		Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler	1
69	0001545		Steering assist cylinder on front axle	1
70	0509230		Steering Wheel, 4 Spoke without Controls	1
71	0550144		Logo/Emblem, on Horn Button Text, Row One - Text, Row Two - Text, Row Three -	1
72	0557812		Bumper, 19" Extended Steel Painted, AXT, DCF, SFR, Enf	1
73	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
74	0032932		Tow Eyes, Painted, Extended Out Front of Bumper	1
75	0012256		Tray, Hose center, 19" bumper w/outside Air Horns Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - *	1
76	0593056		Lights, Amdor, (1) 12" LumaBar H2O Light, Front Bumper Cover Qty, - 01	1
77	0532853		Recess, Side Zone Warning Light, In Side of Extended Bumper Material, Brkt, Recess Lt Bumper - *	1
78	0562558		Cab, Arrow XT 2010, 6700	1
79	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
80	0587335		Cab Lift, Elec/Hyd, 2010 AXT, w/Manual Override, Loc Feature Location - In compt P8 on the hyd tank wall above the louver as high as possible keeping the switch assembly inside the hyd oil tank cover behind the wall of the compt.	1
81	0562080		Light, Red LED Indicator, Cab Not Engaged Into Lockdown Latches Location - in switch panel #12 per the switch panel layout.	1
82	0663120	SP	Scuffplate, S/S Behind Handrails Location - The two handrails on the front face of the cab. Qty, - 02 Material Trim/Scuffplate - c) S/S, Polished	2
83	0015440		No Chrome Molding, On side of cab	1
84	0068425		Mirrors, Lang Mekra, West Coast, Convex, Remote	1
85	0563092		Door, Half-Height, Arrow-XT 4-Door Cab, Level Roof	1
86	0554537		Controls, Electric Roll-Up Windows, 4dr, 3 Driver Controls, AXT	1

Line	Option	Type	Option Description	Qty
87	0563603		Steps, 4-Door Cab, Std, AXT	1
88	0552544		Steps, Stirrup w/Grip Strut, Cab & Crew Cab Doors Light, Step, Additional - *	1
89	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1 Light Per Step	1
90	0005772		Fenders, S/S on cab, w/Radius corner, 2.00" wide	1
91	0050597		Tractor 5th Wheel and Fender Skirts, Tandem, Tiller 2002	1
92	0674349	SP	Handrail, 10" on Cab Below Windshield, One (1) Piece, Stainless Steel, Pair	1
93	0674864	SP	Handrails, Cab/Crew Cab, One (1) Piece, Stainless Steel, IPOS	1
94	0566915		Window, Side of C/C, Fixed, Arrow-XT 2010	1
95	0012094		Windows, Delete Rear of Crew Cab	1
96	0554197		Compt, Storage, (1) Each Side Crew Cab, 13" D, AXT	1
97	0663686		Mounting Provisions, 3/16" Alum, Engine Tunnel, AXT Mounting Provision Spacing - 1.00" Material Finish, Cab Interior - Painted	1
98	0550211		Cab Interior, Vinyl, Painted Tunnel, AXT Color, Cab Interior Vinyl/Fabric - a) Silver/Gray	1
99	0012430		Cab Interior, paint color Color, Cab Interior Paint - b) black	1
100	0052101		Floor, Alum Cab & Crew Cab, AXT/Imp/Vel/Dash CF	1
101	0043079		Heater/defroster, AXT	1
102	0565450		Air Conditioning, Arrow-XT 2010, Center Mount	1
103	0673386		Louvers, A/C, S/S IPO Plastic Louvers, 2010 AXT	1
104	0663121	SP	Grab Handle, Officer Dash Panel	1
105	0002526		Light, Engine Compt, All Custom Chassis	1
106	0122516		Fluid Check Access, Imp/Vel, AXT	1
107	0583039		Not Required, Side Roll and Frontal Impact Protection	1
108	0000109		Seating Capacity, Cab Qty, - 06	6
109	0678508		Seat, Driver, Bostrom Sierra, Air Ride, Hi-Back, 2010	1
110	0678487		Seat, Officer, Bostrom 450, Fixed, SCBA, 2010	1
111	0002518		Radio Compt w/Non Air Ride Seat Radio Compt Size, Officer - d) Arrow-XT	1
112	0678481		Seat, Rr Facing C/C, DS Outboard, Bostrom 450, SCBA, 2010	1
113	0102783		Not Required, Seat, Rr Facing C/C, Center	1
114	0678477		Seat, Rr Facing C/C, PS Outboard, Bostrom 450, SCBA, 2010	1
115	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
116	0678305		Seat, Fwd Facing C/C, Ctr, (2) Bostrom 400CT, SCBA, 2010	1
117	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
118	0007968		Upholstery, Seats In Cab , All Dura-Wear, Bostrom Color, Cab Interior Vinyl/Fabric - c) Black	1
119	0677039		Bracket, Air Bottle Bostrom "SecureAll", Cab Seats, Bostrom Only Qty, - *	1
120	0690610		Embroidery, Seats, Cab and Crew Cab Qty, Seats Embroidery - 6 Seats	1
121	0667047		Seat Belt, Sheath Length, Removable Location - * Qty, - *	1
122	0074861		Spacing, 8", Between Forward Facing Crew Cab Seats, Arrow XT	1
123	0553381		Seat Belt Height Adjustment, AXT/QTM	1
124	0547293		Seat Belts, Red	1
125	0691237		Seat Belt Monitoring System	1
126	0543133		Bracket, Helmet Holder, Zico UHH-1 Qty, Helmet Storage Brkt - 6	1
127	0555813		Handlights, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange Location, lights - One light to compt D8 veritcal next to the light tower controls. One in compt P1vertical up high on stairs wall. Mount one light on the driver's side wall of the crew cab behind the door up high. Mount one light on the pass side wall of the crew cab behind the door up high.	1
128	0567650		Cab Instruments, Blk Gags, Blk Bez, AXT 2010	1
129	0002544		Air Restriction Indicator - Pierce Chassis	1

Line	Option	Type	Option Description	Qty
130	0543751		Light, Do Not Move Apparatus Alarm, Do Not Move Truck - No Alarm	1
131	0005925		Light, Open Door - Custom Std	1
132	0043467		Switching, Cab Instrument & Overhead, Rocker Sw's, AXT Location, Emerg Switch - a) driver's	1
133	0012630		Wiper Control, 2-Speed with Intermittent, AXT	1
134	0002565		Hourmeter, Aerial Inside Cab	1
135	0002615		Switch, Aerial 12V Master	1
136	0032828		No PTO switch req'd - w/aerial piggyback	1
137	0548004		Wiring, Spare, 15 A 12V DC 1st Qty, - 03 12vdc power from - Battery direct Wire termination - p) 15 amp power point plug Location - one near the driver area #59, one officer side per switch panel layout, one between driver and rear facing seat	3
138	0594194		Radio, AM/FM/CD/WB/Aux in, Panasonic Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - b) Side-mounted antenna on PS Location, AM/FM Radio - b) within reach of the officer	1
139	0543930		Vehicle Data Recorder, Dual Module	1
140	0688752	SP	Intercom, Sigtronics US-12S, 8-Pos, 2-Radio, D,O,4C,2TC location, intercom, C Cab - 4) 2 forward & 2 rearward facing seats	1
141	0006288		Cable, Radio to Intercom Interface, Sigtronics, 1 Radio Radio, First Two-Way Model - Motorola APX 6500 Radio, First Two-Way Make - *	1
142	0669961	SP	Headset, Sigtronics, SE-40P Over the Head, Chrome Boom Mic, Intercom PTT Qty, - 04 Location - the two rear facing and the two forward facing crew cab seats.	4
143	0697799	SP	Headset, Sigtronics, SE-40 Over the Head, Chrome Boom Mic, Standard Qty, - 03 Location - One for officer and two for the tiller cab, One of the tiller cab headsets will be shipped loose to be used when training in the tiller cab.	3
144	0689130	SP	Headset, Sigtronics, SE-41 Over the Head, Chrome Boom Mic, Standard Single Ear Qty, - 01 Location - driver	1
145	0681408		Hangers For Headsets, NFPA, Each Location - two in the cab, four in the crew cab and two shipped loose for the tiller cab. Qty, - 08	8
146	0559156		Install Customer Provided Two-Way Radio(s) Location - in pass side overhead switch panel #4. Qty, - 01	1
147	0559505		Install Customer Provided GPS Antenna(s) Location - front dash to connect to MDC Qty, - *	1
148	0559512		Install Customer Provided MDT, Complete (Qty) Location - Mounted on the instrument panel in front of the officer. Qty, - 01	1
149	0682830		Antenna Only, GPS, For Standard NMO Mount Location - Ship loose.	1
150	0696438		Antenna Mount, Custom Chassis, Cable Routed to Radio Box Location - * Qty, - *	1
151	0003757		Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing Location - cable routed to center instrument panel area for MDC Qty, - 01 Location 1 - antenna opposite the standard antenna	1
152	0680437	SP	Camera System, Tiller, Safety Vision, DS/PS Monitors and Cameras Location - Monitors in the tiller cab on the instrument panel below the windshield one each side turned toward the seat. Cameras to be installed on the rear fender panel above the fender crown toward the front. Cameras to face forward and slightly down.	1
153	0624252		Electrical Power/Signal Protection & Control, Arrow XT	1

Line	Option	Type	Option Description	Qty
154	0624266		Electrical System, Arrow XT Hard Wired	1
155	0003333		Batteries, (6) Delphi Grp 31, 700 CCA each, Threaded Post	1
156	0008621		Battery System, Single Start, All Custom Chassis	1
157	0567608		Battery Compartment, Arrow-XT 2010	1
158	0531315		Charger, Sngl Sys, IOTA, DSL-75, 75 amp, Indicator	1
159	0022776		Location, Charger/Compr, w/Location Feature Location - behind driver seat	1
160	0530951		Location, Battery Charger Indicator, DS Behind Cab Door	1
161	0507624		Shoreline, 30A 120V, Kussmaul Auto Eject, "Super" Color, Kussmaul Cover - i) gray Connection, Shoreline - battery charger Qty, Shoreline - 1	1
162	0026800		Shoreline Location Location, Shoreline(s) - DS Cab Side	1
163	0663075	SP	Shoreline, 30A 120/240V, NEMA L14-30 TL Location - In compt D5 near the breaker box. Qty, - 1 Connection, Shoreline - in the event of primary generator failure, customer shall plug in Honda 5000 watt generator connect to breaker panel	1
164	0036800		Switch, Auto Transfer, Up to 30Amp, Gen Shoreline Connection, Transfer Swit - outlet incab	1
165	0543023		Cover, Protection over Battery, Alum Treadplate	1
166	0673064	SP	Switch, Battery Disconnect, Emergency, Front DS Reservoir Compt	1
167	0002683		Tray, Battery, S/S	1
168	0566294		Alternator, 430 amp, Niehoff C680-1	1
169	0012766		Radio Cut-Out, Interlocked to Emerg Master Switch	1
170	0002762		Load Manager, Kussmaul Mark I, (7) Channels	1
171	0632735		Not Required, Custom Chassis	1
172	0511569		Lights, Clearance/Marker/ID, Rear, P25 LED 7Lts	1
173	0625210		Lights, Directional, Cab, Front Side, Truck-Lite 19036Y LED, AXT/Enf	1
174	0514453		Light, Marker End Outline, Rubber Arm, LED Marker Lamp Location, lights - one each side rear Add marker lights in rub rail of trailer it to dark when driving at night. Qty, Lights, Pair - 1	1
175	0650675		Lights, Tail, Whelen 60BTT* Red LED Stop/Tail & 60A00TAR Amb LED Dir For Housing Color, Lens - *	1
176	0039214		Lights, Backup, Whelen 600, LED for Whelen Cast 3 & 4 housing	1
177	0664481		Bracket, License Plate & Light, P25 LED	1
178	0045550		Bezels, Whelen, (2) CAST4V, For Mtg (4) Whelen 600 Lts	1
179	0589905		Alarm, Back-up Warning, PRECO 1040	1
180	0515839		Light, Marker, P25 LED, Two (2) Pair In Rub Rails Location - in tiller rub rails	1
181	0515836		Light, Marker, P25 LED, Four (4) pair in Rub Rails Location - in tiller rub rails	1
182	0644038		Lights, Perimeter Scene Cab Exits, Amdor LumaBar H2O, AY-9500-012 12" LED 4 Dr Z location - *	1
183	0673652		Lights, Perimeter Scene, Amdor LumaBar H2O, AY-9500-0** 20"&12" LED 4lts,Tiller Switch, Location, Perim - Parking brake	1
184	0554516		Lights, Step, P25 LED, Tiller 2002, Arl Mstr	1
185	0670323	SP	Lights, Side Scene, Zico ZQL-SS-LED, Stainless, Tiller Cb Control Only Location, lights - Two each side in the tiller trailer fender panel one facing forward and one rearward. Light to be angled slightly downward. Qty, - 04	4
186	0663071	SP	Control, Tiller Cornering Lights, Cab Instrument Panel, IAT	1
187	0076813		Lights, Tractor Scene, Weldon 3010/26 Deg. Optics, AM Sw.	1
188	0670047	SP	Lights, Centering, Range, Cab Roof, Tiller, Weldon 9186-1500-10, LED R/G 4lts	1
189	0532322		Not Required, Hose Bed Lights, Alt. Rear Scene Lights, Aerials	1
190	0645678		Lights, Not Required, Rear Work, Alt. 120/240 Volt Lights At Rear Body	1
191	0661630	SP	Switch, Tiller Cab, Dome, Open Door Override, Non-NFPA	1

Line	Option	Type	Option Description	Qty
192	0090655		Aerial, Tiller 2002, 100', Alum Body	1
193	0554269		Body Skirt Height, 18"	1
194	0045810		Not Required, Water Tank (Tiller 2002)	1
195	0023410		Not Required, Overflow	1
196	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
197	0043076		Not Required, Hose Bed, Tiller 2002	1
198	0013481		Not Required, Hose Bed Capacity	1
199	0690023		Wall, Rear, Smooth Aluminum	1
200	0029503		Tow Eyes (2) (Aerial)	1
201	0090670		Construction, Compt, Alum, Tiller 2002	1
202	0673597	SP	Compt, Tandem Tractor Reservoir, Roll-Up Door, 2010, Special Wheelbase	1
203	0672821	SP	Compt, F/H, No Trans, Roll, Single Compt, Shortened, DS Front, Tiller	1
204	0036503		Compt, F/H, Trans Front, Roll, DS Center, Tiller	1
205	0059177		Compt, Roll, Min Ladder Storage, DS Rear, Tiller	1
206	0672822	SP	Compt, F/H, No Trans, Roll, Single Compt, Shortened, PS Front, Tiller	1
207	0672831	SP	Compt, F/H, Trans Front, Roll, Rear Blistered, PS Center, Tiller	1
208	0059204		Compt, Roll, Min Ladder Storage, PS Rear, Tiller	1
209	0594014		Doors, AMDOR, Roll-up, Side Compartments	12
			Qty, Door Accessory - 12	
			Color, Roll-up Door - aaa) AMDOR satin aluminum	
			Latch, Roll-up Door - Lift-bar	
210	0556162		Not Req'd, Compt Blister in Front of Rear Axle	1
211	0067768		Not Required, Bumper, Tiller	1
212	0045159		Guard, Drip Pan, S/S, L-Shape, Cover Bottom and Rear of Rollup Door Roll	12
			Qty, Door Accessory - 12	
			Location, Door Accessory - all	
213	0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door	17
			Location - each compartment includes the ladder compt	
			Qty, - 17	
214	0687146		Shelf Tracks, Painted	12
			Qty, Shelf Track - 12	
			location - all rollup door compts	
215	0687112		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted	11
			Qty, Shelf - 11	
			Location, Shelf - (2) in D7,(1) centered in D6/P6 only as wide as tiller frame, (1) in D5, (1) in D1, (1) in P1, (2) in P5, (2) in P6, (1) in P7	
216	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 2G	1
			Qty, - 01	
			location - D7	
			Material - paint to match compt interior	
217	0645966		Tray, Floor Mounted, Utility, Two Way Slide-Out, 500lb, Special Sides,Full Trans	2
			Qty, - 02	
			location - one in transverse compartment behind cab and one in D6 / P6	
			Material - paint to match compt interior	
			Utility Tray Side Height - 4.00"	
218	0647472		Tray, Floor Mounted, Slide-Out, w/ Side Slides, FW/FD, 500lb, 2.00" Sides, 2G	2
			Qty, - 02	
			location - D4 & P4	
			Material - paint to match compt interior	
219	0590939		Toolboard, Alum, .188", Peg Board, Added to Slide-Out Tray	1
			location - on the two way slide out tray in the compt behind the cab, tool board to be adjustable side to side on tray.	
			Qty - 1	
			Finish, Pegboard/Toolboard - Painted	
220	0671377	SP	Box, Alum 4-Way, Stokes Storage, Ahead of Forward Compts, Open to Side, Tiller	1
			Size - Compt to be 30" wide by 14" tall by the full width of the body.	
221	0559649	SP	Box, Alum 4-Way, Stokes Storage, Above Rear Compts, Open to Sides, Tiller	1
			Size - compt to be full width of the body, 32.00" wide by 8.00" tall. Clear inside height to be 6". Mount just forward of the boom support.	
222	0048202		Partition(s), Delete, Between Upper Compts	2
			Location - one each side between the small compartments over tiller wheels	
			Qty, Partition - 02	

Line	Option	Type	Option Description	Qty
223	0013202		Strap, Nylon w/Velcro Location - Across the face of the air bottle storage rack in compt P7, one over each row, horizontal. Qty, - 02	2
224	0004016		Rub Rail, Aluminum Extruded, Side of Body	1
225	0667068		Fender Crowns, Rear, S/S, Wider Than Std, Tandem Tiller	1
226	0663118	SP	Scuffplate, S/S, Polished, Behind Handrails Location, Handrails - the handrails located on compts D8 and P8. Qty, - 02	2
227	0674345	SP	Handrails, All, One (1) Piece, Stainless Steel, IPOS Location, Handrails - All handrails on the body, to match the cab handrails. Qty, - 10	10
228	0024210		Storage Bin, Air Bottle Location, Bracket/comp. - on the floor of compt P7 toward the rear of truck side of the compt. Qty, Bottle Bin - 08	8
229	0004218		Ladder, 35' Duo-Safety 1200A 2-Sect Qty, - 1	1
230	0064557		Ladder, 20', Duo-Safety 900A 2-Section Qty, - *	1
231	0034226		Ladder, 28', Duo-Safety 1200A 2-Section Qty, - 1	1
232	0004222		Ladder, 24' Duo-Safety 900A 2-Sec Qty, - 02	2
233	0024232		Ladder, 16' Duo-Safety 875A Roof Qty, - 1	1
234	0056478		Ladder, 14' Duo-Safety 775A Roof Qty, - 1	1
235	0004233		Ladder, 14' Duo-Safety Fresno 701 Qty, - 1	1
236	0004246		Ladder, 10' Duo-Safety Folding 585A Qty, - 1	1
237	0524506		Ladder Storage, Vertically Hinged Lap Doors, Smooth Aluminum, Tiller 2002	1
238	0595991	SP	Ladder Roller System, No Cam Lock System, Tiller	1
239	0004249		Slides, Dura-Surf, Ground Ladder Storage,(PAL/PAP)	1
240	0658170		Ladders, Nested, Right Side Ground Ladder Storage	1
241	0642363		Pike Pole, 10' Fire Hooks Unlimited, Fiberglass, APH-10 Location - in PP compartment Qty, Pike Poles - 1	1
242	0529859		Pike Pole, 14' Fire Hooks Unlimited, APH-14 Location - in ladder compartment Qty, Pike Poles - 1	1
243	0008911		Pike Pole, 12' Fire Hooks Unlimited, Fiberglass, APH-12 Qty, - 1 Location - in ladder compartment	1
244	0009048		Pike Pole, 8' Fire Hooks Unlimited, Fiberglass, APH-8' Qty, - 1 Location - in ladder compartment	1
245	0638866		Pike Pole, 6', Aerial, Provided by Fire Department Qty, - 01 Pike Pole Make/Model - Akron 6' Pike Pole	1
246	0548410		Not Required, Pole, Pike, 3'	1
247	0004361		Tubes, Alum, Pike Pole Storage Location - In compt D8/P8 mounted ot the wall in the transverse area about mid may up. Poles to be horizontal and will hold brooms, one each side. Qty, Pike Pole Tubes - 02	2
248	0531401		Label, Special Information Location - Label the aerial hyd oil tank outlet valve. Provide a green outline around the outrigger control for the control for that side of the truck and a yellow outline for the control for the opposite side outrigger. Do this on both outrigger control panels. Qty, - 02	2

Line	Option	Type	Option Description	Qty
248			Fill in Blank - Label the aerial hyd oil tank outlet valve. Provide a green outline around the outrigger control for the control for that side of the truck and a yellow outline for the control for the opposite side outrigger. Do this on both outrigger control panels.	
249	0043105		Not Required, Pump	1
250	0024513		No Intake Relief Valve Required	1
251	0014625		No Main Inlet Required	1
252	0584002		Not Required, Cap, Main Pump Inlet, No Side Inlet Caps Required, No Pump	1
253	0089389		No Valves, (No Pump)	1
254	0681723		No Bleeder Valve, No Pump	1
255	0074900		Not Required, Tank Fill	1
256	0043115		Not Required, Pump House, Tiller 2002	1
257	0067658		Not Required, Step, Slide-Out Pump Op. Platform	1
258	0035650		Not Required, Water Level Gauge	1
259	0066052		Air Horns, (2) Grover in Bumper Outside Frame	1
260	0056164		Location, Air Horn (bmpr) - both on passenger side Control, Air Horn, Horn Ring, DS & PS Lanyard	1
261	0561072		Siren, Whelen 295HFSA7 200W, Dual Tone, Non-NFPA	1
262	0015283		Location, Elect Siren	1
263	0076156		Location - upper panel #3 Control, Elec Siren, Head Only	1
264	0550208		Speaker, Federal CP100-S, Chrome	1
265	0548352		Qty, Speakers - 1 Connection, Speaker - siren head	
266	0016080		Location, Recessed in the Front Bumper, Driver Side	1
267	0006097		Siren, Federal Q2B	1
268	0026170		Location of Siren, Recessed in Bumper	1
269	0006086		Location, Siren, Mech - a) Left	
270	0559035	SP	Control, Mech Siren, DS Foot Sw, PS Push Button	1
271	0077011		Switch, Second Siren Brake	1
272	0671381	SP	Lightbar, Whelen, Freedom, 3-24" QLED, 30 Deg, RRRR RRR RRRR	1
273	0587929		Color, Lens, LED's - c)clear Light, Front Zone, Whelen Super 600 LED, 2pr, Q Bezel, Qtm/AXT/Dash CF	1
274	0078814		Color,WhlIn Sup600 LED,INN - i) clear Color,WhlIn Sup600 LED,OUT - a) rd/rd	
275	0565305	SP	Lights, Side Zone Lower, Whelen LIN3, RS*02ZCR LED, Clear Lens, 3pr, Ovr 25	1
276	0076814		Location, lights mid - Centered in the rubrail below compts D8 and P8. Location, lights rear - centered in the rubrail below compts D1 and P1. Location, Lights Frt Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Middle - Red Color, Lt Side Rear - Red	
277	0587929		Lights, Side, Whelen, LIN3 LED, RS*02ZCR, Horizontally Mounted in Rub Rail, 2nd	4
278	0078814		Location, lights - in the rubrail one centered under compt D5, D7, P5 and P7. Qty, - 04 Color, Lights, Warning - gla) red Control, light - b) side warning	
279	0565305	SP	Lights, Side, Whelen, Super 600 LED	2
280	0565305		Location, lights - one front bumper exten in recessed area and one pair behind the crew cab doors Qty, Lights, Pair - 2 Flange Kit - w/o) with out flange Control, light - b) side warning Color,WhlIn Sup600 LED - a) rd/rd	
281	0565305	SP	Lights, Side, Whelen, LIN3, Horizontal optic, LED, White, Rub Rails	2
282	0076814		Location, lights - one in the rubrial centered under compts D4, D6, P4 and P6. Qty, Lights, Pair - 2 Control, light - b) side warning	
283	0076814		Lights, Rear Zone Lower, Whelen 60*02F*R LED, For 3 or 4 Bezel	1
284	0076814		Color,WhlIn Sup600 LED - a) rd/rd	

Line	Option	Type	Option Description	Qty
277	0686562		Light, Rear Zone Upper, Whelen MCFLED2* LED Color, Lens, LED's - c)clear Color, Lt, Rer Up DS - r) DS Rear Upper Red Color, Lt, Rer Up PS - r) PS Upper Rear Red	1
278	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
279	0006646		Electrical System, A/C, General Design	1
280	0693889	SP	Generator, Stadco, TD25 Diesel 18kW, (18,000W Cont. Rating), Tiller Size - * Location 1 - * Location, Gen Info Panel - *	1
281	0694409	SP	Mounting, Diesel Generator Stationary, Tiller Trailer	1
282	0006750		Electric Start, Generator	1
283	0080062		Remote Start, Diesel Generator, Two Locations Location, Remote Start - c) cb box Location 2 - A complete set of generator start/stop and indicator light shall be provided in the tiller cab switch panel #2.	1
284	0006745		Pump, Fuel, w/Pick-Up Tube for Generator	1
285	0006765		Drain, Oil, Routed Through the Floor	1
286	0671379	SP	Exhaust, Generator, Routing Location Location, Gen #2, Exhaust - just to the rear of the passenger side outrigger.	1
287	0006738		Circuit Breaker Panel w/Generator Location, CB Panel - D5 up against front wall, the generator meter panel to located next to the breaker box.	1
288	0046736		Cover, Generator, Above Torque Box	1
289	0690934	SP	Indicator, Light, AC Power On, Instrument Panel Location - In switch panel #7 next to the flood light switches.	1
290	0099354	SP	Switch, Transfer, Manual, From Generator to Another Source Make/Model - Honda EM5000	1
291	0071016		Bracket, Alum. Trdplate, For 120/240volt Recessed Flood Lights, Compt Top, Pair Location - On top of compts D3 and P3 all the way forward for the recessed flood lights. Qty, - 01	1
292	0694905		Bracket, Alum. Trdplate, For 120/240volt Recessed Flood Lights, Top of Cab, Each Location - On the cab roof between the front door and the side window. Qty, - 02	2
293	0528383		Light, Visor, FRC, 750W 240V, OPA851-S72 Optimum, Custom Location, 120/240 Volt Lt - one each side Qty, - 02 Switch, AC Lt 1 - ds) DS switch Panel Switch, AC Lt 2 - n) no control Switch, AC Lt 3 - n) no control	2
294	0670050	SP	Light, FRC, 1500W 240V, OPA200-M15 Optimum, Recessed, Cab, Til, 1st Location, 120/240 Volt Lt - One on the driver side cab roof above the side window and one above compt D3, both in an alum 4/way box. Qty, - 02	2
295	0670049	SP	Light, FRC, 1500W 240V, OPA200-M15 Optimum, Recessed, Cab, Til, 2nd Location, 120/240 Volt Lt - One on the passenger side cab roof above the side window and one above compt P3, both in an alum 4/way box. Qty, - 02	2
296	0670308	SP	Light, FRC, 750W 240V, OPA200-S72 Optimum, Recessed, Tiller Cab Control Only Location, 120/240 Volt Lt - centered on the back of the tiller cab Qty, - 1	1
297	0540266	SP	Light, Command Light, CL615-2MH-BL, Metal Halide, With Backlight Location - in D8 upper right corner Location, 120/240 Volt Lt - on crew cab roof Qty, Light Towers - *	1
298	0545679	SP	Light, Indicator, Light Tower Not Stowed, Cab Dash	1
299	0671357	SP	Reel, Elect Cable, Akron, ERWC-10-28, (4) Wire, Center 19" Bumper Extn, Reel Guide - b) Captive roller Finish, Reel - Powder Coated Silver	1
300	0526994		Reel, Elect Cable, Akron, (4) Wire Location, Cord Reel - One in D5 mounted high and to the rear of truck side. Qty, Cord Reels - 1	1

Line	Option	Type	Option Description	Qty
300			Reel Guide - b) Captive roller Finish, Reel - Powder Coated Silver	
301	0016821		Reel, Mounting Provisions for Customer Installed Location, Cord Reel - Ceiling of compt P5 for a sales rep installed Akron low profile cord reel. One length of the 10/4 cable to be shipped loose for the sales rep installed reel. Qty, Cord Reels - 1 Capacity, Reel - 200' of 10/4 cable. Type of Elec Cord - 10/4 Connection, Cord - 20A, 120/240V	1
302	0086632		Cord, Electric, 10/4 Yellow, 4 Wire Lengths of Elect Cord - 3 Feet of Yellow Cord - e)200 Connection, Cord - 20A, 120/240V	3
303	0057517		Box, Junc, Wdhd, 4-20A 120V TL, 2-Cts 3290 Qty, - 02 Connection, Cord - Hubbell 20A 240V Twst Lock	2
304	0671344	SP	Box, Junc, Wdhd, 4-20A 120V TL, 2-Cts 3290, 2nd Location - This jct box is for the front bumper mounted reel. On all three jct boxes provide a 35" pigtail with connector. Qty, - 1 Connection, Cord - Hubbell 20A 240V Twst Lock	1
305	0066681		Receptacle, 15A 120V 3-Prong SB Dup, Gen., Interior Location, Receptacles - in tiller cab under the instrument panel to one side. will be used for a 120 volt heater. Qty, Receptacles - 01	1
306	0086626		Receptacle, 15A 120V 3-Prong SB Dup, 4 place, Shoreline Location, Receptacles - between driver seat and rear facing seat Qty, Receptacles - 01	1
307	0663090	SP	Receptacle, 20A 120V 3-Prong TL, L5-20R, Two Recepts, One Circuit Location, Receptacles - One each side on the hyd tank cover just behind compts D8 and P8.	1
308	0519934		Not Required, Brand, Hydraulic Tool System	1
309	0676998	SP	Aerial, 105' Heavy Duty Ladder, Tiller 2002 (500 dry/250 water), COLUMBUS TILLER	1
310	0665403		Tie Down, Rope, Trailer Gooseneck, Tiller Qty, Pair - 01 Finish, Tie Down - nickel plated Location, Rope Tie Down - Tiller Gooseneck Rearward	1
311	0680821		Boom Panel, Pair Paint, Color - red #587 to match the body.	1
312	0526886		Indicator, Extension, Inside Handrails Only Color - 4) white	1
313	0592992		Steps, Folding, Four, Aerial Device, w/LED, Trident Coating, Step - luminescent	1
314	0688232		Rung Covers, Aerial Device Rung Cover Color - Safety Yellow	1
315	0663732		Brackets Only, Roof Ladder, Base Section, Inboard of Boom Panel Qty, - 01 Location, Aerial Device - right side Roof Ladder, Make/Model, Multi-Select - 10' Duo-Safety 775-A	1
316	0679202		Egress, Shortened 13.00", HDL, 75'HAL	1
317	0675062		Box, Saw Storage, Turntable Size - 16.44" high x 36.25" long x 15.25" wide. The box will be located on the turntable opposite the control console. Reference print #2095836. Latch, Door, Storage - Rubber Hood location - mounted at delivery	1
318	0120788		Control Stations, 100'/105' Tiller	1
319	0120801		Remote Tip Controls, Ladder	1
320	0662753		Stabilizers, 100'/105' HD Tractor Drawn Steel Aerial, Split Pan, 17' Spread Material, Stabilizer Pad - Composite	1
321	0530819		Not Required, Aerial Stabilizer Pins	1
322	0560211		Door, Stabilizer Control Box, Aluminum Treadplate, Bottom Hinged, Tiller	1
323	0121267		Hydraulic System, Tiller	1

Line	Option	Type	Option Description	Qty
324	0120793		Swivels, PAL, Tiller (32 Collector Rings)	1
325	0120780		Electrical System, 100'/105' Tiller	1
326	0657233		Lights, WIn MPB* Micro LED Spot, Track & Tip, 4lts (PAL/HAL) Non-NFPA Location, Sw, Arl DC Lts - * Color, WIn Lt Housing - *	1
327	0653677		Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw Color, Lt Aerial Fly Sect - Red Color, Lt Aerial Base Sect - Red Color, Lt Aerial Lower Mid Sect - Red Color, Lt Aerial Upper Mid Sect - Red	1
328	0077495		Lights, Stabilizer Warn (1) Set, Whelen 60*02F*R LED Flange Kit - w)with flange Color,WhIn Sup600 LED,BCK - a) rd/rd	1
329	0068703		Lights, Grote Supernova LED, Stabilizer Beam, (1) Set	1
330	0006930		AC Power To Aerial Tip, (PAL) 20A 120V Receptacle	1
331	0594648		Intercom, 2-Way Fire Research ICA900 Hands Free	1
332	0540895		Not Required, Breathing Air to Tip, Aerial Ladder	1
333	0024742		Not Required, Mask, Breathing Air To Tip	1
334	0066919		Not Required, Raised Pedestal, Tiller/Mid Mount	1
335	0597280		Lifting Eye, Rope Rescue Attachment - HDL	1
336	0674722	SP	Load Reach Display, 105' HDL Tiller	1
337	0590351		Indicator, Bubble, Leveling, Special Location Location - Install the side to side level indicators on the front face of the stokes basket storage box so the indicators can be viewed while operating the outrigger controls.	1
338	0690481		Lights, Truck-lite 44308C, LED Grommet Mt, Stabilizer Scene, IPOS Qty, - 02	2
339	0530826		Turntable Access, ManSaver Bars, Yellow	1
340	0090677		Waterway, 100'/105' HDL, Tiller	1
341	0632855		Monitor, Akron 3480 StreamMaster II Electric w/Extended Vertical Travel Nozzle, Monitor 1 PAL - Akron 5177 Electric	1
342	0542380		Wireless Monitor Remote Control, Akron	1
343	0534379		Flowmeter, FRC, Waterway (PAL)	1
344	0512000		Inlet, Aerial Waterway, 4.00" Plumbing with 5.00" Inlet, Tiller 2002	1
345	0673128		Quick-Lock Waterway Locking System, 100' HDL, 105' HDL	1
346	0663185	SP	Monitor Auto Stow, To Driver's Side, Tiller	1
347	0673810	SP	Valve, Butterfly, Akron 7940, Waterway Inlets, Tiller	1
348	0047897		Tools, Aerial, PAL/PAP	1
349	0559494		Manuals and Training, 3 Days, PAL	1
350	0593168		Cab, Tiller 2002, Sliding Doors	1
351	0032119		Heater, Tiller Cab, Tiller 2002	1
352	0555793		Not Required, Air Conditioner, Tiller Cab, Tiller 2002	1
353	0023554		Seat, Tiller, Bostrom Sierra 30RX, Sciss Action Air Ride, Hi-Back	1
354	0662270	SP	Steps, Tiller Access, Narrow Rear, Equal Width, Progressive Depth	1
355	0036977		Tiller Warning Indicators w/Seatbelt Warn in Cab	1
356	0012207		Mirror, 6" Round Convex, Tiller Cab (PR)	1
357	0099824		Footswitch, Engine Start in Tiller Cab, W/Master Override Switch In Tractor Cab	1
358	0051052		Window Defrost Fans (2) Location - one each side	1
359	0090680		Trailer, Tiller 2002	1
360	0090681		Walkway, Turntable to Body, Tiller 2002	1
361	0052481		Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800#	1
362	0032125		Steering, Sheppard M110 w/tilt, TAK-4, Tiller 2002 Trailer	1
363	0032170		Brakes, Knorr/Bendix 17", Disc, TAK-4, Tiller, Non-Compliant	1
364	0052483		Suspension, Tiller 2002, 22,800#	1
365	0037018		Tires, Goodyear, G296 MSA, 425/65R22.5 20 Ply (tiller)	1
366	0037030		Wheels, Alum. 22.50" x 12.25" (385/425), Tiller	1
367	0037050		Oil Seals, Tiller Axle	1

Line	Option	Type	Option Description	Qty
368	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 2	
369	0532891		NFPA Required Loose Equipment, Aerial, Provided by Fire Department	1
370	0533272		Extinguisher, Dry Chemical, Aerial, Provided by Fire Department	1
371	0533282		Extinguisher, 2.5 Gal. Pressurized Water, Aerial, Provided by Fire Department	1
372	0007482		Not Required, Crowbars	1
373	0007484		Not Required, Claw Tools	1
374	0532918		Axes, (2) Flathead, Aerial, Provided by Fire Department	1
375	0532922		Axes, (3) Pickhead, Provided by Fire Department (Aerial)	1
376	0007494		Not Required, Sledgehammers	1
377	0559573		Paint, Single Color, Custom	1
			Paint, Color - Red #587.	
378	0509328		Paint, Single Color, Tiller Cab	1
			Paint, Color - red	
379	0645644		No Pick Required	1
380	0693797		No Paint Required, Aluminum Front Wheels	1
381	0693792		No Paint Required, Aluminum Rear Wheels	1
382	0012593		Paint, Air Conditioner Cover to Match Roof	1
383	0007230		Compartment, Painted, Spatter gray	1
384	0591418		Aerial Ladder Paint, Stabilizers, Torque Box, Etc, Job Color, Tiller	1
			Color, Paint - gray	
			Paint Color, Aerial Device - Gray metallic 509	
385	0544189		Reflective Band, 1"- 8"- 1"	1
			Color, Reflect Band - A - i) gold	
			Color, Reflect Band - B - l) white	
			Color, Reflect Band - C - ze) gold	
386	0007356		Reflective across Cab Face	1
387	0583446		Stripe, Chevron, Rear, Diamond Grade, Tiller	1
			Color, Rear Chevron DG - fluorescent yellow green	
388	0598754		Stripe, Reflective/Diamond Grade, 4" on Stabilizers	1
			Color, Reflect Band - A - a) white	
389	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
390	0671876		Stripe, Diamond Grade Chevron, Slide Out Tray, Front and Sides	5
			Location - on body	
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade	
			Qty, - 05	
391	0667294		Stripe, Reflective, Chevron, Body Compt Door Edge, Diamond Grade	7
			Location - On the four lift up body compt doors, the ladder compt door and the outside bottom edge of the tiller cab doors.	
			Qty, - 07	
			Color, Reflect Chev - A - t) fluorescent yellow green diamond grade	
			Color, Reflect Chev - B - c) fluorescent yellow green diamond grade	
392	0669646		Stripe, Reflective, Inside Aluminum Rub Rail, DOT Red/White Style	12
			Qty, - 12	
393	0077830		Stop Sign, Reflective, Cab Doors Interior	1
394	0543998		Stripe, Reflective, Tillerman Doors Interior	1
			Color, Reflective - a) white	
395	0680253		Pick Not Required, See "Aerial Boom Panels" and "Lettering, Special" Category	1
396	0033179		Lettering Specifications, Reflective	1
397	0686153		Lettering, Reflective, 4.00", (21-40)	1
			Outline, Lettering - No Outline or Shade	
398	0686002		Lettering, Reflective, 8.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - No Outline or Shade	
399	0685982		Lettering, Reflective, 12.00", (21-40)	1
			Outline, Lettering - No Outline or Shade	
400	0685978		Lettering, Reflective, 18.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline	
401	0094488		Lettering, Numerals, Grille, Painted w/ Outline (2), AXT, QXS	1

Line	Option	Type	Option Description	Qty
402	0020216		Lettering, Reverse Cut Into Reflective Band, Additional Location - on cab doors, "COLUMBUS" on frontdoors and "FIRE" on crew doors Qty, Lettering - 24 Size, Lettering, Reflect - 06	24
403	0645008		Plate, Painted Alum. for Lettering/Numerals Location - tbd Qty, - 02 Size - tbd	2
404	0017268		Decals, Customer furnished, Pierce installed, Per Pair Qty, - 1	1
405	0695610		Emblem, Reflective, Per Dept. Submittal, Each Qty, - 02 Location, Emblem - On the small plates mounted to the base section between the boom panel and end of the base section. Size, Dept Seal, Reflect - 22" - 24"	2
406	0599008		Rust Proof/Undercoat, Custom Chassis Color, Undercoating - Black	1
407	0695507		Rust Proof, Torque Box Color, Undercoating - Black	1
408	0030813		2% Handling Charge on 100'/105' Tiller 2002 (500)	1
409	0032773		Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis	1
410	0032421		Manuals, Two (2) Chassis Service & (1) CD, Custom	1
411	0029551		Manuals, Two (2) Chassis Operation, & (1) Compact Disc, Custom	1
412	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
413	0595239		(No Pick Required)	1
414	0696696		Warranty, Engine, Detroit DD13, 5 Year, WA0180	1
415	0684952		Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202	1
416	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
417	0595245		(No Pick Required)	1
418	0530523		Warranty, Axle, 2 Year, Meritor, General Service, WA0046	1
419	0530524		Warranty, Axle, 2 Year, Meritor, General Service, WA0046	1
420	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
421	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
422	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
423	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
424	0033401		Not Required, Tank Warranty	1
425	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
426	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
427	0006999		Warranty, Structure, 20 Year, Aerial Device, WA0052	1
428	0687388		Warranty, Swivels, 5 Year, Aerial Device, WA0197	1
429	0685727		Warranty, Hydraulic System and Components, 3 Year/5 Year, WA0200	1
430	0687327		Warranty, Waterway, 10 Year, Aerial Device, WA0198	1
431	0595860		Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047	1
432	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
433	0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
434	0683627		Certification, Vehicle Stability, CD0089	1
435	0568414		Certification, Engine Installation, AXT, DDC DD13, CD0096	1
436	0686786		Certification, Power Steering, CD0098	1
437	0543934		Certification, Cab Integrity, AXT	1
438	0548949		Certification, Cab Door Durability, AXT, CD0002	1
439	0548968		Certification, Windshield Wiper Durability, AXT, CD0006	1
440	0548952		Certification, Electric Window Durability, AXT, CD0003	1
441	0549275		Certification, Seat Belt Anchors and Mounting, AXT, CD0019	1
442	0694929		Certification, Cab Heater and Defroster, AXT, CD0094	1
443	0545073		Amp Draw Report, NFPA 2009 Edition	1
444	0002758		Amp Draw, NFPA Radio Allowance	1
445	0000029		TILLER BODY	1
446	0000012		PIERCE CHASSIS	1
447	0562778		DD13 ENGINE	1
448	0046396		EVS 4000 Series TRANSMISSION	1

Line	Option	Type	Option Description	Qty
449	0020013		NO WATER TANK	1
450	0020007		AKRON VALVES	1
451	0020015		ABS SYSTEM	1