Index No.: GDC050 Rev.: 12/01/10 Page No.: 34

BID PRICE

ITEM -3- SPORT UTILITY VEHICLE, POLICE SPECIAL, 4 DOOR, REAR 2-WHEEL DRIVE

DELIVERY: _	120 DAYS A.R.O.	(See IV.A.) INDICA	ATE CITY/STATE OF M	ANUFACTURER: Arlingt	on, TX
	R: Taylor Chevrolet EAR RATIO: 3.08	MFG: Chevrolet	MODEL: Tahoe	MODEL NUMBER: C	C10706
ITEM NO.: 11	550	UNIT PRICE: \$24,	669.00		
List any excep	tions to the specification	ons:			
		-			
					·
ITEM NO.			UNIT COST		
11590	Delivery charge per m	livery by the contractor	\$.21 per mile		
11591	Minimum Delivery Cha	\$50.00			
ITEM NO.	CONTRACTOR' S ORDER NO.		OPTIONS		UNIT COST
11553	CK10706	4 Wheel Drive			\$4059.00
11554	6A6	- _ Dual 770 CCA Batt	teries		\$154.00
11558	6N6	_ Inside Rear Door Locks Inoperable			\$65.00
11559	6B2	_ Inside Rear Door H	landles Inoperable		\$65.00

Inside Rear Window Switches Inoperable

(Bidder to specify Paper or CD: Paper

(Bidder to specify Paper or CD: Paper

Heated outside rearview mirrors

Carpet

Parts Manual

Shop Manual

30-Day Tag

11560

17163

11562

11563

11564

6N5

Standard

B30

PM

SM

TT

20

\$55.00

\$189.00

\$195.00

\$195.00

\$18.50

\$0

Index No.: GDC050 Rev.: 12/01/10 Page No.: 32

SPECIFICATIONS (cont'd.)

4DR SUV - R2WD Item Number 3

Standard Specification Items	Minimum Requirements		Minimum Requirements
Mfg. Make	Chevrolet	Flexible Fuel Vehicle (FFV)	Required
Mfg. Model	Tahoe	Rear Window Defroster	Wire in glass
Seating Capacity	5	Fresh Air Temperature Controlled Heater	w/ Windshield Defrosters
# of Doors	4	Intermittent Windshield Wipers	w/ dual speed
Wheelbase (.in)	116	Trunk / Cargo Light	Automatic
Base Curb Weight (lbs.)	5,200	Interior Lighting	Over head dome and map or dome driver light
Body Side Moldings (Installed)	Required FR & RR	Air Conditioning	Required (Front and Rear)
Power Train	Rear 2-Wheel Drive	Seat Covering	Cloth FR, Vinyl RR
Engine Type (Cylinder/Liter)	V8 / 5.3L	Floor Covering	Heavy - duty rubber
Horsepower (HP)	320	Radio – Factory Installed	AM/FM
Cooling System	Heaviest Duty Available	Front Seat Type	Bucket adjustable –no center console
Automatic Transmission w/ Cruise Control	Auto, 6-sp	Rear Seat Type	Split 60/40 Bench
Alternator (amps)	160	Power Antilock Brakes (Front and Rear)	Required
Battery (CCA)	730	Air Bag Restraint System (Driver and Passenger)	Required
Fuel Capacity (gals.)	26	Supplemental Restraint System (Driver and Passenger)	Required
Exterior Mirrors – Right and Left	Remote Controlled	Tires – Pursuit / Speed Rated, per Manufacture recommendation	All Season, Steel Belted, Black wall
mounted Keyed Door Lock (Driver side min.)	Power w/ Remote Keyless Entry	Spare Tire / Wheel	Full size
Steering	Power	Radio Suppression System	Required
Electronic Door Locks / Electronic Windows	Required – Driver control lock out	12 Volt Power outlet, in front compartment	Required
Rust Proofing	Min factory warranty	Interior Rear View Mirror	Day/Night
Paint	Standard min.	Fuel at delivery	1/2 tank
Left Handed Spotlight, Pillar Mounted	Required	Mfg. Standard Warranty	Min. 3/36 Bumper to Bumper and 5/100 Powertrain
Glass	High Strength Factory Tinted	Speedometer / Std gage package	Required
Arm Rest on Front Doors Required		Hood Latch Release	Inside passenger compartment only
Foam Front Seat Cushion	Required	Rear Window Wiper / Washer	If applicable
Dual Horns, Factory Installed	Required	Remote Control Rear Gate Release by Driver	Required, if available
Assist Steps	Required	Rear Door	Lift Gate

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.

Index No.: GDC050 Rev.: 12/01/10

Page No.: 33

SPECIFICATIONS (cont'd.)

4DR SUV - R2WD Item Number 3

Dimensions/Ratings	Min. Req.	
EPA Estimated Mileage (City/Combined/Highway)	15/17/21 Gasoline 10/15 E85	
Head Room (Front/Rear) in.	41/39	
Leg Room (Front/Rear) in.	41/39	
Shoulder Room (Front/Rear) in.	65/65	
Trunk/Luggage Area (cu. ft.)	108	

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.