Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level		TOWN TOWN		
PRL-27D	SD PRL-27D (EFF:MY24 ORDERS)			
Data Version				
DRL-030	SPECPRO21 DATA RELEASE VER 030			
Vehicle Configurat	ion			
001-177	114SD CONVENTIONAL CHASSIS	7,934	6,476	
004-224	2024 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK	480	-480	
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-011	CONSTRUCTION SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	- 1		
995-1AE	FREIGHTLINER LEVEL II WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 16000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 23000.0 lbs			



Columbus OH 43341

Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Columbus, OH 43215 Phone: 614 645 6104

	Data Code	Description	Weight Front	Weight Rear	
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 39000.0 lbs			
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 55000.0 lbs			
Truck S	Service			AND AND THE PARTY OF THE PARTY	BOA.
	AA3-004	END DUMP BODY			
	A88-99D	EXPECTED TRUCK BODY LENGTH: 14.0 ft			
	AF3-1V4	GODWIN MANUFACTURING COMPANY			
Engine					
and the same	101-3FM	CUM L9N 320 HP @ 2000 RPM, 2200 GOV, N- GAS, 1000 LB-FT @ 1300 RPM, HHD	-850	-70	ALC: N
Electro	nic Paramete	ers .	ALLEN DE		THE ST
	79A-070	70 MPH ROAD SPEED LIMIT		THURSDAY, CORN	- Commit
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			
	79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	80G-002	PTO MINIMUM RPM - 700			
Engine	Equipment		AN IDEA		. 5
	164-052	CUM L9N CM2380 OBD 2018 ECU			
	99C-121	2010 EPA/CARB ULNOX/GHG21 CONFIGURATION			
	99D-012	2008 CARB EMISSION CERTIFICATION - EXEMPTED VEHICLE; NO CLEAN IDLE LABEL REQUIRED			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			
	124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10		



Columbus, OH 43215 Phone: 614 645 6104

Di	ata Code	Description	Weight Front	Weight Rear	
29	92-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	-50	-10	
29	90-017	BATTERY BOX FRAME MOUNTED			
28	31-001	STANDARD BATTERY JUMPERS			
28	32-042	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB			
29	91-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
28	89-001	NON-POLISHED BATTERY BOX COVER			
87	7P-001	CAB AUXILIARY POWER CABLE	5		
29	93-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		
29	95-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
15	50-030	CUMMINS ENCORE ENGINE ELECTRONICS			
10	07-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
15	52-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
0	16-013	SINGLE HORIZONTAL MUFFLER WITH HORIZONTAL TAILPIPE EXHAUST, RH MOUNTED	-160	-80	
28	8F-010	ENGINE AFTERTREATMENT WIRING, OXYGEN SENSOR			
23	39-001	STANDARD EXHAUST SYSTEM LENGTH			
2:	37-052	RH STANDARD HORIZONTAL TAILPIPE			
2:	3U-998	NO DIESEL EXHAUST FLUID TANK	-60	-35	
2	73-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
2	76-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
1	10-017	CUMMINS SUPPLIED FLEETGUARD COALESCING FILTER (LOW PRESSURE) CNG			
1	18-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
2	66-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		
1	03-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
1	71-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
1	72-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			



Columbus, OH 43215 Phone: 614 645 6104

Data Co	ode D	escription	Weight Front	Weight Rear	
270-016	R	ADIATOR DRAIN VALVE		4	
360-016		310 ADAPTER FLANGE FOR FRONT PTO ROVISION	10		
138-011		HILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK EATER	4		
140-053		LACK PLASTIC ENGINE HEATER RECEPTACLE OUNTED UNDER LH DOOR			
155-058	_	ELCO 12V 38MT HD STARTER WITH ITEGRATED MAGNETIC SWITCH	-35		
Transmission			THE STATE OF	HALL THE	150 200
342-582		LLISON 3000 RDS AUTOMATIC TRANSMISSION ITH PTO PROVISION			
Transmission	Equipme	nt	A LOND IN		De la Sel
343-322	A	LLISON VOCATIONAL PACKAGE 170 - VAILABLE ON 3000/4000 PRODUCT FAMILIES ITH VOCATIONAL MODEL RDS AND EVS			
84B-002	М	LISON VOCATIONAL RATING FOR CONCRETE IXER APPLICATIONS ONLY AVAILABLE WITH 1000 PRODUCT FAMILIES			
84C-023	S ⁻	RIMARY MODE GEARS, LOWEST GEAR 1, FART GEAR 1, HIGHEST GEAR 6, AVAILABLE DR 3000/4000 PRODUCT FAMILIES ONLY			
84D-022	S	ECONDARY MODE GEARS, LOWEST GEAR 1, FART GEAR 1, HIGHEST GEAR 5, AVAILABLE DR 3000/4000 PRODUCT FAMILIES ONLY			
84E-000	D	RIMARY SHIFT SCHEDULE RECOMMENDED BY TNA AND ALLISON, THIS DEFINED BY ENGINE ND VOCATIONAL USAGE			
84F-000	RI	ECONDARY SHIFT SCHEDULE ECOMMENDED BY DTNA AND ALLISON, THIS EFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	D.	RIMARY SHIFT SPEED RECOMMENDED BY TNA AND ALLISON, THIS DEFINED BY ENGINE ND VOCATIONAL USAGE			
84H-000	D	ECONDARY SHIFT SPEED RECOMMENDED BY TNA AND ALLISON, THIS DEFINED BY ENGINE ND VOCATIONAL USAGE			
84N-200		JEL SENSE 2.0 DISABLED - PERFORMANCE - ABLE BASED			
84U-000		RIVER SWITCH INPUT - DEFAULT - NO WITCHES			
353-027	W	EHICLE INTERFACE WIRING CONNECTOR ITH PDM AND NO BLUNT CUTS, AT END OF RAME			



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

	Data Code	Description	Weight Front	Weight Rear
	34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	-15	
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front A	xle and Equ	ipment	M 4 1 9 1	
	400-1A9	DETROIT DA-F-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190	
	402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
	403-002	NON-ASBESTOS FRONT BRAKE LINING		
	419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS		
	427-001	FRONT BRAKE DUST SHIELDS	5	
	409-006	FRONT OIL SEALS		
	408-017	SKF SCOTSEAL TF VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
	406-001	STANDARD KING PIN BUSHINGS		
	536-012	TRW TAS-85 POWER STEERING	40	
	539-003	POWER STEERING PUMP		
	534-003	4 QUART POWER STEERING RESERVOIR	5	
	40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE		
Front S	uspension			
	620-004	16,000# FLAT LEAF FRONT SUSPENSION	260	
	619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS -		




FRONT SUSPENSION



Columbus, OH 43215 Phone: 614 645 6104

Data Cod	e Description	Weight Front	Weight Rear	
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and E	quipment	THE STATE		
420-1GK	DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE	- VIII-1:	-2,430	
421-522	5.22 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-011	SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	5	5	
423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS		5	
440-006	REAR OIL SEALS			
426-1B2	BENDIX EVERSURE LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspensio			NE VENEZIE	
622-003	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		80	
621-002	SPRING SUSPENSION - 1.00" AXLE SPACER			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
Brake System		100		
490-100	WABCO 4S/4M ABS		_	
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			






Prepared for:

XXX XXX

Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104

Data Code Description Front Rear	Dota (ode.	Description	Weight Front	Weight Rear	
### AF9-015 AIR DRYER FRAME MOUNTED ### AF9-015 AIR DRYER FRAME MOUNTED ### AF9-016 STEEL AIR BRAKE RESERVOIRS ### AF7-019 BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANK; DRAIN VALVE CABLE RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION #### AF9-010 PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION ### AF9-010 PRIMARY CONNECTOR/RECEPTACLE WIRED RECEPTACLE MOUNTED END OF FRAME ### AF9-010 UPGRADED CHASSIS MULTIPLEXING UNIT ### Wheelbase & Frame ### 545-445 4450MM (175 INCH) WHEELBASE ### 546-102 7/16X3-9/16X11-1/8 INCH STEEL FRAME 180 180 180 180 (11.11MMX282.6MM)-437X11.3 INCH) 12CKSI 547-001 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME 170 360 REINFORCEMENT AS NEEDED FOR FROMT FRAME MOUNTED EQUIPMENT FRAME MOUNTED EQUIPMENT FRAME MOUNTED EQUIPMENT FRAME MOUNTED EQUIPMENT FRAME FRAME OVERHANG SEVENDED FOR FRONT FRAME MOUNTED EQUIPMENT FRAME FRAME OVERHANG SEVENDED FOR FRONT FRAME EXTENSION WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE4-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0.01 GALC'ULATED FRAME SPACE LIH SIDE: 76.03 in FSS-0.01 GALC'ULATED FRAME SPACE RH SIDE: 72.25 in S53-001 SQUARE END OF FRAME ### 550-001 FRONT CLOSING CROSSMEMBER ### 10 END OF FRAME SPACE RH SIDE: 72.25 in S50-001 FRONT CLOSING CROSSMEMBER			•		1 (04)	
### 460-001 STEEL AIR BRAKE RESERVOIRS ### 477-019 BW DV-2 AUTO DRAIN VALUE WITH HEATER TO WET TANK, DRAIN VALUE CABLES ON ALL OTHER TANKS ### 485-001 EXTERNAL CHARGING GLADHAND 5 ### 500-010 COVERS ### 14-001 AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS ### 296-010 PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURA, ABS CENTER PIN POWERED THROUGH IGNITION ### 297-001 SAE JS60 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME ### 335-004 UPGRADED CHASSIS MULTIPLEXING UNIT ### Wheelbase & Frame ### 545-445 ### 450MM (175 INCH) WHEELBASE						
### ### ### ### ### ### ### ### ### ##						
### WET TANK: DRAIN VALVE CABLES ON ALL OTHER TANKS ### EXTERNAL CHARGING GLADHAND ### Tailer Connections ### 14-001						
Trailer Connections	477-0		WET TANK; DRAIN VALVE CABLES ON ALL			
914-001 AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS 296-010 PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION 297-001 SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME 335-004 UPGRADED CHASSIS MULTIPLEXING UNIT Wheelbase & Frame 545-445 4450MM (175 INCH) WHEELBASE 546-102 7/16X3-9/16X11-1/8 INCH STEEL FRAME 180 180 (11.11MMX282.6MM/0.437X11.3 INCH) 120KSI 14 INCH (8.35MM) C-CHANNEL INNER FRAME 170 360 REINFORCEMENT 548-803 TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1500MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION 350 -50 WITH 0.25 INCH INSERT AC8-99D CALCUD BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSP ENSION C/L (CA): 84.05 in AE4-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSP ENSION C/L (CA): 87.05 in FSS-0H CALCULATED FRAME SPACE H SIDE: 76.03 in FSS-0H CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	485-00	01	EXTERNAL CHARGING GLADHAND	5		
296-010 PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION	Trailer Conne	ections				
FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION 297-001 SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME 335-004 UPGRADED CHASSIS MULTIPLEXING UNIT Wheelbase & Frame 545-445 4450MM (175 INCH) WHEELBASE 546-102 7/16X3-9/16X11-1/8 INCH STEEL FRAME 180 180 (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 547-001 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME 170 360 REINFORCEMENT 548-803 TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION 350 -50 WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	914-00		GLAD HANDS FOR TRUCK AND NO DUST			
RECEPTACLE MOUNTED END OF FRAME 335-004 UPGRADED CHASSIS MULTIPLEXING UNIT Wheelbase & Frame 545-445 4450MM (175 INCH) WHEELBASE 546-102 7/16X3-9/18X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 547-001 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0CH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-ORH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	296-0 ⁻		FOR SEPARATE STOP/TURN, ABS CENTER PIN			
Wheelbase & Frame 545-445 4450MM (175 INCH) WHEELBASE 546-102 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 180 547-001 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT 170 360 548-803 TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 170 360 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 100 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT 350 -50 AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in 350 -50 AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE4-99D CALCULATED FFRAME SPACE LH SIDE: 76.03 in FSS-0H CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER 10	297-00					
545-445	335-0	04	UPGRADED CHASSIS MULTIPLEXING UNIT			
546-102 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 180 547-001 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT 170 360 548-803 TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT 350 -50 AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109-65 in AE8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109-65 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	Wheelbase &	Frame				
(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI 547-001	545-4	45	4450MM (175 INCH) WHEELBASE			
REINFORCEMENT 548-803 TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION 350 -50 WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 500-001 FRONT CLOSING CROSSMEMBER	546-1	_		180	180	
REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT 552-030 1600MM (63 INCH) REAR FRAME OVERHANG 55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	547-0	-	,	170	360	
55W-006 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	548-8	03	REINFORCEMENT AS NEEDED FOR FRONT			
INCH 549-016 24 INCH INTEGRAL FRONT FRAME EXTENSION WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	552-0	30	1600MM (63 INCH) REAR FRAME OVERHANG			
WITH 0.25 INCH INSERT AC8-99D CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 109.65 in AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10	55W-0	006				
AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	549-0			350	-50	
REAR SUSPENSION C/L (CA): 84.05 in AE4-99D CALC'D FRAME LENGTH - OVERALL: 307.79 in FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	AC8-9	9D				
FSS-0LH CALCULATED FRAME SPACE LH SIDE: 76.03 in FSS-0RH CALCULATED FRAME SPACE RH SIDE: 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	AE8-9	9D				
FSS-0RH CALCULATED FRAME SPACE RH SIDE : 72.25 in 553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	AE4-9	9D	CALC'D FRAME LENGTH - OVERALL: 307.79 in			
553-001 SQUARE END OF FRAME 587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	FSS-0)LH	CALCULATED FRAME SPACE LH SIDE: 76.03 in			
587-003 REAR TOW HOOKS 10 550-001 FRONT CLOSING CROSSMEMBER	FSS-()RH	CALCULATED FRAME SPACE RH SIDE: 72.25 in			
550-001 FRONT CLOSING CROSSMEMBER	553-0	01	SQUARE END OF FRAME			
	587-0	03	REAR TOW HOOKS		10	
559-001 STANDARD WEIGHT ENGINE CROSSMEMBER	550-0	01	FRONT CLOSING CROSSMEMBER			
	559-0	01	STANDARD WEIGHT ENGINE CROSSMEMBER			





Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Data Code	Description	Weight Front	Weight Rear	
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment			98 3 J + 3 A	000
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-100		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
606-1X3	DRILLING PREP FOR GLEDHILL/COLUMBUS PER DRAWING INF-523, REVISION , 03/05/14			
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			
Fuel Tanks				
204-998	NO LH FUEL TANK	-85	-20	
230-087	60 DIESEL GALLON EQUIVALENT (DGE) COMPRESSED NATURAL GAS (CNG) FUEL TANKS STACKED BOC, 4X16", 4TH GEN, TYPE 3 CYLINDERS W/AUX ENGINE HIGH PRESSURE PORT & FILTER	600	450	
231-008	STACKED TRANSVERSE MOUNTING BACK OF CAB FOR CNG TANKS WITH PAINTED SHIELDING			
664-001	PLAIN STEP FINISH			
205-063	LH CNG NGV1 STANDARD FILL RECEPTACLE AND DUST CAPS WITH ADDITIONAL HIGH FLOW AND DEFUELER RECEPTACLES			
220-803	COOLANT HOSES ONLY ROUTED TO BACK OF CAB FOR CUSTOMER INSTALLED NATURAL GAS FUEL HEAT	5		
216-801	CNG, LNG, OR PROPANE INCOMPLETE FUEL LINES FOR TRANSPORT PURPOSES ONLY			
11F-800	DRILLING AND FASTENER PREP IN LH CAB BACKWALL FOR CUSTOMER INSTALLED NATURAL GAS VENT STACK SYSTEM			
202-020	STAINLESS STEEL AND SYNTHETIC RUBBER FLEXIBLE FUEL LINES - NATURAL GAS SERVICE			
Tires		CHARLES THE PARTY OF THE PARTY		100
093-1RJ	MICHELIN X WORKS Z 315/80R22.5 20 PLY RADIAL FRONT TIRES	100		
094-1UY	MICHELIN X MULTI D 11R22.5 16 PLY RADIAL		60	

Application Version 11.7.803 Data Version PRL-27D.030 Single Axle dump sewer drain CBUS

REAR TIRES



02/21/2023 12:24 PM

Prepared for: xxx xxx Columbus City Of

77 N Front St

Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Weight Weight **Front** Rear **Data Code** Description Hubs CONMET PRESET PLUS PREMIUM IRON FRONT 418-060 **HUBS** CONMET PRESET PLUS PREMIUM IRON REAR 450-060 **HUBS** Wheels MAXION WHEELS 10041 22.5X9.00 10-HUB PILOT 66 502-579 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS MAXION WHEELS 90260 22.5X8.25 10-HUB PILOT 80 505-545 2-HAND HD STEEL DISC REAR WHEELS FRONT WHEEL MOUNTING NUTS 496-011 **REAR WHEEL MOUNTING NUTS** 497-011 Cab Exterior 114 INCH BBC FLAT ROOF ALUMINUM 829-1A2 **CONVENTIONAL CAB** AIR CAB MOUNTING 650-008 2 CAB ROOF REINFORCEMENTS FOR ROOF 705-012 MOUNTED COMPONENTS NONREMOVABLE BUGSCREEN MOUNTED 648-002 **BEHIND GRILLE** FRONT FENDERS SET-BACK AXLE 667-004 **BOLT-ON MOLDED FLEXIBLE FENDER** 10 754-017 **EXTENSIONS** LH AND RH GRAB HANDLES 678-001 STATIONARY BLACK GRILLE 646-041 65X-004 BLACK HOOD MOUNTED AIR INTAKE GRILLE 644-004 FIBERGLASS HOOD 5 HOOD LINER, ADDED FIREWALL AND FLOOR 690-017 **HEAT INSULATION** SINGLE 14 INCH ROUND HADLEY AIR HORN 727-1AF **UNDER LH DECK** 726-002 **DUAL ELECTRIC HORNS** SINGLE HORN SHIELD 728-001 REAR LICENSE PLATE MOUNT END OF FRAME 575-001 HALOGEN COMPOSITE HEADLAMPS WITH 312-068 **BLACK BEZELS** LED AERODYNAMIC MARKER LIGHTS 302-047 HEADLIGHTS ON WITH WIPERS, WITH LOW 311-025 **BEAM DAYTIME RUNNING LIGHTS** INTEGRAL STOP/TAIL/BACKUP LIGHTS 294-001



Prepared for: xxx xxx Columbus City Of

77 N Front St

Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Columbus, OH 43215 Phone: 614 645 6104

	Data Code	Description	Weight Front	Weight Rear
	300-015	STANDARD FRONT TURN SIGNAL LAMPS		
	744-1BG	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS		
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
	654-003	MANUAL DOOR WINDOW REGULATORS		
	663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
	647-001	WHITE WINTERFRONT	2	
Cab In	terior		phane of the	
	707-1AK	OPAL GRAY VINYL INTERIOR	-	
	706-013	MOLDED PLASTIC DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
	694-010	IN DASH STORAGE BIN		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-006	GRAY/CHARCOAL FLAT DASH		
	860-004	SMART SWITCH EXPANSION MODULE		
	71T-002	METHANE DETECTION SYSTEM WITH (1) SENSOR IN CAB AND (1) SENSOR IN ENGINE COMPARTMENT	10	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Data Code	Description	Weight Front	Weight Rear	
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-004	KEY QUANTITY OF 4			
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATEDCUSHION EXTENSION			
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION			
759-002	INBOARD DRIVER AND PASSENGER SEAT ARMRES TS			
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			
763-101	BLACK SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS



Prepared for: XXX XXX Columbus City Of 77 N Front St

Columbus, OH 43215 Phone: 614 645 6104

Prepared by: Jonah Schneider FYDA FREIGHTLINER COLUMBUS, INC 2700 NE PLAIN CITY -GEORGESVILLE RD

WEST JEFFERSON, OH 43162 Phone: 6148510002

Data	Code	Description	Weight Front	Weight Rear	
721-0	01	97 DB BACKUP ALARM		3	
149-0	13	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			
156-0	07	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-0	42	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
160-0	38	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-0	01	2 INCH ELECTRIC FUEL GAUGE			
148-0	03	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			
856-0	01	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-0	01	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
830-0	17	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-0	35	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	10		
852-0	02	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-99	98	NO OVERHEAD INSTRUMENT PANEL			
746-1	35	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939	10		
747-0	01	DASH MOUNTED RADIO			
750-0	02	(2) RADIO SPEAKERS IN CAB			
753-00	01	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			
78C-0	03	INTEROPERABLE SDAR ANTENNA			
810-02	27	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-00	08	STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS			
812-00	01	ELECTRONIC 3000 RPM TACHOMETER			
813-99	98	NO VEHICLE PERFORMANCE MONITOR	-5		
6TS-0	03	(2) TMC RP 1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND DASH B PANEL AND (1) LOCATED PASSENGER SIDE OF DASH			



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

	Data Code	Description	Weight Front	Weight Rear
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	329-077	EIGHT ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS; FOUR WIRE TO CHASSIS AT BACK OF CAB, FOUR UNWIRED, LABEL ALL OPT		
	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH		
	482-001	BW TRACTOR PROTECTION VALVE		
	883-001	TRAILER HAND CONTROL BRAKE VALVE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-038	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH AND SINGLE CONNECTOR AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS, LOW BEAMS OFF WITH HIGH BEAMS		
	882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-40D	CAB COLOR A: L0486EY YELLOW ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	963-003	STANDARD E COAT/UNDERCOATING		
Certific	ation / Comp	pliance		
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Second	ary Factory	Options		



998-001

CORPORATE PDI CENTER IN-SERVICE ONLY

Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

 Data Code
 Description
 Weight Front
 Weight Rear

 99B-025
 SHIP TO AGILITY (SALISBURY, NC) PRIOR TO DELIVERY

 999-999
 SPECIAL NARRATIVE INSTRUCTIONS

TOTAL VEHICLE SUMMARY

Weight Summary	A Section of the Publishers		Asset Tollar
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	9162 lbs	4524 lbs	13686 lbs
Total Weight ⁺	9162 lbs	4524 lbs	13686 lbs

Extended Warranty

WAG-075 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

QUOTATION

114SD CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK

CUM L9N 320 HP @ 2000 RPM, 2200 GOV, N-GAS, 1000 LB-FT @ 1300 RPM, HHD

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE

23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

DETROIT DA-F-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

16,000# FLAT LEAF FRONT SUSPENSION

114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4450MM (175 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1600MM (63 INCH) REAR FRAME OVERHANG

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

		PER UNIT		TOTAL
		074 700	•	074 700
VEHICLE PRICE TOTAL # OF U	NITS (1) \$	271,768	\$	271,768
EXTENDED WARRANTY	\$	460	\$	460
DEALER INSTALLED OPTIONS	\$	0	\$	0
CUSTOMER PRICE BEFORE TAX	\$	272,228	\$	272,228
TAXES AND FEES		TO PATRICIA		
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0
TRADE-IN		JAN TO	15 (35	
TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
BALANCE DUE (LOCAL CUR	RENCY) \$	272,228	\$	272,228
COMMENTS:				
Projected delivery on / / provided the order is received	d before/	_/		
APPROVAL:				
Please indicate your acceptance of this quotation by signing below	:			
Customer: X Dat	e://	<u></u> -€		



Columbus, OH 43215 Phone: 614 645 6104 Prepared by:
Jonah Schneider
FYDA FREIGHTLINER
COLUMBUS,INC
2700 NE PLAIN CITY GEORGESVILLE RD
WEST JEFFERSON, OH 43162
Phone: 6148510002

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

