

STAFF REPORT DEVELOPMENT COMMISSION ZONING MEETING CITY OF COLUMBUS, OHIO JULY 10, 2008

5. APPLICATION: Z08-027

Location: 1900 LONDON-GROVEPORT ROAD (43137), being 191.5±

acres located at the northwest corner of Shook and London-

Groveport Roads (495-286103).

Existing Zoning: R, Rural, and L-M, Limited Industrial District.

Request: L-M, Limited Manufacturing District.

Proposed Use: Industrial development.

Applicant(s): Whirlpool Corporation; c/o Christopher N. Slagle, Atty.; 100

South Third Street; Columbus, OH 43215.

Property Owner(s): Pizzuti Land LLC; 2 Miranova Place, Suite 800; Columbus,

OH 43215.

Planner: Shannon Pine, 645-2208, spine@columbus.gov

BACKGROUND:

- The 191.5± acre site is zoned L-M, Limited Manufacturing, and R, Rural Districts. Part of the site is subject of a boundary adjustment with Obetz, and as a result, this application is being handled as a comparable zoning request. A two-acre tract at the southeast corner of the site was zoned to the L-M District in May 2008 (Z07-063). The requested L-M, Limited Manufacturing District was submitted to zone the portion of the site from Obetz, change the transportation commitments of Z96-038, and consolidate all of the zoning districts of the proposed development (currently under construction) into one L-M district.
- To the north is a single-family dwelling in Hamilton Township, and a warehouse in Obetz.
 To the east across Shook Road is a restaurant in the C-3, Commercial District, and industrial development in the M, Manufacturing District. To the south across London-Groveport Road are vacant land and a single-family dwelling in Hamilton Township.
- The site is located in the Rickenbacker District within the boundaries of the South Central Accord (2004), which recommends industrial uses for this location. The Rickenbacker District contains buffering provisions for developments which are adjacent to less intense and residential uses.
- The limitation text contains similar development standards of surrounding L-M Districts, including transportation and landscaping commitments. The text also contains mounding and buffering provisions, but not in complete accordance with the South Central Accord recommendations. The applicant is still negotiating with the Planning Division on adequate buffering along the north property line, and will resolve any remaining issues prior to the City Council meeting.
- As a result of the proposed development, extensive roadway improvements are needed.
 At the time that this report was written, not all of the required transportation commitments had been finalized. The applicant will continue to work with Transportation Division to


finalize these commitments prior to the City Council meeting.


- The applicant has filed a companion Council variance (CV08-020) for reduced building setbacks along London-Groveport and Shook Roads for the placement of eight-foot tall security fencing.
- The Columbus Thoroughfare Plan identifies London-Groveport Road as a 4-2D arterial requiring 60 feet of right-of-way from the centerline.

CITY DEPARTMENTS RECOMMENDATION: *Conditional approval.


The requested L-M, Limited Manufacturing District would permit industrial development with adequate limitations. As a result of the proposed development, extensive roadway improvements are needed. Not all of the required transportation and buffering commitments have been finalized, but Staff is confident that the applicant will continue to work with both the Planning Division and the Transportation Division to finalize these commitments prior to the City Council meeting. The request is consistent with the land use recommendations of the *South Central Accord*, and with the established zoning and development patterns of the area.

* The applicant has resolved all Transportation Division and Planning Division issues. Staff now recommends approval.









Z08-027

Lockbourne District

The Accord recommends protection of Lockbourne as a mixed-use village. While substantial expansion of the village is unlikely due to the presence of floodplain and limitations regarding sewer and water service, the village will continue to provide a focus for the southern portion of the district.

The Accord calls for continued use of the area south of Lockbourne for agriculture and the establishment of a Big Walnut Creek greenway. It also recommends the connection of Lockbourne to Shadeville by use of the Columbus Feeder Canal alignment for a bicycle and pedestrian path. Lockbourne currently owns a portion of this alignment.

Rickenbacker District

The Accord recommends that land use in this large area east of the CSX and Norfolk Southern rail lines be primarily industrial. The Rickenbacker International Airport and associated properties comprise well over 50% of the district. Two multi-family residential complexes on the airport's northern edge and a cluster of large-lot single-family residential on the airport's western border are the other dominant land uses. The area also includes a school, a few businesses, a church, and two small single-family residential clusters.

The portion of the district north of SR 317 is primarily agricultural in use but is largely zoned for manufacturing with several construction projects already underway. Both Groveport to the east and Obetz to the north of the district call for industrial land uses along its borders. The Accord recognizes this trend by illustrating the area as industrial with existing residential gradually transitioning to industrial uses. The Accord recommends large setbacks between industrial and residential land uses to minimize negative impacts resulting from this transition.

The Accord calls for the preservation of the large-lot single-family area to Rickenbacker's west as well as the multi-family complexes to the north. The Accord also recognizes the continued use of the elementary school located at the intersection of SR 317 and Shook Road as well as expanded commercial uses at that intersection. The Rickenbacker Parkway alignment endorsed by the Accord would use the existing SR 317 right-of-way through this area. Access management along Alum Creek Drive in the district with service roads to provide access to the interior of the large industrial tracts is also recommended.

It is the recommendation of the South Central Accord to:

- Require mounded buffering between residential and industrial uses (both existing and planned), including sand and gravel extraction. Buffering should meet or exceed standards that follow.
- Encourage industrial operators to be sensitive to other land uses and residents with respect to hours of operation, truck traffic patterns, and noise levels.
- Encourage representatives of the City of Columbus and Hamilton Township to develop and adopt design guidelines for industrial development in the planning area to ensure compatibility with existing residential land uses, appropriate circulation patterns, and consistent appearance.
- Use Columbus Feeder Canal bed as a link between Lockbourne and Shadeville, with potential use as a pedestrian and bicycle corridor.
- Recognize that not all existing residences will exist in the future, but protect all existing residences in the short term through the use of extensive buffering and setbacks.
- Recognize the likely transition of farmland to other land uses, while allowing for the continued viable use of undeveloped parcels for agricultural activities until recommended land uses are introduced.
- Encourage continued use of floodplain areas and excess public property for agricultural purposes.
- Encourage Columbus and Hamilton Township representatives to work with quarry operators to ensure that abandonment and restoration activities lead to land uses which are compatible with the community.
- Encourage preservation of natural and geologic features, including wetlands and glacial kame deposits.

■ Buffering Standards

The Rickenbacker Port Authority has designed standards to deal with buffering between manufacturing and less intense uses. These standards should serve as minimum requirements for buffering between manufacturing and adjacent residential uses in the South Central area, unless separated by a road with a Thoroughfare Plan classification of 4-2D or greater:

- A 6' to 8' continuous, undulating mound, serpentine in design, shall be installed, concurrent with the development of any property which includes the 100' mound area. The face of the mound shall not be located closer than 15' to the residential property line. The mound will be designed and graded so that water will not be trapped between the mound and the residential property.
- The area between the top of the mound and the residential property shall be landscaped with evergreen trees. Five evergreen trees, of 5' to 8' in height, and five additional evergreen trees, of 3' to 5' in height, shall be planted per 100' of mound. Trees shall not be planted in rows.
- The evergreen trees shall be limited to a mix of six species: White Fir, Norway Spruce, Black Hills Spruce, Douglas Fir, White Spruce, and Colorado Green Spruce.
- No deciduous trees shall be planted between the top of the mound and the residential area.
- · The entire mound shall be seeded.

The illustration on the following page represents these standards.



Landscape buffering along Spiegel Drive.



4072 South High Street Columbus, Ohio 43207

July 9, 2008

To Whom It May Concern:

Please be advised that the Scioto Southland Civic Association (SSCA) has approved the rezoning and accompanying variance of 1900 London-Groveport Road, Columbus, Ohio by a unanimous membership vote on July 8, 2008 with the conditions that proceed within this letter. Recommendation for conditional approval was reached after a meeting of involved parties, civic association board members, and the property owner and resident of the northern adjacent property to the Whirlpool Development.

Address of Variance: 1900 London-Groveport Road, Columbus, Ohio

Applicant: Whirlpool Corporation Property Owner: Pizzuti Land LLC

Proposed Zoning District: Limited Manufacturing

Approval Conditions are as follows:

- Buffering, Landscaping, Open Space, and I or Screening Commitments: Buffering and landscaping shall be per the limitations set forth below:
 - a) Buffering and landscaping along the parcel's eastern boundary (Shook Road) and southern boundary (London-Groveport Road) will provide limited vegetative buffering and landscaping screening. Developer agrees to plant deciduous and non-deciduous trees at regular, evenly-spaced intervals. Single deciduous trees shall be placed at evenly spaced intervals of one (1) every fifty (50) feet. Evergreen trees shall be clustered every one-hundred (100) feet, planted ten (10) feet on center. Non-deciduous trees shall be a minimum of five (5) feet tall at installation. Deciduous trees shall be a minimum of two (2) inch caliper at installation.
 - Deciduous trees should be limited to Maples, Elms, Honeylocust, Tilia, London Plane, and/or Ginkgoes.
 - c) A mounded and planted buffer will be provided on the subject site along the northern edge of the property bordering 6173 Shook Road (currently designated as parcel 150-002640). This area is more specifically depicted by Exhibit A and is comprised of the area between the northern entrance road to the site and the current residential parcel to the north. The mound and plantings are intended to serve as a visual screen and sound buffer for the existing residence.

The buffer will extend from the former canal bed at the southwestern corner of 6173 Shook Road to the right-of-way line excluding any required vision clearance

area. The width of the buffer as depicted varies from approximately fifty (50) feet to one-hundred (100) feet. The buffer area will include the following:

i. Following the execution of an easement between Developer and the northern adjacent residential property owner providing Developer with approximately a twelve (12) foot wide access easement onto property owner's land, a continuous mound, approximately eight (8) feet in height, will be installed concurrent with development of the property to assist in buffering and shielding the northern adjacent residential property owner from the development site. The mound will be designed and graded so that water will not be trapped between the mound and the residential property.

If an easement is not granted as described above, a three (3) to four (4) foot continuous mound is to be installed concurrent with development of the property. The face of the mound shall not be located closer than fifteen (15) feet to the residential property line. The mound will be designed and graded so that water will not be trapped between the mound and the residential property.

ii. The area between the top of the mound and the northern adjacent residential property shall be landscaped with evergreen trees – the variety of which shall be Norway Spruce and shall be approximately six (6) feet in height when planted. Six evergreen trees, of five (5) feet to eight (8) feet in height, and six (6) additional evergreen trees, of three (3) feet to five (5) feet in height, shall be planted per one-hundred (100) lineal feet of mound along the total length of the mound. Trees should not be planted in rows.

If an easement is not granted as described above, the area between the top of the mound and the residential property shall be landscaped with evergreen trees. Six (6) evergreen trees, of five (5) to eight (8) feet in height, and six (6) additional evergreen trees, of three (3) to five (5) feet in height, shall be planted per one-hundred (100) lineal feet of mound. Trees should not be planted in rows.

- A combination of evergreen and deciduous shrubs at a rate of two per evergreen tree.
- iv. Additional evergreen trees permitted for development shall be limited to a mix of six species: White Fir, Norway Spruce, Black Hills Spruce, Douglas Fir, White Spruce, and Colorado Green Spruce.
- v. No deciduous trees shall be planted between the top of the mound and the residential area.
- vi. The entire mound shall be seeded.
- vii. Additional mounding, buffering, and landscaping included herein between the northern access road to subject site and northern adjacent

residential property owner shall continue for so long as said residential property is zoned for residential use.

- d) An additional buffer shall be located along the southern side of the main access road. Continuous mounding, buffering, and landscaping shall assist in serving to screen the northern adjacent residential property owner from the development site.
 - A four (4) to six (6) foot continuous mound is to be installed at the north east portion of the subject site on the southern side of the main access road
 - b. Trees included along said buffer shall be deciduous and a minimum of two (2) inch caliper at installation. Deciduous trees will be planted along the entire mound at even intervals, twenty-five (25) feet on center. Deciduous trees should be limited to Maples, Elms, Honeylocust, Linden, London Plane, and/or Ginkgoes.
 - Additional landscaping may be added by Developer as needed to enhance the aesthetic and screening quality of said buffer.
- e) All trees and landscaping shall be reasonably maintained. Dead items shall be replaced within six (6) months or the next planting season, whichever occurs first.
- 2) Graphics Commitments: All graphics and signage shall comply with the Graphics Code, Article 15, Title 33 of the Columbus City Code as it applies to the M, Manufacturing District. Any variance to those requirements will be submitted to the Columbus Graphics Commission for consideration. Otherwise, graphics commitments shall be per the limitations set forth below.
 - a) Developer agrees that the main entrance sign to said development will be located at the south side of the main access road with Shook Road in a location where practicable and in context with existing easements and right-of-way. No graphics or entrances signs will be placed at the northern side of the main access road with Shook Road for so long as the northern adjacent residential property is zoned for residential use.

If you have any questions, please feel free to contact me at 614-491-3270 or via email, mhardgrow@gmail.com.

Respectfully,

Mindi Hardgrow SSCA President City of Columbus | Department of Development | Building Services Division | 757 Carolyn Avenue, Columbus, Ohio 43224

PROJECT DISCLOSURE STATEMENT




Parties having a 5% or more interest in the project that is the subject of this application.

THIS PAGE MUST BE FILLED OUT COMPLETELY AND NOTARIZED. Do not indicate 'NONE' in the space provided.

STATE OF OHIO COUNTY OF FRANKLIN	APPLICATION# 208-62-7
is a list of all persons, other partnerships, corporations or entities subject of this application in the following format: Name Busine Addre City, \$ Numb	100 South Third Street, Columbus, OH 43215 DULY AUTHORIZED ATTORNEY FOR SAME and the following
Pizzuti Land LLC Two Miranova Place, Ste. 800 Columbus, OH 43215 50 Columbus-based Employees Scott West - 614.280.4079	2. Whirlpool Corporation 2000 North M-63 Benton Harbor, MI 49022 300 Columbus-based Employees (est. 2012) Leslie Wendell - 269.923.5361
	4.
SIGNATURE OF AFFIANT Subscribed to me in my presence and before me this 28th day of April , in the year 2008	
SIGNATURE OF NOTARY PUBLIC My Commission Expires:	NO EXPLATION

This Project Disclosure Statement expires six months after date of notarization.

Notary Seal Here



page 9 — Rezoning Packet