

Index No: STS670 Rev Date: 4/16/2012

# STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICES GENERAL SERVICES DIVISION OFFICE OF PROCUREMENT SERVICES 4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

S & L GOVERNMENT PRICING SCHEDULE

SCHEDULE NUMBER: 800228

EFFECTIVE DATES: 04/16/2012 TO 06/30/2016

The Department of Administrative Services has completed the evaluation and analysis of the State Term Schedule (STS) offering submitted by the Contractor as listed herein. The Contractor listed herein has been determined to provide competitive, economical and reasonable pricing for the items contained in their offer. The respective offer, including the Standard Contract Terms & Conditions, any proposal amendment, special contract terms & conditions, specifications, pricing schedules and any attachments incorporated by reference and accepted by DAS become a part of this State Term Schedule.

This State Term Schedule is effective beginning and ending on the dates noted above unless, prior to the expiration date, the Schedule is renewed, terminated, or cancelled in accordance with the Standard Contract Terms and Conditions.

This State Term Schedule is available to all state agencies, state institutions of higher education and political subdivisions properly registered as members of the Cooperative Purchasing Program of the Department of Administration Services, as applicable.

Agencies are eligible to make purchases of the supplies and/or services in any amount and at any time as determined by the agency (see maximum order limit). The State makes no representation or guarantee that agencies will purchase the supplies and/or services approved in the State Term Schedule.

State agencies may make purchases under this State Term Schedule up to \$2500.00 using the state of Ohio payment card. Any purchases that exceed \$2500.00 will be made using the official state of Ohio purchase order (ADM-0523). Any non-state agency, institution of higher education or Cooperative Purchasing member will use forms applicable to their respective agency.

Questions regarding this and/or the State Term Schedule may be directed to:

Dennis Kapenga dennis.kapenga@oit.ohio.gov

This State Term Schedule and any Amendments thereto are available from the DAS website at the following address: http://procure.ohio.gov.

## Vactor Manufacturing Inc.

# STATE TERM SCHEDULE

STATE OF OHIO
DEPARTMENT OF ADMINISTRATIVE SERVICES
GENERAL SERVICES DIVISION
OFFICE OF PROCUREMENT SERVICES
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

Index No: STS670 New Date: 4/16/2012

### CONTRACTOR, PRICES, TERM SCHEDULE, ETC.

#### Contractor:

Contractor does not accept POs Vactor Manufacturing Inc. 1621 S. Illinois St. Streator, IL 61364

### **Contractor Contacts:**

Mr. Mike

Higgins

(847) 741-5370 7055

Fax:(847) 741-5547 Sales Contact

mhiggins@vactor.com

Delivery:

Terms:

30-180 Days A.R.O., F.O.B. Destination - Freight Prepaid

Net 30 Days

Basic Order Limitations (Agencies should contact Procurement Services when they expect to exceed the Maximum Order Limitation.)

Minimum:

\$500.00

Maximum:

\$750,000.00

APPROVED PRODUCTS/SERVICES: Only those vendors, products, or services as listed in the price pages, approved by the Office of Procurement Services, may be purchased from this State Term Schedule. Any vendors, prices, terms, conditions, products or services not listed in the approve price sheets are outside the scope of this schedule.

MANDATORY USE CONTRACTS: All General Distribution Contracts (GDC), Limited Distribution Contracts (LDC), Multiple Award Contracts (MAC), and Request for Proposals (RFP) take precedence over this State Term Schedule (STS). This STS is only for governmental entities without a mandatory use contract.

EXCLUDED ITEMS: (State Agencies Only) in accordance with the Ohio Revised Code Section 5147.07, 4115.31, through 4115.35, 5119.16 and 3304.28 through 3304.33 state agencies are required to purchase through Ohio Penal Industries (OPI); Community Rehabilitation Programs (CRP); Department of Mental Health (DMH) Office of Support Services (Central Warehouse, and Pharmacy Services); and Rehabilitation Services Commission (RSC). State agencies must obtain a waiver from OPI, CRP, DMH Central Warehouse or Pharmacy Services, and/or RSC to procure from this schedule.

SPECIAL NOTE: The state of Ohio including but not limited to its agencies, boards, commissions, departments, state universities, state vocational schools, state community colleges of Ohio, and any entity authorized by law to use this State Term Schedule (STS) is not obligated to procure any products or services from this STS. This STS shall not be construed to prevent the state from purchasing products or services using other procurement methods as authorized by law.

NOTICE TO CONTRACTOR/VENDOR: It is the responsibility of the contractor's contact to maintain this State Term Schedule with current information. All updates i.e., telephone numbers, contact names, email addresses, tax identification number, prices, and catalogs etc., are required to be processed through the formal amendment authorization process which is initiated by way of a written request from the contractor's contact.

### UNSPSC CODES (OAKS Category ID) and Item Descriptions:

All purchase orders placed against this contract shall use the following UNSPSC Codes when completing requisitions.

20143300 - Pipeline service equipment

# Dealer Index

**Dealer Name & Address** 

0000092390

Jack Doheny Supplies Ohio, Inc 1860 Summit Commerce Park

Twinsburg, OH 44087

Remit to:

0000092390

Jack Doheny Supplies Ohio, Inc.

PO Box 5500

Northville, MI 48167

OAKS Contract ID

800228-1



Dealer's Contact:

Mr. Dan Ms. Sally

Ms. Kathy

C

Coley Jacob Nieman Phone 800-892-2195 800-467-5600

800-467-5600

Fax 330-963-9996 248-349-2774 248-349-2774 Email Address

dancoley@dohenysupplies.com Sallyjacob@dohenysupplies.com kathynieman@dohenysupplies.com

### Vactor Manufaturing 2012 State of Ohio Department of Administrative Services State Term Schedule

|                      | Contract # 800228   |         |               |       |    |           |
|----------------------|---|---------|---------------|-------|----|-----------|
| Dealer:              | JACK DOHENY SUPPLIES  | Equipn  | nent Discount | 10.0% |    |           |
| Customer:            |   | Attachm | ents Discount | 10.0% |    |           |
| OPTION #             | DESCRIPTION   |         | LIST PRICE    |       |    |           |
|                      | Vactor Manufacturing - Vactor "Plus" Model 2110 - Mounted on a  |         |               |       |    |           |
|                      | new single axle chassis including 315 HP diesel engine, 5-speed   | \$      | 291,852.00    |       |    |           |
|                      | Allison automatic transmission, 46,000 GVW.   |         |               | 1     | \$ | 291,852.0 |
| TANDARD FE           | MATURES   |         |               |       |    |           |
| IMPAIN               | 10 Cubic Yard Capacity Catch Basin Cleaner  |         | Standard      |       |    |           |
|                      | 38" Aluminum Centrifugal Compressor, Rated at 14" Negative H2O  |         | Standard      |       |    |           |
|                      | Fluid Coupler Drive   |         | Standard      |       |    |           |
|                      | Gear Type Step-Up Transmission to Operate Compressor  |         | Standard      |       |    |           |
|                      | Vactor Variable Pressure Water Pump Hydraulically Driven 60 GPM at 2000 PSI   |         | Standard      |       |    |           |
|                      | 800 Foot Capacity Hose Reel with 400 Feet of 1" 2500 PSI Operating, 6250 Burst Pressure Rodder Hose                             | •       | Standard      |       |    |           |
|                      | Double Acting Hydraulic Dump Hoist  |         | Standard      |       |    |           |
|                      | 2 Tungsten Carbide Tipped Nozzles   |         | Standard      |       |    |           |
|                      | Electric over Hydraulic Four-Way Power Boom Assembly with 180* Rotation   |         | Standard      | ,     |    |           |
|                      |   |         | Standard      |       |    |           |
|                      | Remote Push Button Pendant Control with 15 Feet of Cable  |         |               |       |    |           |
|                      | Standard Pipe Package Consisting of:  |         | Standard      |       |    |           |
|                      | (1) 3' Aluminum Pipe Extension  |         | Standard      |       |    |           |
|                      | (2) 5' Aluminum Pipe Extension  |         | Standard      |       |    |           |
|                      | (1) 7' Catch Basin Nozzle   |         | Standard      | ,     |    |           |
|                      | (4) 8" Overcenter Quick Clamps with Gaskets   |         | Standard      |       |    |           |
|                      | Full Opening Rear Door Hinged at the Top  |         | Standard      | -     |    |           |
|                      | Body Drain on Rear Door with 6" Drain Hose  |         | Standard      |       |    |           |
|                      | Variable Flow Handgun Assembly with 25 Feet of 1/2" Drain Hose with Couplings Front and Rear                                    |         | Standard      |       |    |           |
|                      | Sealed Electrical System  |         | Standard      |       |    |           |
|                      | 1,000 Gallon Aluminum Water Tank Capacity   |         | Standard      |       |    |           |
|                      | Hydraulically Extending Hose Reel Assembly  |         | Standard      |       |    |           |
|                      | i<br>Catch Basin Cleaning Water System Providing 20 GPM at 600 PSI through 1/2" Hose  |         | Standard      |       |    |           |
|                      | Water Pump Overspeed Controls   |         | Standard      |       |    |           |
|                      | Flexible Hose Guide   |         | Standard      |       |    |           |
|                      | 1 Weatherproof Lockable Tool Box 16 x 14 x 36   |         | Standard      |       |    |           |
|                      | Mud Flaps   |         | Standard      |       |    |           |
|                      | 239 Cubic Inch Displacement, 4-Cylinder Diesel Auxiliary Engine   |         | Standard      |       |    |           |
|                      | Stainless Steel Ball Float Shut-Off - Standard on all PD & Two-Stage Units  |         | Standard      |       |    |           |
|                      | Multi-Flow System with Nozzle Storage Rack- 3 Additional Nozzles with 80 GPM System and 2 Additional Nozzles with 60 GPM System |         | Standard      |       |    |           |
|                      | Extra Capacity Tipper Style Hose Reel-Capacity, 800" x 1" Sewer Hose  |         | Standard      |       |    |           |
|                      | Flat Rear Door with Hydraulic Locks and Open/Close  |         | Standard      |       |    |           |
|                      | Deflector Plate in Debris Body  |         | Standard      | •     |    |           |
|                      | Circuit Breakers in lieu of Fuses   |         | Standard      |       |    |           |
|                      | Engine "Regeneration Mode" Warning System   |         | Standard      |       |    |           |
| PTIONS<br>EBRIS BODY | ACCESSORIES   |         |               |       |    |           |
| 003P                 | Debris Body Flush Out System  | \$      | 1,550.00      | 1     | •  | 1,550     |
| 303P<br>304P         | Debris Body Load Limit Alarm  | Š       | 2,300.00      |       | \$ |           |
| <i>N</i> ≪r<br>)04P8 | Onboard Electronic/Digital Scale System   | \$      | 12,500.00     |       | Ś  | <b>,</b>  |
| 007P                 | 6" Butterfly Valve/Rear Door  | \$      | 1,250.00      |       | 9  | ;         |
| 008P                 | 6" Knife Valve/Rear Door with Camloc  | Š       | 1,375.00      |       | 3  | 1,375     |
|                      | Submersible Trash Pump- Internal Mounted - Forward Wall in Body   | \$      | 9,900.00      |       |    | 9,900     |
| 009P                 |   | \$      | 2,200.00      | -     |    |           |
| )10P                 | Trash Pump Plumbed to Front Bumper- 2.5" (Plumbing Only)  |         |               |       | 4  | y<br>t    |
| )11P                 | Gravity Drain-Off System to Front Bumper- 2.5" Diameter   | \$      | 2,900.00      |       | •  | 9         |
| 013P                 | Debris/Water Tanks Combined- Additional Water Capacity  | \$      | 2,350.00      |       |    | \$        |

# Jack Doheny Supplies Ohio, Inc. 2012

# State of Ohio

| 10140          | Centrifugal Separator (Cyclone) May Limit Water Capacity  | €                | 5,300.00         |    | \$ |           |
|----------------|---|------------------|------------------|----|----|-----------|
| 1014P          |   | Ø<br>E           | 1,100.00         | 1  | \$ | 1,100.00  |
| 015P           | Folding Pipe Rack/Curb Side Folding Pipe Rack/Street Side   | •                | 1,100.00         | 1  | Š  | 1,100.00  |
| 015PA          | <b>4</b> '  | e.               | 1,100.00         | 1  | Š  | 1.100.00  |
| 015PB          | Folding Pipe Rack/Rear Door 15 Cubic Yard Debris Body with 1300 Gallon Water and Tandem Axle Chassis; | Ψ                | 1,100.00         | •  | •  | 1,100.00  |
| 017P           | including Hi-Dump Option (60" Dump Height)  | \$               | 25,000.00        | 4  | \$ | 25,000.00 |
| 022P           | Splash Shield- Rear Door  | \$               | 1,600.00         | i  | \$ | 1,600.00  |
| 1022P<br>1023P | Lube Manifold   | \$               | 2,350.00         | 4  | \$ | 2,350.00  |
| 10232          | EDDE INSTITUTO  | Φ                | 1,000.00         | •  | \$ | 2,000.00  |
| MATER TAN      | K ACCESSORIES   |                  |                  |    | \$ | -         |
| 2001P          | Low Water Alarm with Light  | \$               | 640.00           | 1  | S  | 640.00    |
| 2003P          | Laval Water Separator (Centrifugal Separator at Water Tank Fill)                                      | \$               | 1,820.00         |    | Š  | _         |
| 2003F<br>2004P | Continuous Fill System at Water Tank Inlet  | \$               | 1,820,00         |    | \$ |           |
| 2004)<br>2006P | Air Purge System Utilizing Chassis Air System   | \$               | 1,250.00         |    | Š  | -         |
|                | 650 Gallon Street Flusher- 4 Heads- Tanks Joined- Controls in Cab- Requires                           |                  | ·                |    |    | 1         |
| 2007P          | Additional 18" Chassis CA   | \$               | 22,000.00        |    | \$ | - {       |
| 2008P          | 300 Gallon Street Flusher- 2 Heads- On/Off in Cab Only- Requires Additional CA                        | \$               | 12,964.00        |    | \$ | -         |
| 2010           | 3" Drain Valve at Water Pump  | \$               | 700.00           | 1  | \$ | 700.00    |
| 2017P          | 1500 Gallon Water Capacity in lieu of 1300 Gallon   | \$               | 1,800.00         | 1  | \$ | 1,800.00  |
|                |   |                  |                  |    | \$ | -         |
| ACUUM SY       | STEM ACCESSORIES  |                  |                  |    | \$ | -         |
|                | EPA Tier IV Surcharge (if applicable)   | \$               | 11,900.00        |    | \$ | -         |
| 3003PC         | Two Stage 1.6 Deere with Fluid Coupler  | <u>\$</u><br>\$  | 21,340.00        | 1  | \$ | 21,340.00 |
| 3006           | Positive Displacement Blower  | \$               | 19,800.00        |    | \$ | -         |
| 3007           | Small Positive Displacement Blower  | \$               | 7,700.00         |    | \$ | - [       |
|                | Hot Shift Blower Drive System in lieu of Standard for PD Units Only- Includes                         |                  |                  |    |    |           |
| 3015P          | Transfer Case, Electronic Shift Control, Vacuum Reliuef, and Front Control for Blower                 | \$               | 5,500.00         |    |    |           |
|                | Engagement  |                  |                  |    | \$ | -         |
|                |   |                  |                  |    |    | -         |
| BOOM ACC       | ESSORIES  |                  |                  |    | \$ | •         |
| 1001           | 4 Foot Hydraulic Extendable Boom with 180* Rotation   | \$               | 00.008,8         |    | \$ | -         |
| 1003           | 8 Foot Hydraulic Extendable Boom with 180° Rotation   | \$               | 11,000.00        |    | \$ | . 1       |
| 4004           | 8 Foot Hydraulic Telescopic Boom with 180° Rotation   | \$               | 14,250.00        | 1  | \$ | 14,250.00 |
| 4014P          | 5x5 Boom Telescopic & Extendable  |                  | 17,900.00        |    | \$ | - {       |
| 4006           | Joystick Control for Boom Function (1)  | \$               | 825.00           | 2  | \$ | 1,650.00  |
| 4008           | Grate Lifting Hook- Installed on Broom  | \$               | 300,00           |    | \$ | - 1       |
| 4009           | Water Ring Assembly-Installed in Vacuum Suction Hose to Body  | \$               | 800.00           |    | \$ | . ]       |
| 4011P          | Wireless Vactor Belly Pack Control  | S                | 4,500.00         | 1  | \$ | 4,500.00  |
|                | •   |                  |                  |    | \$ | -         |
| HIGH PRESS     | SURE WATER PUMP   |                  |                  |    | \$ |           |
|                | 40 GPM/2500 PSI Water System - in lieu of 60GPM/2000PSI System- does not                              |                  | Osmanaa '        |    |    |           |
| 5000           | Include Water Accumulator or Multi Flow   |                  | Standard         |    |    |           |
| 5001           | 60 GPM/2000 PSI Water System  |                  | Standard         |    |    |           |
| 5001A          | 60 GPM/2500 PSI Water System-in lieu of Standard Water System   |                  | Standard         |    |    |           |
| 5002           | 80 GPM/2000 PSI Water System-in lieu of Standard Water System   | 5                | 2,100,00         |    | \$ | -         |
| 5002A          | 80 GPM/2500 PSI Water System-in lieu of Standard Water System   | <b>.</b> \$      | 2,500.00         |    | \$ |           |
| 5004PB         | 100 GPM/2000 PSI Water System   | s                | 3,000.00         | 4  | \$ | 3,000,00  |
| 300-41 D       | 100 GFIVI/2000 FOI VValer Oysteni   | •                | 4,000,00         | 1  | w  | 3,000.00  |
| 5008PA         | Cold Weather Recirculation System- Driven from Auxiliary Engine (Fan Machines)                        | <b>, \$</b>      | 3,300.00         | 1  | \$ | 3,300.00  |
|                | •   |                  |                  | -  | •  | 0,000,00  |
| 5008PB         | Cold Weather Recirculation System- Utilizing Allison MD or HD Automatic                               | \$               | 1,800.00         |    | \$ |           |
|                | Transmission (All PD Machines)  | \$               | 2,800.00         | 1  | \$ | 2,800.00  |
| 5010P          | Accumulator System for Water System   | \$<br>\$         | 809.00           | 1  | \$ | 809.00    |
| 5011           | 3" Y-Strainer at Water Pump   | \$<br>\$         | 495.00           | 1  | \$ | 495.00    |
| 5015P          | Front and Rear Handgun Couplers   | · <del>-</del> ' | 490,00           | ,  | 4  | 750.00    |
|                | Hydro Excavation Kit/Retractable Reel with 50' X 3/8" Hose, Handgun, and Plumbing-                    |                  | 4 400 00         |    |    |           |
| 5021P          | this System must have Option #5012-Multi Flow and Option #5010 Accumulator on                         | \$               | 4,400.00         |    | •  |           |
|                | the Machine (this is not Available on C-B Units)  |                  |                  |    | \$ | *         |
|                | Hydro Excavation Package: this System is in lieu of the Vactor Water Pump and                         |                  |                  |    |    |           |
| 5021A          | Hose Reel System- the Package Includes a 23 GPM/2500 PSI Excavation Water                             |                  | N/C              |    |    |           |
|                | Pump, Handgun System, Two Stage Centrifugal Fan System with a John Deere                              |                  |                  |    |    |           |
| -0000          | Auxilary Engine with Fluid Coupler  | æ                | enn nn           | 4  | æ  | ะกก กก    |
| 5023P          | Fan Flush Out System  | \$               | 600.00<br>275.00 | 1. | \$ | 600.00    |
| 7003P          | Water Pump Hour Meter   | \$               | 325.00           |    | \$ | •         |
|                |   |                  |                  |    | 5  | -         |

### Jack Doheny Supplies Ohlo, inc. 2012

# State of Ohio

| HOSE REEL AC         | CESSORIES  |             |   |     | \$ | •         |
|----------------------|--|-------------|---|-----|----|-----------|
| 6001                 | 500' X 1" Sewer Hose/2500 PSI (in lieu of Standard Hose)   | \$          | 500.00                                  |     | \$ |           |
| 6002                 | 600' X 1" Sewer Hose/2500 PSI (in lieu of Standard Hose)   | \$          | 725.00                                  | 1 1 | \$ | 725.00    |
|                      | 800' X 1" Sewer Hose/2500 PSI (in lieu of Standard Hose)- Requires Extra Capacity  | \$          | 1,400.00                                |     | _  | -         |
| 6003                 | Reel   | Ð           | 1,700.00                                |     | \$ | -         |
| 6004PA               | Automatic Hose Level Wind Guide  | \$          | 5,200.00                                |     | \$ |           |
| 6004PB               | Automatic Hose Level Wind Guide  | \$          | 5,200.00                                | :   | \$ | ٠ [       |
| 6004PD               | Pinch Roller Only  | \$          | 1,400.00                                | 1 : | \$ | 1,400.00  |
| 6005                 | Hose Footage Counter - Mechanical  | s           | 500.00                                  | ;   | \$ | -         |
|                      | Digital Footage Counter  | \$          | 3,000.00                                | 1   | \$ | 3,000.00  |
| 6005PD               | Hose Guard/Rodder Hose   | \$          | 1,200.00                                |     | ş  | !         |
| 6006P                |  | \$          | 1,350.00                                |     | \$ | . [       |
| 6011P                | Handgun Hose Reel- Spring Retractable Reel with 50' Hose Assembly  | \$          | 3,100.00                                |     | Š  | _         |
| 6012P                | Lateral Cleaning Kit with 150' Hose and Nozzle   |             | 1,500.00                                |     | \$ | _         |
| 6013P                | Hydraulic Tool Package   | \$          | • |     |    | 16,900.00 |
| 6020PB               | Telescoping Rotating Hose Reel-Capacity, 800' x 1" Sewer Hose  | \$          | 16,900.00                               |     | \$ | 10,500.00 |
| 6020PB               | Extra Capacity Hose Reel-Capacity 1000' x 1" Sewer Hose  | \$.         | 3,300.00                                |     |    |           |
| 6017P                | Hydraulic Shut-Off Valves at Suction, Return and Filter Line (3)   | <b>.</b> \$ | 1,500.00                                |     | \$ | 1,500.00  |
| 6019P                | Rodder Pump Drain Valves (2)   | · \$        | 475.00                                  | 1   | \$ | 475.00    |
| O0 1 91.             | Toronto, mary and the terminal and the t | 1           |   |     | \$ | -         |
| *******              | ON AND CONTROLS  |             |   |     | \$ | -         |
|                      | Shutdown Switch - Hydraulic Oil Temp Light/Alarm   | \$          | 325.00                                  |     | \$ | .         |
| 7003P                |  | \$          | 575.00                                  |     | \$ |           |
| 7005PA               | Intelliview in Cab   | w.          | G1 G1Q0                                 |     | Š  |           |
|                      |  |             |   |     | S. |           |
| LIGHT ACCESS         |  | •           | 2 400 00 -                              |     | \$ |           |
| 8001PB               | Directional Arrow Stick-One Piece 8 LED Lights- Front or Rear  | \$          | 2,100.00                                |     | -  |           |
| 8001P                | Directional Large Arrow - Split  | \$          | 2,100.00                                |     | \$ | •         |
| 8002P                | Hand Light with Bumper Plug  | \$          | 400.00                                  |     | \$ |           |
| 8003P                | Hand Light with Retractable Reel   | \$          | 550.00                                  | 1   | \$ | 550.00    |
| 8004P                | Revolving Light Mounted Rear Only  | \$          | 900.00                                  |     | \$ | -         |
| 8004PB               | Revolving Light Front Only-Cab Guard   | \$          | 900.00                                  |     | \$ | •         |
| 8007PB               | Strobe Light Mounted Front Only- Cab Guard   | \$          | 1,000.00                                |     | \$ | •         |
| 1                    | Strobe Amber Beacon- for Rear Only   | \$          | 1,000.00                                |     | \$ | -         |
| 8007P                | Work Light at Operator Station (Each)  | \$          | 600,00                                  | 1   | \$ | 600.00    |
| 8009                 | Work Eight at Operator Station (Later)   | \$          | 800.00                                  | 1   | \$ | 800.00    |
| 8028P                | Worklights (2) on Extendable or Telescopic Boom  | \$          | 125.00                                  | •   | \$ |           |
| 8012                 | Additional Connector for Hand Light  | ø<br>e      | 200.00                                  |     | \$ | _         |
| 8013                 | Limb Guard for Revolving or Strobe Light (Each)  | \$          |   |     | \$ | _         |
| 8015                 | Work Light at Auxiliary Engine   | \$          | 600.00                                  |     |    | •         |
| 8016                 | Work Light/Rear Door   | \$          | 650.00                                  |     | \$ | -         |
| 8020                 | DOT 3 Lighting System- Four Strobe Light Head Assembly   | \$          | 4,700.00                                |     | \$ | -         |
| 8020A                | DOT 3 Lighting System- Six Strobe Light Head Assembly  | \$          | 4,900.00                                |     | \$ | •         |
| 8020PE               | FS- Six strobe light system.   | \$          | 2,900.00                                | 1   | \$ | 2,900.00  |
| 8020PC               | Vactor Four Flashing Light Assembly- Two Piece- 4 7" Amber Lights  | \$          | 625.00                                  |     | \$ | -         |
| į.                   |  | \$          | 1,300.00                                |     | \$ |           |
| 8022P                | LED Bumper Strobes   | •           | 1,000,00                                |     | •  |           |
|                      |  |             |   |     |    |           |
| CHASSIS ACC          |  |             | 151,00                                  |     | \$ | _         |
| 9000                 | Additional Vactor Manual   | <b>6</b> .  |   |     | \$ |           |
| 9001                 | Corrosion Protection under Cab Body  | \$          | 1,475.00                                |     |    | 201.00    |
| 9002                 | Tow Hooks/Front  | \$          | 391,00                                  |     | \$ | 391.00    |
| 19002A               | Tow Hooks/Rear   | \$          | 228.00                                  | 1   | \$ | 228.00    |
| 19003                | Electronic Back-Up Alarm   |             | Standard                                | 1   |    |           |
| 9012                 | Increase Chassis Engine Horse Power from 300HP to 350HP  | \$          | 9,504.00                                |     |    |           |
|                      | Increase Chassis Engine to Big Block 410 HP from 300 HP and Transmission to  | •           | 24 050 00                               |     |    |           |
| 9013                 | Allison 4000 Series (6x4 only)   | \$          | 31,858.00                               |     | \$ | -         |
| 9023PA               | Safety Cone Storage Rack   | \$          | 175.00                                  | 1   | \$ | 175.00    |
| 1                    | Water Cooler Storage Rack  | \$          | 175.00                                  |     | \$ | -         |
| 9024P<br>NOTE: CHASS | IS CONFIGURATION MAY HINDER TOOL BOX SIZE-CONSULT FACTORY  | •           |   |     |    |           |
| TOOLBOXES            |  |             |   |     |    |           |
| ZZ-2100-AA           | (1) 48 ln. x 16 ln. x 16 ln. Aluminum Toolbox mounted on Street Side   | \$          | 725.00                                  | 1   | \$ | 725.00    |
| 1                    | (1) 48 in. x 16 in. x 12 in. Aluminum Toolbox mounted on Street Side   | \$          | 700.00                                  |     | \$ | •         |
| ZZ-2100-BA           | (1) 48 In. x 14 In. x 12 In. Aluminum Toolbox mounted on Front Bumper  | \$          | 250.00                                  |     | \$ |           |
| ZZ-2100-CA           | (1) 96 In. x 30 In. x 15 In. Aluminum Full Width Toolbox behind Cab  | Š           | 2 050 00                                | 1   | \$ | .2 050.01 |
| ZZ-46849AB           | (1) ap III' y 20 III' y 15 let withentifles i ou aardat toorboy populo Ago   | •           | 7 0 0 0 0                               |     | -  |           |
|                      |  |             |   |     |    |           |
| PAINT                | ·  | \$          | 864,00                                  |     | \$ |           |

# Jack Doheny Supplies Ohio, Inc. 2012

### State of Ohio

| r**                 |   |                    | 1 225 00     |             |         |
|---------------------|---|--------------------|--------------|-------------|---------|
| P114                | Module Stripe - Multiple (3 Maximum)  | \$                 | 1,583.00     | \$          | •       |
| P116                | Rear Door Stripe - Reflective Tape (Chevron)  | \$                 | 656.00       | \$          | - 1     |
| P118                | Cab Paint - Centari   | \$                 | 4,137.00     | \$          | • ]     |
| P120                | Cab Stripe - Single   | \$                 | 840.00       | \$          | - 1     |
| P121                | Cab Stripe - Multiple (3 Maximum)   | \$                 | 1,583.00     | \$          | -       |
|                     |   |                    |              |             |         |
| SPARE PARTS         | ACCESSORIES   |                    |              |             |         |
| Enz 40.100A         | Grenade Bomb Nozzle (Specify GPM, PSI, sewer-hose length) Non Rotating Head         | \$                 | 856.00       | \$          | -       |
| Enz 60.100L         | Chisel Point Nozzle (Specify GPM, PSI, sewer-hose length)                           | \$                 | 1,202,00     | \$          | -       |
| Enz 50.100G         | Bulldozer Nozzle (Specify GPM, PSI, sewer-hose length)                              | \$                 | 4.216.00     | \$          | -       |
| Enz 10.125TR        | Chain Scaper 6" - 10" Adjustable Roller Skids (Specify GPM, PSI, sewer-hose length) | \$                 | 3,400.00     | \$          |         |
| VA-31685            | Small finned nozzle skid  | \$                 | 68.00        | \$          | . 1     |
| VA-34955            | Large finned nozzle skid  | \$                 | 79.00        | \$          | _       |
| E                   | Additional 3" water filter screens  | ¢                  | 26.00        | \$          | _       |
| VA41280<br>OB-WJ101 |   | \$                 | 215.00       | \$          | _       |
|                     | Aluminum manhole roller guide, weight 10#   | \$                 | 436,00       | \$          | - 1     |
| VA-25262            | Detachable, adjutable vacuum pipe handle assembly                                   | Ф                  | #30,00       | ð           | -       |
| JDS 25268-EX        | 8" x 6.5' Aluminum Hydro-excavation suction tube with (6) replaceable internal      | \$                 | 940.00       |             |         |
|                     | orifices (Specify desired GPM/PSI)  |                    |              | \$          | •       |
| VA-25268Q           | 8" HXX Catch Basin Tube with Rubber Boot for sensitive excavation near              | \$                 | 436.00       |             | 3       |
|                     | underground utilities   | •                  |              | \$          | •       |
| S001                | 1" - 15 Deg. Sand Nozzle W/6-Tungsten Carbide Inserts                               | \$                 | 173.00       | , \$        | •       |
| S010                | 1" - 30 Deg. Penetrator Nozzle W/7 - Tungsten Carbide Inserts                       | \$ _               | 173.00       | <u> </u>    | -       |
| S020                | 1" - 15 Deg. Penetrator Nozzle W/7 - Tungsten Carbide Inserts                       | \$                 | 173.00       |             | -       |
| S030                | 3" Dia. General Purpose Nozzle W/6 - Replaceable Nozzles                            | \$                 | 300.00       | \$          | -       |
| S040                | #10 Storm Nozzle W/8 Replaceable Nozzles  | \$                 | 284.00       | \$          | -       |
| S050                | 6" Dia. Nozzie W/8- Replaceable Nozzies   | \$                 | 1,297.00     | \$          |         |
| S060                | 8" Dia, Nozzie W/8- Replaceable Nozzies   | \$                 | 2,021.00     | Š           |         |
| S070                | Cuivert Nozzie W/8- Replaceable Nozzies   | ě                  | 1.024.00     | Š           |         |
| 5080                | 1* - 30 Deg. Probe Nozzle W/5 Jets  | ě                  | 173.00       | Š           |         |
| S090                | 1" - 30 Deg. Sanitary Nozzie (Non-Tungsten Carbide)                                 | *                  |              | 1 Š         | 173.00  |
|                     | 1" - 15 Deg. Sanitary Nozzle (Non-Tungsten Carbide)                                 | e e                | 173.00       | . 4         | ,,0,00  |
| S100                |   | <b>3</b>           | 173.00       | e e         |         |
| S110                | 1" - 30 Deg. Sand Nozzle (Non-Tungsten Carbide)                                     | <b>₽</b>           |              | e:          | -       |
| \$120               | 1" - 30 Deg. Lateral Kit Nozzle (Non-Tungsten Carbide)                              | 3                  | 184.00       | J           | -       |
| S150                | 20 Deg. Probe Nozzie W/6 Non-Tungsten Carbide Inserts                               |                    | 121.00       | 3           | •       |
| S160                | 1" - 30 Deg. Sanitary Nozzle W/6 Tungsten Carbide Inserts                           | \$                 | 173.00       | <b>3</b>    | -       |
| \$170               | 1" - 15 Deg. Sanitary Nozzle W/6 Tungsten Carbide Inserts                           | : \$               | 173.00       | <u> </u>    |         |
| S180                | 1" - 30 Deg. Sand Nozzle W/6 Tungsten Carbide Inserts                               | \$                 | 173.00       | <u>\$</u>   |         |
|                     | Additional 1/2* Handgun Hose / Per Foot Cost  | \$                 | 4.14         |             |         |
| S200                | Additional 1" Leader Hose / Per Foot Cost   |                    |              | t., į       | 4. 9.   |
| S210                | Basin Retriever (Handi-Clam)  | 1                  | 30 A         |             | ?#£     |
| S220                | Basin Shovel  | -                  |              | \$          | -       |
| S230                | Basin Spoon   | :                  | 2.35         |             |         |
| S240                | Offset Manhole Roller   | 1                  |              | . 5         | 4.35    |
| S250                | Root Cutter Kit (Does Not Include Saws)   | -                  | \$ 680 miles |             |         |
| S260                | 6" Spiral Saw Blade   | ٤                  | ·            | 9           |         |
| S270                | 8" Spiral Saw Blade   | \$                 | 205,00       | <b>5</b>    | *       |
| S280                | 10" Spiral Saw Blade  | \$                 | 205.00       | \$          | •       |
| S290                | 12" Spiral Saw Blade  | \$                 | 257.00       | \$          | -       |
| S300                | 15" Spiral Saw Blade  | \$                 | 284.00       | \$          | _       |
| S310                | Nozzle Pipe For Std. 1" Nozzle  | 3                  | 15 1 %       | î <b>\$</b> | 121.00  |
| S320                | Nozzie Pipe For #10 Nozzie  | 5                  | 4.1          | \$          | 147.00  |
| S330                | Round Leaf Pick-up Nozzle   | \$                 | 173.00       | \$          | -       |
| S340                | Lid Lifting Hook  | \$                 | 89.00        | \$          | -       |
| S350                | 8" Adjustable Air Adapter   | \$                 | 357.00       | 1 : \$      | 357.00  |
| S350A               | 6" Adjustable Air Adapter   | \$                 | 357.00       | \$          | *       |
| S360                | Underwater Debris Nozzie (Snorkel Kit)  | \$                 | 604.00       | \$          |         |
| S370                | 8" x 3' Aluminum Pipe Assy.   | \$                 | 147.00       | \$          |         |
| IS380               | 8" x 5' Aluminum Pipe Assy.   |                    | 173.00       | 2 \$        | 348.00  |
| S390                | 8" x 7.5" Aluminum Pipe Assy.   | \$                 | 189.00       | 1   \$      | 189.00  |
| S400                | · ·   | : <b>ॐ</b><br>: \$ | 189.00       | \$          | . 50.00 |
| 3                   | 8" x 6.5" Catch Basin Nozzle Assy.  | ; <b>*</b><br>• \$ | 68.00        | 4 \$        | 272.00  |
| S410                | 8" Quick Clamp Assy.  |                    |              | •           | £1 £,40 |
| S420                | 6" Quick Clamp Assy.  | \$                 | 68.00;       | \$          | •       |
| S430                | Water Ring Assy.  | \$                 | 325.00       | ; <b>\$</b> | -       |
| S440                | 8" x 6" Flange Adapter  | \$                 | 173.00       | \$          | -       |
| \$450               | 8"x4"x4" Adapter  | : <b>\$</b>        | 289.00       | : <b>\$</b> |         |

# Jack Doheny Supplies Ohio, Inc. 2012

# State of Ohlo

| sy. With Hose                           | \$ .                                 | 357.00                                     | \$<br>\$                    | -                           |
|---|--------------------------------------|--|-----------------------------|-----------------------------|
| rain Hose - Per Ft. Price               | \$                                   | 10.50                                      | \$                          | -                           |
| Fill Hose - Per Ft. Price               | \$                                   | 6.06                                       | \$                          | -                           |
| een                                     | \$                                   | 53.00                                      | <b>S</b>                    | - 1                         |
| een                                     | ·\$-<br>**                           | 63.00                                      | \$                          | - 1                         |
| cludes Machine, Dies and Pusher)        | \$                                   | 1,491,00                                   | \$                          |                             |
| ) Includes Machine, Dies/Pusher)        | \$                                   | 1,985.00                                   | \$                          | .                           |
|   | \$                                   | 173.00                                     | \$                          |                             |
| 5 <b>y</b> .                            | \$                                   | 173.00                                     | \$                          | -                           |
| •                                       | \$                                   | 84.00                                      | \$                          |                             |
|   | \$                                   | 84.00                                      | \$                          | .                           |
|   | \$                                   | 698.001                                    | \$                          |                             |
|   | & \$\ta\;                            | 200.00                                     | \$                          |                             |
|   | \$                                   | 147.00                                     | \$                          | . ]                         |
| y 8" x 78"                              | \$                                   | 719.00                                     | \$                          | _                           |
| y 8" x 36"                              | \$                                   | 509.001                                    | \$                          | -                           |
| y 6" x 36"                              | \$<br>\$                             | 462.00                                     | \$                          |                             |
| y 6" x 78"                              | \$                                   | 525,00                                     | \$                          |                             |
| •                                       | \$                                   | 137,00                                     | \$                          | -                           |
|   | \$                                   | 173.00                                     | \$                          | . 1                         |
| Y                                       | \$                                   | 262.00                                     | \$                          | .                           |
| ozzie Assy                              | \$                                   | 252.00                                     | \$                          |                             |
| Rotating Chain                          | \$                                   | 6,820.00                                   | \$                          |                             |
| •                                       | \$                                   | 1,600.00                                   | \$                          |                             |
| sted Rear and Side Vision Camera System | \$                                   | 2,800.00                                   | \$                          |                             |
| Labor Warranty                          | \$                                   | 3,025.00                                   | \$                          |                             |
| abor Warranty                           | \$                                   | 6,600.00                                   | \$                          |                             |
| abor Warranty                           | \$                                   | 10,175.00                                  | \$                          |                             |
| por Warranty                            | \$                                   | 14,025.00                                  | \$                          | -                           |
| otection Training (Cost per Person)     | \$                                   | 176.00                                     | \$                          |                             |
| assis to Premium Chassis                | \$                                   | 9,500.00                                   | \$                          |                             |
|   | \$                                   | 545.00                                     | \$                          | -                           |
|   | \$                                   | 358.00                                     | \$                          |                             |
|   | \$                                   | 14,575.00                                  | \$                          | -                           |
| •                                       | \$                                   | 6,200.00                                   | \$                          | •                           |
| rge                                     |                                      | 8,100.00                                   | \$                          | -                           |
| actor                                   |                                      | 160,670.39                                 | \$                          |                             |
| •                                       |                                      |  |                             |                             |
| Chrome Yellow on File at Vactor         |                                      |  | <u>\$ 1:</u>                | 35,877.90                   |
|   | \$                                   | 427,729.90                                 |                             |                             |
| Discount                                | -                                    | \$42,772.99                                |                             |                             |
|   | بر میرود                             | \$384,956.91                               |                             |                             |
|   | ı your final quote will NOT be on yo | your final quote will NOT be on your unit. | \$42,772.99<br>\$384,956.91 | \$42,772.99<br>\$384,956.91 |