Part Number	Part Name and Description	Extended Ohio Price
	ROVVER Products	
	ROVVER 125 Enhanced Portable / Outpost System To include: Rovver 125 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built in inclinometer and LED pressure sensors, a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, complete tool package(t-bar, full set of T-Handled from thead wrenches, as well as a spare front tens and seal with removale tool, etc) Seal and Connector Grease, Wheel boit set, RC 90.40:1 Zoom camera with LED lighting (LED's carry a lifetime manufacturers warranty) Pelican camera shipping case, RA 200fully automatic cable reel and mounting bracket, complete with 200 meters of kevlar cable with heavy duly connectors (connectors carry a lifetime manufacturers warranty). Portable hand held confroiler with a 4 meter extension cable, System Control Unit (housed in an sirtine approved shipping case), Keyboard for text generation, Complete operations manual, 1-2 days of factory certified treating, 1 yr manufacturers warranty	\$ 55,000,0
-031-1111-05	ROVVER 125 Enhanced Truck Mount SystemTo include: Rovver 125 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built intellinometer and LED pressure sensors, a set of 6 small rubber wheels, set of 4 medium grease wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(t-bar, full set of T-Handled hex heed wrenches, as well as a spare front lens and seal with removale tool, etc) Seal and Connector Grease, Wheel both set, RC 90 40:1 Zoom camera with LED lighting (LED's carry a lifetime manufacturers warranty, Pelican camera shipping case, RA 200fully automatic cable reel and mounting bracket, complete with 200 meters of keviar cable with heavy dufy connectors (connectors carry a lifetime manufacturers warranty), Portable hand held controller with a 4 meter extension cable, Desktop mounted controller, A/B switch unit and cableing (for toggling between dask top and handheld control units), Rack mountable Systems control unit, Keyboar for text generation, Complete operations manual, 1-2 days of factory certified training, 1 yr manufacturers warranty).	
)-046-1111-01	ROVVER 225 Enhanced Portable / Outpost SystemTo Include: — Rovver 225 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built Inclinometer,51 2hz sonde transmitter, LED pressure sensors and a built in remotely controlled camera etevator complete with rear view camera, Two sets of fixed mounted LED auxiliary lights, a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large pnuematic wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(i-bar, full set of T-Handled hex head wrenches, as well as a spare front lens and seal with removale tool, etc) Seal and Connector Grease, Wheel bott set, RC 9040:1 Zoom camera with LED lighting (LED's carry a lifetime manufacturers warranty) Pelican camera shipping case, RA 200 fully automatic cable reel and mounting bracket, complete with 200 meters of kevlar cable with heavy duty connectors (connectors carry a lifetime manufacturers warranty). Portable hand heid controller with a 4 meter extension cable, System Control Unit (housed in an airline approved shipping case), Keyboard for text generalion, Complete operations manual, 1-2 days of factory certified training, 1 yr manufacturers warranty	
0-046-1111-05	ROVVER 225 Enhanced Truck Mount System To include: Rovver 225 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built linctinometer, 612hz sonde transmitter, LED pressure sensors and a built in remotely controlled camera elevator complete with rear view camera, Two sets of fixed mounted LED auxillary lights a set of 6 smell rubber wheels, set of 4 medium rubber wheels, set of 4 large pnuematic wheels wheel extenders, Specially designed crawler carrying case, Complete tool package(t-bar, full set of T-Handied hax head wrenches, as well as a spere front tens and seal with removate tool, etc) Seal and Connector Grease, Wheel bult set, RC 9040:1 Zoom camera with LED lighting (LED's carry a lifetime manufacturers warranty) Pelican camera shipping case, RA 200 fully automatic cable real and mounting bracket, complete with 200 meters of twolar cable with heavy duty connectors (connectors carry a lifetime manufacturers warranty) Portable hand held controller with a 4 meter extension cable, besidop mounted controller, Aff switch unit and cableing (for toggling between desk top and handheld control units), Rack mountable Systems control unit, Keyboard for text generation, Complete operations manual, 2 days of factory certified training, 1 yr manufacturers warranty	3
	ROVVER 100 Steerable Crawler To include: Rovver 100 Aluminum/Stainless Steel 6-wheel overtapping wheel design, fully steerable crawler with built infactinometer and LED pressure sensors, with heavy duty connectors (connectors carry a lifetime manufacturers warranty), a of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, whee extenders, Specially designed crawler carrying case, Complete tool package(t-bar, full set of Handled hax head wrenches, as well as a spare front lens and seal with removale tool, etc)	sel 1

	•		,
-	ROVVER 125 Steerable Crawler To include: Rovver 125 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built inhedinometer and LED pressure sensors, with heavy duty connectors (connectors carry a lifetime manufacturers warrantly), a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(t-bar, full set of T-		
	Handled hex head wrenches, as well as a spare front tens and seal with removate tool, etc) Seal and Connector Grease, Wheel bolt set, 1 yr manufacturers warranty	<u> </u>	15,000.00
026-0902-00	ROVVER 225 Steerable Crawler To include:Rovver 225 Aluminum/Stainless Steel 6-wheel overlapping wheel design, fully steerable crawler with built ininclinometer, 512hz sonde transmitter, LED pressure sensors and a built in remotely controlled camera olevator complete with rear view camera, Two sets of fixed mounted LED auxiliary lights, a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large pruematic wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(t-bar, full set of T-based tool package and wranghas, as well as a spare front tens and seal with removate tool, etc)		
040-0952-01	Seal and Connector Grease, Wheel bolt set1 yr manufacturers warranty	\$	27,000.00
-016-0931-00	0130-03)card, keyboard for on screen lext generators	\$	16,500.00
040 0004 00	case, I/O ports in front with fold down cover that houses provided keyboard for on screen text generation. Portable pendant controller and cableing, text generator (E-100-0130-03) card, 9	\$	16,500.00
016-0901-00	Portable Control Unit To include: Mounted in an airline approved shipping case, I/O ports in front with fold down cover that houses provided keyboard for on screen text generation.  Detable penglant potroller and cableing, text generator ( 5-100-0130-03 ) card.	\$	14,000.00
-016-0911-00	Axial/Forward View Color Video Camera—With Enchanced electronics to provide greater pixel clarity and new built in circultry to reduce risk of electrical spike. Color remote focus camera with upgraded LED lighting(LED's carry a lifetime manufacturers warranty), allows for shortest possible configuration of ROW/ER crawlers. Wide angle lens surveys pipe sidewall.	\$	7,475,00
-015-0950-00	RC90 Zooming Pan/Tilt Color Camera (NTSC) Rovver RC90 Color pan/tilt 40:1 Zoom		<u> </u>
-064-0950-00	manufacturers warranty) with (Optional) Laser Measurement capabilities.	<b>\$</b>	22,806.28
)-049-0930-00	Rovver Handheld pendant controller To include: Zoom Support and (Optional) Laser Measurement capabilities and auto and manual focus and iris controls	\$	1,615.0
O-ŻOOM_UPG	Zoom Upgrade to Standard System To Include: RC 90 zoom camera(as described above) and handheld pendant (as described above).  Manual Cable Reel RM200 Cable real with on screen digital distance counter 200 Meter	\$ .	24,087.5
D-044-0960-00	capacity, Requires cable.	\$	5,520.0
)-044-0900-00	Manual Cable Reel with Motorized Assist RS200 Cable reel with on screen digital distance counter and motorized rewind assist, 200 meter capacity, requires cable.  RAZEO motorized arior muly retromance Capita Hear when Cable Motorial Capital Heart when Cable Heart when Cable Heart when Cable Heart when the Capital Heart when the Capital Heart when the Capital Heart	\$	7,430.0
0-036-0900-04	Emergency stop bulton. Separate digital footage counter(to allow reset for distance measurement in the pipe without resetting overall distance counter.	\$	9,500.0
O-200-1180-11	180 Meter Cable Assembly complete with Heavy Duty Connector (connectors carry a lifetime manufacturers warranty)	\$	4,592.6
0-200-1200-11	200 Meter Cable Assembly complete with Heavy Duty Connector (connectors carry a lifetime manufacturers warranty)	\$	5,500.0
O-048-0941-00	ROVVER 125 Rear View Camera and LED Auxitary Lights combination with no wire/ direction connection (appropriate top plate required)	<u> </u> \$	2,470.
0-000-0035-00	Top Manhole Cable Roller Aluminum frame and rubber wheel with bearings protects cable from manhole top cover edge and reduces friction to improves crawler performance.	\$	327.
0-000-0036-00	Tyger tail for manhole bottom cable protection 2 inch diameter rubber sleeve to protect cable from manhole bottom pipe entry	\$	66,
O-026-0920-00	Rovver 125 manual Camera Raise Kit-All Atuminum CNC cut riser kit, With infinite adjustment between 0-5" above crawler body.  Weight Plate Includes 1.8kg (4 lbs.) stainless steel plate that bolls to bottom of crawler to	\$	3,680.
O-026-0054-00	increase traction  Fiexible Cable Guide Pulley for Manhols-bottom Best way to manage cable and have lea  amount of friction on cable and crawler. Set of machined wheels that allow cable to glide	1	246
0-035-0201-00	around sharp edges and lower pipe access.  512 kHz Location Transmitter Upgrade. Sonds transmitter is integral to crawler body. Replace top cover with transmitter window and 512 kHz transmitter(Installation labor	\$	637.
O-100-0106-00	Included, shipping is not).	<u> \$</u>	1,644
	ROVVER X Products		
L		1	

	•		
l	DVVER X Portable Package includes: RCX90 Camera (High resolution CCD color zoom		1.
,	The state of the s		
1.	and the section proceding eggent and two Dilli in Lessel Glodes to modeling		l
1 .			ļ
			1
1			-
			1
1-	The state of the s		ļ
1_	The state of the s		į
1.	a - it - and then effect remote internet hassed displication and minimals		-
	. A strong Manager of Cobio Registrometry meter country, spicet in 1999	\$	64,000.00
-sys-portable O	pgrade.) RAX300 Molonized Cable Rect (asternation of 230 volts. Desk Mount Pendant holder.		
	White make time CCD color zono		٠ .
	ROVVER X Basic Truck Package includes: RCX90 Camera (High resolution CCD color zoom		-
	And the state of t		1
d	legree tilt and endless rotation, pressure sensor and two built in Laser diodes for meauring legree tilt and endless rotation, pressure sensor and two built in Laser diodes for meauring	•	
R	legree tilt and ertoress fulland, pressure vidth of cracks.) ROWER X130 Crawlar (sleerable with 2 High Performance Motors and 6 width of cracks.) ROWER X130 Crawlar (sleerable with 2 High Performance Motors and 6 wheel drive, anodized aluminum/stainless steel chassis with pressure indicator, inclination and wheel drive, anodized aluminum/stainless steel chassis with pressure indicator, inclination and		1
			- 1
1			}
			1
	The state of the s		
,	a to the sent took click remain internet hased diagnostics and minwest		
			1
1	The manage tentary and Cable West (2) in the Control of the Contro		
1.	A THE PARTY OF THE		1
ŀ	Wireless remote controller, 25 foot Extension cable from VC200 to RAX300 tricitoring	\$	69,000.00
X-sys-Truck-Basic	emergency power switch.		
			l.
	Color Zoom		j
	ROVVER X PRO Truck Package includes: RCX90 Camera (High resolution CCD color zoom camera - 10x optical 12x digital, Auto Shutter, auto/manual focus, built in LED lighting, 2 x 135	Į	1
1	camers - 10x optical *2x digital, Acto Strater, accommiss from Laser diodes for meauring degree tilt and endless rotation, pressure sensor and two built in Laser diodes for meauring	Í	}
	I HOLL AND A CONTROL OF CONTROL OF THE PROPERTY OF THE P		
	I		l
	1		Ì
		į	
		1	
	I		
	A. J.	]	. ]
		1	
	1 /- tar-in month controller VI 7/81 PRG 3 ODCKIEG BIIG GESKIOD CONTROL STONE	1	
	and save data. Virieless remote controlled to the save data additional input output (all controls and keyboard in a desklop style ergonomic build and additional input output (all controls and keyboard in a desklop style ergonomic build and additional input output		
	(all controls and responded in a desktop syle organization, meter-counter, splash-proof, 1000 connections) RAXSO0 Motorized Cable Real (automatic, meter-counter, splash-proof, 1000 corange Transmission Cable) Power supply 115 or 230 volts. 25 foot Extension cable from	1 ,	
		\$	78,000.00
RX-sys-Truck-Pro	Remote Lift Accessory - Camera Elevator Kit for RX130 - for pipes with 12" diameter and		
/ cccò ch		<u> \$</u>	12,000,00
564-0900-00	IDONALER 130X Large-Diameter Carriage RCR1000 - Extends the use of the NOVVENTION		10.000.00
569-0900-00	crawler for pipes from 24" diameter and larger.	\$	2,000.00
RX-ciulch	TOWN/ED 130X Emewheel Clutch Obligh	s	1,750.00
RX-remote .	tutineless Remote for controlling camera, crawler and reel.	\$	2,500.00
RX-backeye	ROWER 130X Crawler Rear-View Camera Option ROWER 130X Crawler Auxiliary LED lighting for large diameter pipes	\$	3,000,00
RX-auxlight		1	p ann
may divisitions	ROVVER 130X Crawler Auxiliary LED lighting with rear view camera for large diameter pipes	<u> </u>	5,500.00 2,500.00
-RX-Aux-RV -RX-512-Sonde		\$	2,500.00
-000-0057-VC200	WinCan option - provides seamless transfer of pendant data to winCan office acests.	\$	800.00
-RX-VC200-DMHolder	VC200 Pendant Desk Mount Holder	\$	9,000.00
-RX-VC200-DTDock-CTRL	VC200 PRO desk top pendant dock and controller	<del>-  </del>	

SVR140 Enhanced system To include: Supervision 140 all stainless steel , Canbus software based (Canbus allows for complete on board diagnostics as well as remote diagnostics and infinite upgradeability) driven crawler, 6-wheel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, 512hz sonde transmit audible pressure sensor alarm, audible rollover alarm, auto joint scan and 3 position preset lateral viewing cabilities, built in remotely controlled camera elevator(6"and above) complete with rear view camera, set of LED auxiliary lights, a set of 6 small rubber wheels, set of 4 nedium rubber wheels, set of 4 large rubber wheels, a set of 4 medium grease wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package (t-bar, full set of T Handled hex head wrenches, as well as a spare front and rear lens and seel with removal tool stc) Seal and Connector Grease, Wheel bolt set, One complete retermination kit Pressurization kit-regulator and 2 CO2 canisters, SV 100 stainless steet housed 40:1 Zeom amera with 360 degree rotation, laser measurement feature, LED light ring (LED's carry a lifetime manifecturers warranty), Pelican camera carrying case, SV 350 fully automatic cable reel, 1150 ft of Keviar cable with lifetime manufacturers warrantied stainless steet connector, extendable, anioutating arm to allow for proper cable alignment, dual distance counters, emergency stop button, Rear pendant controller, Desktop dual joystick controller with LCD viewing monitor built in, manual and auto focus, shutter and iris controls, torque and speed controls for cable rest (via the desktop controller), clutch control for use with SV 250 crawler, Rack mountable or portable System Control unit with complete systems operating and service diagnostics via built in LCD screen, steel steel insertion and extraction tool, pipe entrance cable protection pulley system, complete operations and maintenance manual and 1 2 days of factory certified training, 2 yr manufacturers warranty, System able to operate all thre 97,000.00 SV crawiers as well as sidescan technology (digi-sewer) and lateral launch upgradeable 0-050-0001-140 SVR250 Enhanced system To include Supervision 250 aluminum/ steinless steel , Canbus software based (Canbus ellows for complete on board diagnostics as well as remote diagnostics and infinite upgradeability) driven crawler, 6-wheel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, 512hz sonde transmitter, audible pressure sensor alarm, audible rollover alarm, auto joint scan and 2 position preset lateral viewing cabilities, built in remotely controlled cemera elevator(9" and above) complete with rear view camera, set of LED auxiliary lights, electrical clutch, Set of 6 small rubber wheels, set of 4 large rubber wheels, a set of 4 large pnuematic wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(I-bar, full set of T Handled hex head wrenches, as well as a spare front and rear lens and seal with removal tool, etc) Seal and Connector Grease. Wheel bolt set, One complete retermination kit, Pressurization kit-regulator and 2 CO2 canisters, SV 100 stainless steel housed 40:1 Zoom camera with 360 degree rotation, leser measurement feature, LED light ring (LED's carry a lifetime manufacturers warranty), Pelican camera carrying case, SV 350 fully automatic cable eel, 1150 ft of Kevlar cable with lifetime manufacturers warrantied stainless steel connector, extendable, articulating arm to allow for proper cable alignment, dual distance counters, emergency stop button, Rear pendant controller, Desktop dual joystick controller with LCD viewing monitor built in, manual and auto focus, shutter and iris controls, torque and speed controls for cable real (via the desktop controller), clutch control for use with SV 250 crawler, Cruise control, Rack mountable or portable System Control unit with complete system operating and service diagnostics via built in LCD screen, steel steel insertion and extraction tool, pipe entrance cable protection pulley system, complete operations and maintenance manual and 1-2 days of factory certified fraining, 2 yr manufacturers warranty, System able to operate all three SV crawlers as well as sidescan technology (digi-sewer) and lateral launch 102,000.00 upgradeable. 0-050-0001-250 SVR140 Enhanced LONG RANGE system To include: Supervision 140 ali stainless steel Canbus software based (Canbus allows for complete on board diagnostics as well as remote diagnostics and infinite upgradeablity) driven crawler, 6-wheel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, 512hz sonds transmitter, audible prassure sensor alarm, audible rollover alarm, auto joint soan and 3 position preset lateral viewing cabilities built in remotely controlled camera elevator(6"and above) complete with rear view camera, set of LED auxiliary lights, a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, a set of 4 medium great wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(tbar, full set of T-Handled hex head wrenches, as well as a spare front and rear lens and seal with removal tool, etc) Seal and Connector Grease, Wheel bolt set, One complete reterminati kit, Pressurization kit-regulator and 2 CO2 canisters, SVC 100 stainless steel housed 40:1 Zoom camera with 360 degree rotation, laser measurement feature, LED light ring (LED's carry a lifetime menufacturers warranty), Pelican camera carrying case, SV 500 fully automatic cable reel, 1640 ft of Keylar cable with lifetime manufacturers warrantied stainless steel connector, extendable, articulating arm to allow for proper cable alignment, dual distance counters, emergency stop button, Rear pendant controller, Desktop dual joystick controller with LCD viewing monitor built in, menual and auto focus, shutter and iris controls, torque and speed controls for cable real (via the desidop controller), clutch control for use with SV 250 crawler, Cruise control, Rack mountable or Portable System Control unit with complete systems operating and service diagnostics via built in LCD screen, stainless steel insertion and extraction tool, pipe entrance cable protection pulley system, complete operations and meintenance manual and 1-2 days of factory certified training, 2 yr manufacturers warrenty, System able to operate all three SV crawlers as well as sidescan technology (digi-105,000.00 wer) lateral faunch and deep well upgradeable. 0-050-0001-251

				•
	SUPERVISION SAT Lateral Launch System with Pan/Tilt Launch Camera (add on to existing SuperVision system) To include: SV SAT crawler all stainless steel. Canbus software based (Canbus allows for complete on board diagnostics as well as remote diagnostics and infinite upgradeability) driven crawler. 6-wheel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, audible pressure sensor alarm, audible rollover atarm. SVSAT 150 (500 plus 100) fully automatic cable reel and cable. PT 70 color camera with Pan, tilt, self-leveling and 350 degree rotation. LED			
	lighting and built in to the camera 512 and 33hz frequency sonde, Pelican camera case with camera removel tool, Color insertion camera and color back up camera, stainless steel field replacable canbus controlled delivery system, 3 pvc field changeable guide tubes for larger pipe launching capabilities, set of 8 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, a set of 4 medium grease wheels, wheel extenders, Spacially designed crawier carrying case, Complete tool package(t-bar, full set of T-Handled hav head wrenches, as well as a spare front and rear lens and seal with removal tool, etc) Seal and Connector Grease, Wheel bolt set, Pressurization kit-regulator and 2 CO2 canisters, Desktop dual joystick controller with LCD viewing monitor built in, manual and auto focus, shutter and iris controls torque and speed controls for cable real (via the desktop controller), Cruise Control for both crawler and Lateral taunch camera. Rack mountable or Porteble System Control unit with complete systems operating and service diagnostics via built in LCD screen, stainless steel insertion and extraction tool, pipe entrance cable protection dual pulley system, complete insertions and wateraction and extraction seed manual and 1-2 days of factory certified training, fyr	•		
50-0000-SAT_PT	manufacturers warranty	\$	90,000,00	
	SUPERVISION (Stand alone)SAT Lateral Launch System with Pan/Tilt Launch cameraTo include: SV SAT crawler all stainless steel, Canbus software based (Carbus ellows for complete on board diagnostics as well as remote diagnostics and infinite upgradeability) driven crawler, S-wineel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, sudible pressure sensor alarm, audible rollover latarm. SVSAT 150 (500 plus 100) fully automatic cable roel and cable, PT 70 color camera with Pan, tilt, self-leveling and 350 degrees rotation, LED lighting and built in to the camera 512 and 33nz frequency sonde, Petican camera case with camera removel tool, Color insertion camera			
	and color back up camere, staintess steel field replacable canous controlled cellvery system, o por field changeable guide tubes for larger pipe launching capabilities, set of 8 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, a set of 4 medium grease wheels, wheel extenders, Specially designed crawler cerrying case, Complete tool package(t- bar, full set of T-Handled hex head wrenches, as well as a spare front and rear lens and seal with removal tool, etc) Seal and Connector Grease, Wheel bolt set, Pressurization kit-regulator and 2 CO2 can statute and bis controller with LCD viewing monitor built in, manual for the property of the seal of the property of the property of the property of the present call five in the controller of the property of the property of the present controller for cable real five in the			
	desktop controller), Cruise Control for both crawler and Latersi launch camera, Rack mountable or Portable System Control unit with complete systems operating and service diagnostics via built in LCD screen, Steinless steel insertion and extraction toot, Pipe eritrance cable protection duel pulley system, SV 350 fully automatic cable reet, 1150 ft of Kevlar cable with lifetime manufacturers warrantied stainless steel connector, extendable, articulating arm to allow for proper cable alignment, dual distance counters, emergency stop button, Rear pendant controller, complete operations and maintenance manual and 1-2 days of factory certified		ė o pro o	
050-SV_SAT	training for manufacturers warranty	\$	140,000.0	
	complete on board diagnostics as well as remote diagnostics and infinite upgradeablity) driven crawler, 6-wheel overlapping wheel design, fully steerable(both directional and proportional steering) crawler with built in inclinometer, audible pressure sensor alarm, audible rollover alarm, specially designed crawler carrying case, set of LED auxilary lights, a set of 6 small nubber wheels, set of 4 medium nubber wheels, eat of 4 large rubber wheels, Complete tool package(1-bar, full set of T-Handled hax head wrenches), Seal and Connector Grease, Wheel boil set, Side Scan Upgradable, Complete operations and maintenance manual. 1 yr		٠.	
503-0900-00	manufacturers warranty.	\$	· 15,500.	00
	SUPERVISION 148 Crawler-All stainless steel, Canbus software based (Carbus allows for complete on board disgnostics as well as remote disgnostics and infinite upgradeability) driver crawler, 6-wheel overlapping wheel design, fully steerable (both directional and proportional steering) crawler with built in Inclinometer, 512hz sonde transmitter, audible pressure sensor alarm, audible rollover alarm, auto joint scan and 3 position presst lateral viewing cabilities, but in remotely controlled camera elevator (6° and above) complete with rear view camera, Special			
• •	in remotely controlled case, Set of LED auxiliary lights, a set of 6 small rubber wheels, set of 4 medium rubber wheels, set of 4 large rubber wheels, Seal and Connector Grease, Whael bott set, Full set of T-Handled hex head wrenches, Side Scan Upgradable, Complete operation and meintenance manual. 1 yr manufacturers warrantly.		23,500	.00
-504-0900-00	land maintenance manual. 1 yr manulactulets watterny.			

	SUPERVISION 250 Large Steerable Crawler-Aluminum/stainless steel, Canbus software based (Canbus allows for complete on board diagnostics as well as remote diagnostics and	-		
	Long to the state of the Author Control of the Cont			
	inhinte upgradeability) and the training crawler with built in inclinometer, 512hz sonde transmitter directional and proportional steering) crawler with built in inclinometer, 512hz sonde transmitter audible pressure sensor alarm, audible rollover alarm, auto joint scan and 3 position preset			
	I would a satisfied built in comptolic controlled camera elevatoria? and above controlled			
	I to the second part of the provident lights electrical cliffch. Set of 6 Sites (CDDS) will be a			
	with fear view carrierd, set of LEO doublety in the set of 4 large prosentals, wheels, wheel extenders, Specially designed crawler carrying case, Complete tool package(I-bar, full set of T-Handled hex head	İ		
	and seal of a spare front and rear lens and seal with removal tool, etc.) Seal and			*
	Connector Grease, Wheel boll set, Side Soan Upgradeable, Complete operations and maintenance manual. 1 yr manufacturers warranty.	\$ 28,500.00	•	
505-0900-00	to take by this Company 440 (Vio plyate: 1 by light-sensitivity: 460 HTVL resolution; locus;			
	Integrated LED light ring; 95 deg FOV; bidirectional 135-deg tilt and 350 degree rotation. Dual	s 22,000.00		
501-0950-00	tasers for measurement capability.  SUPERVISION Power Spot Super-bright Solarc lamp and batteries for dark conditions.		•	
	Management up to 40 har Magnifactured from stainless steel and audminum. Supplied was a	s 1,462.50		
538-0900-00	clear window for spot lighting and frosted window for flood lighting.	\$ 1,402.00	1	
	DigiSewer	•		
	DigiSewer Camera for ROVVER -DigiSewer camera head(high resolution fish eye optic with			
	180 degree FOV, USB adaptor box to connect with other digital periphery such as a PC, WinCan software module for a digital displaying and allocation of the image data for WinCan			
-999-0905-00	1	\$ 50,000.00		
	DigiSewer Camera for SuperVision -DigiSewer camera headings resolution has eye optic		•	
	INVICE as software module for a digital displaying and allocation of the image data for vivincent	, , , , , , , , , , , , , , , , , , ,		
-057-0900-00	Version 8. (Does not include computer or WinCan V8)  DigiSewer Camera for ROVVER X - DigiSewer camera hsad(high resolution fish eye optic with	\$ . 50,000.00		
	Landana FOV tied examine have to compact with other digital periphery Such as a FV.			
٠,	hater a compare module for a digital displaying and allocation of the image data to: **vinCare	\$ 50,000,00		
>-057-0900-RX	Version 8. (Does not include computer or WinCan V8)  Laser profiler for DS camera. 6 Laser ring to be attached to any DigiSewer camera to			
0-057-0900-LP-DS	provide pipe profile information for WinCan leser profiler	\$ 20,000.00	•	
	ROVVER, ROVVER X, SuperVision Wheels			
<u> </u>				
			,	
	Qty 1 Standard Rubber Wheel for SV95 (6 per crawler)	\$ 125.00		•
		407.05		
O-080-0510-00	Qty 1 Small Wide Rubber Wheel for SV95 & R100 (4 per crawler)	\$ 107,25		
	Oty 1 Medium Rubber Wheel for Rower 100 and \$V95 (4 per Crawler) - replaces E-008-081	0-		
0.000 0EXE 00	Oty 1 Medium Rubber Wheel for Rower 100 and \$455 (4 per Clawler) 1 replaces to 50 of 100 and E-008-0812-00	\$ 249.84	Į.	
O-080-0515-00		ļ		
	Qty 1 Small Standard Rubber Wheel for Rovver 125, SV140, SVRSAT140 Crawlers (6 for	\$ 249.84		
O-080-0520-00	R125, 6 for SV140 and 8 for SAT140)			
	Qty 1 Large Rubber Wheel for Rovver 100 and SV95 (4 Per Crawler) - replaces E-008-0820- and E-008-0822-00	\$ 249.84		
O-080-0525-00				
	Qty 1 Medium Rubber Wheel for Rovver 125, SV140, and SVRSAT140 (4 for R125, 4 for	s 249.84		
O-080-0535-00	SV140, 6 for SVRSAT140) - replaces E-026-0810-00 and E-026-0812-00	\$ 249.84	1	
	Qty 1 Small Rubber Wheel for Rovver 225 and SV250 (6 Per Crawler)	\$ 249.84	]	
0-080-0540-00			,	
	Qty 1 Large Rubber Wheel for Rovver 125, SV140, and SVRSAT140 (4 for R125, 4 for SV1-	40, \$ 249,84		
O-080-0545-00	6 for SVRSAT140) - replaces E-026-0820-00 and E-026-0822-00	1337	7	
	Qty 1 Medium Rubber Wheel for Rovver 225 and SV250 (4 Per Crawler) - replaced E-040- 0810-00 and E-040-0812-00	s 249.84	<u>.</u>	
O-080-0550-00			***************************************	_
	Qty 1 XXL Wheel for Rower 125, SV140, and SVRSAT140 (4 for R125, 4 for SV140, 6 for	\$ 292.50		•
0-080-0555-00	SVRSAT140) - replaces E-026-0808-00		7	
0-080-0560-00	Qty 1 XXI. Wheel for Rovver 225 and SVR250 (4 for each)	\$ 292.50	4	•
	Qty 1 Large Bailoon Wheel for Rovver 225 and SVR250 (4 Per Crawler) - replaces E-040-0	820		
O-080-0565-00	00 and E-040-0821-00	\$ 498.77	4	
0.000.0000.00	Qty 1 Small Grease Wheel for Rovver 100 and SVR9S (4-per crawler) was P/N E-503-0842	on \$ 330.0	<u>o</u>	
0-080-0600-00				
Q-080-0605-00	Qty 1 Medium Grease Wheel for Rovver 100 / SVR95 (4 per crawler) was PIN E-503-0843	00 \$ 275.0	0	
	Oty 1 Small Grease Wheel for Rovver 125, SVR140, and SVRSAT140 (4 for R125, 4 for SVR140, 6 for SVRSAT140) - replaces E-026-0803-00 and E-026-0824-00	\$ 281.0	7	
0-080-0610-00	IDANUIAN' O IN SALVANI (140) - Tobuscon F - cont. cont. cont. cont.	,		
		•		
	•			

O-QV_Haloptic	computer adapter, and storm shipping and storage case  QV Haloptic Rear View Camera - auxiliary wide angle rear camera views manhole and ta	nk s 1,500	]
	primitive V		·
	Language (Data Mounted) with video and Shill image (Coolding, 400 Miles Our Value VIII	\$ 18,000	0.00
	with charger, 40' control and video transitission capitolier storage. Dual Wireless 3.6" LC		
	QuickView Haloptic System - Haloptic camera / light head with color Zoom camera modul 24' telescoping carbon fiber pole with spring toaded standoff & centering device, 5 hour bat	ler	
	QuickView Haloptic	<b>a</b> .	
O-5100-6008			
O-5100-3030-HD	QuickView 30' Carbon Fiber Pole 50ff Armored Cable	\$ 950	.00
O-5100-3016-HD O-5100-3024-HD	OnickView 24' Carbon Fiber Pole	\$ 2,950.	00
O-5100-Diffuser	OV HID Lamp Window Diffuser QuickView 16' Carbon Fiber Pole	\$ 1,900. \$ 1,900	
O-5100-VEST	IOV VEST W/Viewer Pouch	\$ 75.	00
0-4400-1042	QuickView, Field of view is 90 degrees	\$ 1,200. \$ 350.	
O-5100-3003	head altachment hardware and cable protector.  QuickView wide angle lens adaptor Wide and lens adaptor for manhole inspection with a		
O-5100-CIG	148 East Aleminian Telescoping Pole Extends from 6 it to 15 it, contas vicit of	\$ 308.	75
O-5100-WIRELESS	system. For existing QuickViews, operator vest must be returned to taken	\$ 108.0	
-		s 1,400.0	
0-33775	QV Heavy Duly Shipping & Storage Case	1	
O-5100-MCHIP-MP	Standard distance measurement remains enabled.	\$ 275.0	
•	monhole denth to 25° manhole diameter to 3°, and pipe diameter models	". s 580.0	00
O-5100-4006 .	(with standoff mount, brass bushing, spring support and spring support charge):		
V-0100-2010	Carbon fiber noise, neobrene foot, and compression spring	\$ 660,0	0
D-5100-3618	another 6-18' to inspection depth	\$ 825.0	<u>.</u>
O-5180-3600	poles, adds anomer of to inspection depart.  Fiberglass 6-18' Extension Clamp - Fiberglass extension fits all CF telescoping poles, adds		
3-VID-0002-01	foam carrying and storage case.  Carbon Fiber 6' Extension Clamp - Cerbon Fiber extension fits all carbon-fiber telescoping poles, adds another 6' to inspection depth.	\$ 625.0	<u> </u>
2 VID 0000 01	from carrying and storage case.	\$ 2,500.00	4
7-0100-201K	pressurtzation kit, Heavy Duty custom cerrying and savings content, I GB memory stick, S Sony GVHD 700 Professional Package GVHD 700 viewer/recorder, I GB memory stick, S hour bettery, bnc-rca cable, mini dv tape and Sony USB memory stick reader and custom-cut		
0-5100-9012		\$ 10,485.00	<del>'</del>
	color zoom camera, and basic object measurement. Joystoc control box, to	1	
	QuickView Professional 30 Package System includes Camera head with HID Lighting, 432:	1	
-5100-9011	Armored Cable, Battery Pack with Criatget, and Eight Onloge case. 24' Carbon Fiber Pole pressurization kit, Heavy Duty custom carrying and storage case. 24' Carbon Fiber Pole		
		\$ 10,000.00	<u>'</u>
			,
	QuickView Professional 24 Package System includes Camera head with HID Lighting, 432:1		
5100-9010			
6400 B040	Armored Cable, Battery Pack with Charger, and Light Unitset, Visual 16' Carbon Fiber Pole pressurization kit, Heavy Duty custom carrying and storage case. 16' Carbon Fiber Pole	\$ 10,000,00	
	Quickview Professional to Petrage System under Loyetick control box, 40' Extreme color zoom camera, and basic object measurement. Joyetick control box, 40' Extreme Armored Cable, Battery Pack with Charger, and Light Diffuser, Wide angle lens and Armored Cable, Battery Pack with Charger, and Light Diffuser, Wide angle lens and		
•	Quickview Professional 16 Package System includes Camera head with HID Lighting, 432:1		
V100-3010			
5100-9013	pack with charger , light distoses, who exige the telescopic pole.	\$ 8,500.00	
	Quickview Basic 18-5ystem includes cannies used with row of extreme amored cable, battery camera and basic object measurement, joystick control box 40° extreme amored cable, battery camera and basic object measurement, in the control of extreme amored cable, battery cannies and pressurization kit.  18' alumunimum pack with charger, light diffuser, wide angle tens and pressurization kit.  18' alumunimum	n = n = n = n = n	
	Quickview Basic 18-System includes Camera head with HID lighting ,432:1 color zoom	ļ	
	QuickView Version 3.5		
		<u> </u>	
505-0830-00	SV Set of ( 4 ) Med 135 Grease Wheels for FW250 (Large Crawler)	\$ 2,350,00 [	
503-0852-00		s 2,350,00	
	SV Large Grease Wheel for FW95 (Small Crawler)	\$ 275.00	
503-0061-00	SV 95 Small Grease Wheel Tread Unity		•
80-0635-00	6 for SVRSAT140) - replaces E-026-0807-00 and E-026-0820-00		
•	Oty 1 Large Grease Wheel for Rovver 125, SV140, and SVRSAT140 (4 for R125, 4 for SV140,	256.25	
80-0630-00			·
	Qty 1 Medium Grease Wheelfor Rovver 123, 9014-0 and E-026-0806-00 \$ SV140, 6 for SVRSAT140) - replaces E-026-0804-00 and E-026-0806-00	.281.07	
	Oty 1 Medium Grease Wheel for Rovver 125, SV140 and SVRSAT140 (4 for R125, 4 for	`	
0-0625-00	Oty 1 Large Grease Wheel for SVR95 (4 per crewler)		
	\$	707,00	
		484,90	

	QV Hatoptic Light Engine - Single HID bulb and ballast mounted within calibrated socket for		1
DVH-58093-6			
1411-05699-0	the state of the s	\$	1,500,00
QV DualMoritors	Dual viewer/recorders with pole mount, Micro SD Card & Reader viewer/recorders with pole mount 3.6" viewer/recorder Single QuickView wireless, pole-mount 3.6" viewer/recorder	3	500,00
DV-HC8418	Single Quickview watersat, potential water		
	Diametrik	<del> </del>	
	DiaMetrik Pipe and Manhole Measurement - Standard system with 15' aluminum pole (cable		ļ
			Ì
	i mit for newer and I CD display of measurements, bisposts case, development	\$	4,000,00
Diametrik-15	spare mirror, recharger, and laptop connection.		
	Verisight Pro		
	VeriSight Pro 100' Push Camera with Digital Viewer/Recorder - Standard Package with 100'		1
	control, text generation, recording and digital output, acceptance	8 .	8,570.00
-V-SY\$-090-000-100	3 skids, and tooling.  VeriSight Pro 200' Push Camera with Digital Viewer/Recorder - Standard Package with 200'  VeriSight Pro 200' Push Camera with Digital Viewer/Recorder - Standard Package with 200'		
			Į.
	cable, self-leveling camera, tri-frequency sorble, ballary paracles case with USB memory stick, control, text generation, recording and digital output, accessories case with USB memory stick,		9,570.00
ייים מחת מחת מחת		\$	3,31 0.00
-V-SYS-090-000-200		1	
	Verifsight Pro 300 Push Camera with figure views they powered control unit with viewing, cable, self-leveling camera, thi-frequency sonds, battery powered control unit with viewing, control, text generation, recording and digital output, accessories case with USB memory stick,	1	1
	control, text generation, recording and digital output, accessories output	\$	10,570.00
>-V-SYS-090-000-300	3 skids, and tooling.		
	Agilios	İ	
	7.31170		
		1	1
	Aglice Push Camera with 36U-degree part are outlegted bends, withstands pressure to 1 leveling camera head on 200' cable navigates past multiple bends, withstands pressure to 1 leveling camera head on 200' cable navigates past multiple bends, withstands pressure to ber, and illuminates target with shadowless LED array, Joystick pendant with 800x800 color touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde video can be downloaded by USB 2.0, Ethernet or Xpress card.	n \$	28,000,00
O-999-0307-00	ber, and lituminates target with shadowless LED array, solvation portated and JPEG stills, inspection	\$	28,000,00
O-999-0907-00	bar, and illuminates target with shadowless LED array, objects brought of the state	s s	28,000,00
0-999-0907-00	ber, and illuminates target with shadowless LEV area, colored and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.	s s	28,000,00
0-999-0807-00	bar, and illuminates target with shadowless LED array, objects brought of the state	\$	28,000,00
0-999-0807-00	ber, and illuminates target with shadowless LEV array, colored and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  WinCan Products	\$	28,000,00
	ber, and illuminates target with shadowless LEV array, colyndro and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  WinCan Products  Wincan V8 Core Module	\$ \$	2,800,00
O-999-0807-00  E-000-0057-00  E-000-0057-01	ber, and illuminates target with shadowless LEV area, colored and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  WinCan Products  Wincan V8 Core Module	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	. 2,800,00 2,001,00 2,200,00
E-000-0057-00 E-000-0057-01 E-000-0057-02	ber, and illuminates target with shadowless LEV array, colorish or and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan Products  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03	ber, and illuminates target with shadowless LEV area, coston point of touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection nerration via wireless headset.  Wincan Products  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report, generator)  Wincan V8 Oyerlay Control Module  Wincan V8 Core Module  Wincan V8 Core Module  Wincan V8 Core Module  Wincan V8 Core Module  Wincan V8 Core Module	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	. 2,800,00 2,001.00 2,200.00 980.00 1,587.00
E-000-0067-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04	ber, and illuminates target with shadowless LEV area, coyled and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan Products  Wincan V8 Core Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Operlay Control Module  WinCan V8 Lateral Inspection Module	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07	ber, and illuminates target with shadowless LEV area, coston point of touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not including a control to the control of the control	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.82 3,750.00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-02 E-000-0057-04 E-000-0057-07 E-000-0057-08	ber, and illuminates target with shadowless LEV area, coston point of touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not including a control to the control of the control	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	. 2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07	ber, and illuminates target with shadowless LEV array, objection had all PEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Larrat Inspection Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu-  - p/n E-00-0-057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 990.00 1,587.00 2,738.82 3,750.00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-08	ber, and illuminates target with shadowless LEV area, coyonisho and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan Products  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Lateral Inspection Module  WinCan V8 Map Module 2008 (requires ESRI ArcGts 9.3 Engine Runtime license, not inclu pln E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.82 3,750.00
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-09	ber, and illuminates target with shadowless LEV array, objection and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu-p/n E-500-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82 3,750,00 1,029,41 2,749,41 3,750,00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-08 E-000-0057-09 E-000-0057-10 E-000-0057-10	ber, and illuminates target with shadowess LEV area, coston portion between performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan V8 Core Module  Wincan V8 Marrhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not including the E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-09 E-000-0057-10 E-000-0057-11	ber, and illuminates target with shadowess LEV area, coston portion between performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan V8 Core Module  Wincan V8 Marrhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not including the E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82 3,750,00 1,029,41 2,749,41 3,750,00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-08 E-000-0057-09 E-000-0057-10 E-000-0057-10	ber, and illuminates target with shadowess LEV area, copying to consider and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu ph E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture  Module part number E-000-0057-11)  WinCan V8 VSR Card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10)  WinCan V8 VCR Control Module  VMnCan V8 Multiple Inspection Upgrade Allows user to store more than two inspections pe	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82 3,750,00 1,029,41 2,749,41 3,750,00 793,00 -2,656,00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-12 E-000-0057-15	ber, and illuminates target with shadowless LEV area, coyon for and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan V8 Manhole Inspection Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Lateral Inspection Module WinCan V8 Lateral Inspection Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu-plus E-000-0057-ARC) WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11) WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-00057-10) WinCan V8 VCR Control Module WinCan V8 Multiple Inspection Upgrade Allows user to store more than two inspections peline WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-12 E-000-0057-16	ber, and illuminates target with shadowess LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report, generator)  Wincan V8 Analysis Module (report, generator)  Wincan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu-p/n E-000-0057-ARC)  WinCan V8 WBP 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 recording software E-000-0057-11)  WinCan V8 VCR Control Module  WinCan V8 VCR Control Module  WinCan V8 VCR Control Module  WinCan V8 WCR module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82 3,750,00 1,029,41 2,749,41 3,750,00 2,656,00 2,162,00 1,400,00 9,900,0
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-17	ber, and illuminates target with shadowess LEV area, copyrish on and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection nerration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Lateral Inspection Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not incluph E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10)  WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Draw Module  WinCan V8 Draw Module	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 990.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00 2,656.00 2,162.3 1,400.0 9,900.0 2,100.0
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-07 E-000-0057-08 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-18 E-000-0057-18	ber, and illuminates target with shadowess LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu-p/n E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VTEC card for MPEG 1/2/4 recording software E-000-0057-11)  WinCan V8 VCR Control Module  WinCan V8 VCR Control Module  WinCan V8 WCR module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Draw Module  WinCan V8 Digital Video Indexing	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.02 3,750.00 1,029.41 2,749.41 3,750.00 793.00 2,656.00 2,162.31 1,400.00 9,900.00 2,100.00 2,100.00 2,000.00
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-17 E-000-0057-18 E-000-0057-19 E-000-0057-19	ber, and illuminates target with shadowess LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan V8 Core Module  Wincan V8 Marihole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Islateral Inspection Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not including the E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10)  WinCan V8 WRC Rontrol Module  WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Draw Module  WinCan V8 Draw Module  WinCan V8 Draw Module  WinCan V8 Digital Video Indexting  WinCan V8 Digital Video Indexting  WinCan V8 Upgrade (from V7)  WinCan V8 Upgrade (from V7)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 980.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00 793.01 2,656.00 2,162.3 1,400.0 9,900.0 2,100.0 2,200.0 1,280.0
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-18 E-000-0057-19 E-000-0057-20	ber, and illuminates target with shadowess LEV array, objection and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection negration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Dyerlay Control Module  WinCan V8 Lateral Inspection Module  WinCan V8 Lateral Inspection Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu ph E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture  Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-1)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10)  WinCan V8 WCR Control Module  WinCan V8 WCR module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Draw Module  WinCan V8 Draw Module  WinCan V8 Upgrade (from V7)  WinCan V8 WCR Import/Export Module  SERI ArcGIS Pagine	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 980.00 1,587.00 2,738.02 3,750.00 1,029.41 2,749.41 3,750.00 793.00 2,656.00 2,162.31 1,400.00 9,900.00 2,100.00 2,100.00 2,000.00
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-18 E-000-0057-18 E-000-0057-19 E-000-0057-19 E-000-0057-20 E-000-0057-21	ber, and illuminates target with shadowless LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu-p/n E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part rumber E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 recording software E-000-0057-11)  WinCan V8 VCR Control Module  WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Draw Module  ESRI AroGIS Runtime Engine	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 980.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00 2,656.00 2,162.3 1,400.0 9,900.0 2,100.0 1,280.0 9050.0 955.0 362.8 7,886.6
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-04 E-000-0057-04 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-17 E-000-0057-18 E-000-0057-19 E-000-0057-19 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21	ber, and illuminates target with shadowess LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Inclination Module  WinCan V8 Inclination Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu-p/n E-000-0057-ARC)  WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 recording software E-000-0057-11)  WinCan V8 VCR Control Module  WinCan V8 WCR module upgrade Allows user to store more than two inspections per line  WinCan V8 Draw Module  WinCan V8 Draw Module  WinCan V8 Draw Module  WinCan V8 Draw Module  ESRI ArcGIS Runtime Engine  WinCan V8 Deater Demo License	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 990,00 1,587,00 2,738,82 3,750,00 793,01 2,556,00 2,100,0 2,000,0 1,280,0 9,950,0 9,950,0 362,2 7,889,8 1,250,0
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-18 E-000-0057-19 E-000-0057-19 E-000-0057-20 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21 E-000-0057-21	ber, and illuminates target with shadowless LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Inclination Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu- p/n E-000-0057-ARC) WinCan V8 WSB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part rumber E-000-0057-11) WinCan V8 VCR Control Module WinCan V8 Real-time MPEG 1/2/4 recording software e-000-0057-19 or E-0 0057-10) WinCan V8 WCR Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 URC Import/Export Module ESRI ArcGIS Runtime Engine WinCan V8 Dragade (from V7)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 990.00 1,587.00 2,738.82 3,750.00 1,029.41 2,749.41 3,750.00 2,656.00 2,162.3 1,400.0 9,900.0 2,100.0 2,000.0 1,280.0 9,50.0 9,50.0 9,50.0 1,280.0 1,280.0 1,280.0
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-16 E-000-0057-16 E-000-0057-17 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-09	ber, and illuminates target with shadowless LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Inclination Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu- p/n E-000-0057-ARC) WinCan V8 WSB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part rumber E-000-0057-11) WinCan V8 VCR Control Module WinCan V8 Real-time MPEG 1/2/4 recording software e-000-0057-19 or E-0 0057-10) WinCan V8 WCR Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 URC Import/Export Module ESRI ArcGIS Runtime Engine WinCan V8 Dragade (from V7)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,738,82 3,750,00 793,00 2,749,41 3,750,00 2,656,00 2,162,31 1,400,0 9,900,0 2,100,0 2,100,0 2,000,0 1,280,0 905,0 362,9 7,889,6 1,250,0 18,595,0 3,150,0
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-09	ber, and illuminates target with shadowless LEV area, copyonation and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan V8 Core Module  Wincan V8 Manhole Inspection Module  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Analysis Module (report generator)  Wincan V8 Lateral Inspection Module  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not including the E-000-0057-ARC)  WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not including the E-000-0057-ARC)  WinCan V8 WSB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11)  WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11)  WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10)  WinCan V8 WRC Control Module  WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module)  WinCan V8 Digital Video Indexing  WinCan V8 Upgrade (from V7)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 990.00 1,587.00 2,738.82 3,750.00 2,749.41 3,750.00 2,656.00 2,162.3 1,400.0 9,900.0 2,100.0 2,000.0 1,280.0 9,50.0 9,50.0 1,280.0 1,280.0 1,280.0 1,895.0 1,895.0 1,895.0 1,895.0 1,863.1 1,863.1
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-09 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-17 E-000-0057-19 E-000-0057-19 E-000-0057-05	ber, and illuminates target with shadowless LEV area, coylondor and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection narration via wireless headset.  Wincan V8 Manhole Inspection Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Lateral Inspection Module WinCan V8 Lateral Inspection Module WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not incluph E-000-0057-ARC) WinCan V8 WBD 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11) WinCan V8 VITEC card for MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10) WinCan V8 WRC Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 URC module upgrade (requires E-000-0057-21 im	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 2,200.00 3,000.00 1,587.00 2,738.82 3,750.00 1,029.41 3,750.00 2,656.00 2,162.3 1,400.0 9,900.0 2,000.0 1,280.0 9,900.0 1,280.0 1,853.0 1,853.0 1,853.0 1,853.0
E-000-0057-00 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-09	ber, and illuminates target with shadowless LEV area, copyrished and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Inclination Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu- p/n E-000-0057-ARC) WinCan V8 WSB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part rumber E-000-0057-11) WinCan V8 VCR Cord for MPEG 1/2/4 (requires software E-000-0057-19) WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10) WinCan V8 WCR Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Brade (report/Export Module ESRI AroGIS Runtime Engine WinCan V8 Draw Module WinCan V8 Drade (Irom V7) WinCan V8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,749,41 3,750,00 793,00 2,656,00 2,162,00 2,100,0 2,100,0 2,100,0 3,625,8 7,889,6 1,250,6 1,863,6 9,00,0 1,863,6 9,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-17 E-000-0057-18 E-000-0057-18 E-000-0057-19 E-000-0057-20 E-000-0057-20 E-000-0057-30	ber, and illuminates target with shadowless LEV area, copyright on touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V6 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Lateral Inspection Module WinCan V8 Inclination Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI ArcGIS 9.3 Engine Runtime license, not inclu-pln E-000-0057-ARC) WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-11) WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10) WinCan V8 WRC module upgrade Allows user to store more than two inspections pe line WinCan V8 USB Core Control Module WinCan V8 Draw Module WinCan V8 Usprade (from V7) WinCan V8 Upgrade (from V7) WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Digital Video indexing WinCan V8 Deater Demo License WinCan V8 Digital Video indexing WinCan V8 Digital Video indexing WinCan V8 Digital Video indexing WinCan V8 Digital Video indexing WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Core Oracle Network 5 User License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deater Demo License WinCan V8 Deat	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 990,00 1,587,00 2,738,82 3,750,00 2,749,41 3,750,00 2,658,00 2,162,3 1,400,0 2,000,0 2,000,0 2,100,0 2,000,0 1,280,0 1,250,0 18,595,0 3,150,0 18,595,0 3,150,0 18,595,0 3,150,0 18,595,0 3,150,0 18,595,0 3,150,0 18,595,0 3,150,0 18,595,0 1
E-000-0057-01 E-000-0057-01 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-08 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-16 E-000-0057-16 E-000-0057-17 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-19 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001 E-000-0057-001	ber, and illuminates target with shadowless LEV area, copyrished and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Inclination Module WinCan V8 Inclination Module WinCan V8 Map Module 2008 (requires ESRI AroGIS 9.3 Engine Runtime license, not inclu- p/n E-000-0057-ARC) WinCan V8 WSB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part rumber E-000-0057-11) WinCan V8 VCR Cord for MPEG 1/2/4 (requires software E-000-0057-19) WinCan V8 Real-time MPEG 1/2/4 recording software only (requires E-000-0057-09 or E-0 0057-10) WinCan V8 WCR Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Draw Module WinCan V8 Brade (report/Export Module ESRI AroGIS Runtime Engine WinCan V8 Draw Module WinCan V8 Drade (Irom V7) WinCan V8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800,00 2,001,00 2,200,00 980,00 1,587,00 2,749,41 3,750,00 793,00 2,656,00 2,162,00 2,100,0 2,100,0 2,100,0 3,625,8 7,889,6 1,250,6 1,863,6 9,00,0 1,863,6 9,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0 3,00,0
E-000-0057-00 E-000-0057-01 E-000-0057-02 E-000-0057-03 E-000-0057-04 E-000-0057-07 E-000-0057-09 E-000-0057-10 E-000-0057-11 E-000-0057-11 E-000-0057-15 E-000-0057-16 E-000-0057-16 E-000-0057-17 E-000-0057-18 E-000-0057-18 E-000-0057-19 E-000-0057-20 E-000-0057-20 E-000-0057-30	ber, and lituminates target with snadowless LEU array. Solvens and JPEG stills. Inspection touchscreen performs text overlay and digitally stores MPEG video and JPEG stills. Inspection video can be downloaded by USB 2.0, Ethernet or Xpress card. Other features include sonde transmitter and blue-tooth connectivity for inspection marration via wireless headset.  Wincan V8 Core Module Wincan V8 Manhole Inspection Module Wincan V8 Analysis Module (report generator) Wincan V8 Analysis Module (report generator) Wincan V8 Leteral Inspection Module WinCan V8 Instination Module WinCan V8 Instination Module WinCan V8 Instination Module WinCan V8 Instination Module WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 External Encoder (requires Digital Capture Module part number E-000-0057-ARC) WinCan V8 USB 2.0 Mobile Cap MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 WICC card for MPEG 1/2/4 (requires software E-000-0057-11) WinCan V8 WRC and MPEG 1/2/4 recording software only (requires E-000-0057-0) op57-10) WinCan V8 WRC Control Module WinCan V8 WRC Control Module WinCan V8 WRC module upgrade (requires E-000-0057-21 import/export module) WinCan V8 USR Control Module WinCan V8 Usraw Manager Module WinCan V8 Usraw Manager Module	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,800.00 2,001.00 2,200.00 990.00 1,587.00 2,738.8 3,750.0 1,029.4 2,749.4 3,760.0 2,655.0 2,162.1 1,400.1 9,900.1 2,000.1 1,280.1 1,280.1 1,280.1 1,863.5 3,150.1 1,863.5 3,1

	Side Control MOSC	\$ 10,000.00	
000-0057-M-Advanced	WinCan V8 Advanced Mobile Package includes Core, Inclination, Digital Capture (MPEG), overlay, VCR, Manhole, and Lateral Modules (does not include Vitec Card or Mobile Cap)		
000-0057-M-Basic	WinCan V8 Basic Mobile Package Includes Core, Overlay, Vot Control	\$ 5,000.00	
000-0057-M-Expert	WinCan V8 Expert Mobile Package includes Core, Notificial Package, Machine (MPEG), Overlay, VCR, Manhole,	\$ 18,000.00	
000-0057-O-Advanced	and Lateral Modules (does not include Viter Card or Mobile Car)  WinCan V8 Advanced Office Package Includes Core, Lateral, Manhold, Report Generator, and	\$ 8,000.00	
	Jog/Shuttle Modules WinCan V8 Basic Office Package includes Core, Lateral, and Manhole Modules	\$ 3,000.00	
000-0057-O-Basic 000-0057-O-Expert	WinCan V8 Basic Office Package Includes Core, Manhole, Report Generator, Jog/Shuttle, WinCan Map (not including ARC ESRI), Measurement, Multi Inspection, GIS Integration, Project Manager	\$ 15,000.00	
-Wincen-Service Agreement	L. V C. was d. Occopment	\$ 1,500.00 \$ 3,300.00	•
WINCANTRAINING	Two-Day On-Site WinCen V8 Training Includes instructor's travel expenses.	\$ 3,300,00	
	Accessories	·	
		\$ 990.00	
-VID-0021-01	19 inch computer monitor to include cableling and mounting bracketry	\$ 900.00	
-VID-0039-01	19 inch LCD Monitor to include cabeling and mounting bracketry	\$ 485,00	
-VID-0054-00	DVD Recorder/ Player Combo Rackmount Computer Include: Intel I-7 850 Processor 1333FSB, Intel X-55 1333FSB Solid Rackmount Computer Include: Intel I-7 850 Processor 1333FSB, Intel X-55 1333FSB Solid Rount Capacitiots Main Bard, 4GB DDR-3 1600FSB RAM I-7 Optimization RAM, 4-U Rack Mount Case Super Short 15" Depth, 2 Seagate 500GB SATA 2 RAid 1 Mirror 72K/16MB, DVD RM Disk Drive 24X All Rite, PCI-E 512MB S-Videa DVI SVGA Fanless 16X Express Card, 2 9 RM Disk Drive 24X All Rite, PCI-E 512MB S-Videa DVI SVGA Fanless 16X Express Card, 2 9 RM Serial Ports, UL 730W Pick Time Server Power Supply, Windows XP Pros Base OS, PCI Wireless 802.11 B/G/N Dual Band Extended Range, 2 SATA 2 Raid Drives 72K/32MB	\$ 3,500.00	
-PA-Rackmount ,	ConstES  Laptop Computer including 15.4? WXGA Monitor, 80G Hard Drive, 1G RAM, 802.11 Wireless 10/100 LAN, NVIDIA GeForce Graphics, DVD-RW/CD-RW Drive, Blue Tooth ready, Microsoft Windows XP Professional, Dazzle 100, USB/Serial Cable, RCA/RCA Cable, RCA/BNC Adap		
E-000-0054-00	Windows XP Protessional, Dazzie 100, Osbroeital Caste, No. 444	\$ 600.00	
E-HP-PRINTER	Color Photo Printer		4
	Locators		_
	vLocCam Standard Receiver with compass - Passive power mode and two acctive frequencies of 512Hz and 33kHz. Alkeline and Ni-Mh (rechargeable) Batteries, Charger and Shoulder Styl Carry Bag are included	s 2.080.00	2
E-V-201-201-004 E-V-200-201-001	vi.ocPro Standard Reciever with Compass - internal rechargeable batteries, charger and alkaline patter pack. Passibe modes of Power and Radio and Active frequencies of 512Hz, 6kHz, 33kHz, 65kHz and 200kHz	\$ 2,370.00	0
	Transport Options / Upfits		
(E-Outpost	Outpost Portable Enclosure/Inspection Platform Aluminum Box is 48.5 inch H x 42.25 inch W x 42.25 inch D. Exterior is painted metallic gray, interior painted non-glaring black. Box interior has shelving for monitor, VCR, CCU and Cable reel, Tool drawer Circuit Breaker Bo and Side Door storage and drip rail.		
E-SV-OUTPOST	SuperVision OutPost SuperVision Outpost Portable Enclosure/Inspection Platform; Aluminum Box is 46.5" H x 42.25" W x 42.25" D. interior painted non-glaring black. Box inter has shelving for monitor, VCR, CCU and Cable reel, Single Tool drawer.	ior \$ 9,352.6	00
E-Oulp-GensildeOut	Outpost Generator Silde-out Upgrade Slide tray for generator in the upper right rear compartment. Generator sildes out of the compartment 24 inches permitting generator to staffixed on the tray while running.	ie i	<u> </u>
E-Outp-Washdown	Outpost Washdown System Opgrade Incodes a 20 ft. Sen which is the support of the properties of the sen water tenk is included with 110 voll pump wit 40 pst and outside fresh water till.	\$ 1,760.	
E-U2000-00	Honda U2000 Generator	s 1,500.	.00
CUTAWAY BOX	14',15,16' Cutaway Box-Barn Style Rear Doors and Standard Cab opening, with stiding of and Full Width Step Bumper or Chicago Style Bumper		.00
DRY FREIGHT BOX	14',15',16' Dry Freight Box-Barn Style Rear Doors and Full Width Step Bumper or Chicag Style Bumper	s 5,900	0.00
Box Oplions	Full Size Cutuaway Entrance, with sliding door and Fairing add to above Cutaway Bo	s 750	0,00
	cost  Side Entry door and fold down RV steps and grab handle for Cutaway of Dry Freight		· .

	FullSize Lift Up rear door with shocks to replace Barn Style Rear Door on either Dry		4.400.00	
	Freight or Cutaway Box, add to above cost	\$	1,400,00	
	Buildout - see attached spec (buildout only not to include vehicle)	\$	22,500.00	
Cargo Van Uplit		\$	27,500.00	
Cargo Van Upfil .	Buildout - see attached spac (buildout only not to include vahicle)	s	25,000.00	
Traller Upfit	Buildout - see attached spec	+	20,000.00	•
Italia Opin		\$	36,000,00	
Trailer Upfit	Buildout - see attached spec	\$	25,000.00	
Cutaway/Dry Freight Upfit	Build out-see attached spec	<u> </u>		
	Buildout - see attached spec (buildout only not to include vehicle)	\$	30,000.00	
Cuteway/Dry Freight Upfit		\$	33,000,00	
Sprinter Upfit	Buildout - see attached spec (buildout only not to include vehicle)  Buildout - see attached spec (buildout only not to include vehicle)	\$	34,000.00	
ro Sprinter Upfit	Isini To Eyceed 25% of Total Package Cost and prices given are to tened to	m(	,	
published Option	for customization of above packages	<u> </u>		
Dabasies V				
Mary Mary Mary Mary Mary Mary Mary Mary				
<u></u>	UPFIT OPTIONS	<del> </del>		
		_		
	EZ/XL Cargo Van options			
	6.0 Diesel Generator Up grade (In Lieu of Ges) (Ariri on Cost)	\$	3,000.00	
	Wall Mounted Heater	\$ \$	361.00 492.00	
	Recessed 12 Voll Lighting in office area	\$	240.00	
	Roof Mounted Work Area Flood Lights (2) 12 Vott Handheld Spot Light	\$	52.00	
	Slide/Swivel platform (No for use with SV)	S	519,00 240,00	
	Rear mounted Strobe Light	\$	1,202.00	
	Front Arrow Board Four Corner Strobes	\$	1,128.00	
	Back Up Alarm	\$	120.00 858.00	
	Back Up Camere	\$	6 ,500,00	
	Bubble Top Extension		0.000,00	
	m 3 Little adard and Fire			
	EZ/XL Cutaway/Dry Freight/Standard and Euro		1	
	Sprinter Options			
	2 Llast the Day Ecology and Cullaway in	Lieu \$	3,000.00	
	6.0 Diesel Generator Upgrade (Only available on the Dry Freight and Cutaway in Wall Mounted Heater	8	361.00	
	Recessed 12 Volt Lighting in office area	\$	492,00 1,087,00	
	Bench Seal with Storage and Cushion	\$	240.00	
<u>,</u>	Roof Mounted Work Area Flood Lights (2) Single Bowl Sink with Gray Water Tank	\$	561.00	
	Single Bowl Sink With Gray Water Tarin  Pedestal Crane	§	3,710,00 52,00	
	12 Voit Handheld Spot Light	<u>\$</u>   \$	110.00	
	QuickView Storage Brackets Wall Mounted Swing Out Light	\$	481,00	
	Wall Mounted Swing Out Light Slide/Swivel platform (No for use with SV)	\$	519.00	
	Work Area Awning	\$ 5	1,074.00 240.00	
	Rear mounted Strobe Light	-   <u>\$</u> -	1,202.00	
	Front Arrow Board Four Corner Strobes	\$	1,128,00	İ
	Back Up Alarm	\$	120.00 858.00	ĺ
	Back Up Camera			· ·
	EZ/XLTrailer Options			
				]
	7X10 Single Axle Trailer(only available with EZ upfit) Deduct \$1226 Up)		<\$1225.00>	4
	The state of the s	3.00)	<\$1800.00> 492.00	1
<u> </u>	Tongue Mounted Generator Opin (1) Etc.  Recessed 12 Voll Lighting in office area (Only available in XL)  Roof Mounted Work Area Flood Lights (2)	\$	240,00	
	OutstView Storage Brackets	\$	110,00	
	Would Mounted Swing Out Light	\$ \$	461.00 519.00	
	Slide/Swivel platform (No for use with SV)	- <del>  3</del>	1,074.00	Н
	Work Area Awning Rear mounted Strobe Light	\$	240.00	<u> </u>
	I THE HUMING VAVOU LIST	\$	1,202.00	4
	Front Arrow Board			
	Front Arrow Board			_
	Front Arrow Board  CHASSIS			1

	,				
			27,000.00		
	New Chevrolet Express 2500 Cargo Van with 4.8L V8 Gas Engine	\$	28,000.00		
		. \$	39,000.00		
	The state of the s	\$	29,000.00		
		\$	30,000,00		4
		\$	41,000.00		
		<u>\\$</u>	30,200.00		
<u> </u>		\$	31,200.00		
		\$	42,400.00		
		\$	30,000,00		
		\$	31,000.00		
		\$	43,285.00		
		\$			
		18	28,235.00 29,235.00		
		\$	40,325.00		
		\$	30,600.00		
		- 8	42,595.00		
	New Chevrolet Express 4500 Cutaway Chassis with 6.6t. V8 Diesel Engine New Chevrolet Express 4500 Cutaway Chassis with 6.6t. V8 Diesel Engine	\$		1	
	New Ford Transil 2.0L I-4 Gas Engine	\$	21,880.00 30,420,00	•	
	New Ford Transit Zot. 14 Gas Engine New Ford E-350 Cargo Van with 5.4L V8 Gas Engine	\$	38,420,00		
	New Ford E-350 Cargo Van With 6.8L V10 Gas Engine New Ford E-350 Cargo Van With 6.8L V10 Gas Engine	\$	31,455.00		
		\$	39,465.00		
	- I F OCO Caree Van Evlenden Wilh bibly 10 Gas Erigino	\$			
	New Ford E-350 Cargo Vari Extenses  New Ford E-350 Culaway Chassis with 5.4L V8 Gas Engine	\$	27,960.00		
	New Ford E-350 Cutaway Chassis with 6.8L V10 Gas Engine New Ford E-350 Cutaway Chassis with 6.8L V10 Gas Engine	\$	28,760.00		
	New Ford E-350 Cutaway Chassis with 5.4L V8 Gas Engine New Ford E-450 Cutaway Chassis with 5.4L V8 Gas Engine	\$	29,380.00	÷	
	New Ford E-450 Cutaway Chassis with 6.8L V10 Gas Engine New Ford E-450 Cutaway Chassis with 6.8L V10 Gas Engine	\$	30,180.00		
	New Ford E-450 Cutaway Criassis with 6.8L V10 Gas Engine New Ford F-450 Truck Cab Chassis with 6.8L V10 Gas Engine	\$	33,085.00		
	New Ford F-450 Truck Cab Chassis with 6.01 V8 Diesel Engine New Ford F-450 Truck Cab Chassis with 6.01 V8 Diesel Engine	\$	40,550.00		
	New Ford F-450 Truck Cab Chassis with 6.8L V10 Gas Engine New Ford F-550 Truck Cab Chassis with 6.8L V10 Gas Engine	\$	33,985.00	•	
	New Ford F-550 Truck Cab Chaseis with 6.0L V8 Diesel Engine New Ford F-550 Truck Cab Chaseis with 6.0L V8 Diesel Engine	\$	41,470.00		
	New Ford F-650 Truck Cab Chassis with 5.7L V8 Gas Engine New Dodgs 3500 Truck Cab Chassis with 5.7L V8 Gas Engine	\$	29,850,00		
	New Dodge 3500 Truck Cab Chassis with 6.7 I-6 Diesel Engine	\$	37,870,00		
	New Dodge 3500 Track Cab Chassis with 6.7 I-6 Diesel Engine New Dodge 4500 Track Cab Chassis with 6.7 I-6 Diesel Engine	\$	41,185.00		
	The state of the s	\$	42,395,00 45,000,00	4	
	The second secon	S		-{	
	New Sprinter Van 2500 With High Roof 170" W8 V6 Diesei Eng.	\$	46,000.00		
	New Sprinter Cab Chassis 3500 170"WB V6 Diesel Eng.	\$	38,000.00	4	
	New Sprinter Cap Ghassis 3000 170 vto vo	,		1	
•				•	
• •	•			•	
				•	
•	•				
	•				