

Bidder Tabulation - Bid #RFQ006802

Purchase of CapanUtility Bodies

Opened September 28, 2017

Bidder Name/Address	Contact Name/#	References	Experience	Warranty	Build Sheet	Literature	Manuals	Attachments	C.C. #	Other
Kaffenbarger Truck Equipment Company	cferguson@kaffenbarger.com	N	N	N	N	N		N		Bidder did not submit any attachments. May have to waive bidding in order to award supplier.
Ace Truck Body Inc	Bill Davie anne@acetruck.com	N	N	N	N	Y		Y		Bidder submitted an attached quote, in which, if awarded, the terms will need to be rescinded.
Rose, K Erich	Hansel Harrison kerosco@kerosco.com	Y	Y	Y	Y	Y		Y		Bidder submitted all needed documentation.
Quality Truck Body And Equipment Co I...	chad smithberger csmithberger@sbcglobal.net	Y	Y	N	Y	Y		Y		If awarded, bidder needs to clarify the warranty terms. Also, please verify the built sheet meets specifications.

Bidder Tabulation - Bid #RFQ006802

Purchase of Capan Utility Bodies

Opened September 28, 2017

Vendor #	Type	Line #	Alt.	Total	Product name	Qty	Unit price	Comment	Lead Time
4325	Header			\$ 41,952.00					
4325	Line	10		\$ 41,952.00	Capan Utility Cargo Bodies	4	\$ 10,488.00		0
4484	Header			\$ 43,524.00					
4484	Line	10		\$ 43,524.00	Capan Utility Cargo Bodies	4	\$ 10,881.00		0
4889	Header			\$ 44,800.00					
4889	Line	10		\$ 44,800.00	Capan Utility Cargo Bodies	4	\$ 11,200.00		0
6543	Header			\$ 43,520.00					
6543	Line	10		\$ 43,520.00	Capan Utility Cargo Bodies	4	\$ 10,880.00		0

ACE TRUCK BODY

THIS QUOTATION IS VALID FOR 30 DAYS

Please sign and return to confirm order

X _____

QUOTE

Name	Roblyn Slaughter	RFQ006802	Date:	9/29/2017
Company	City of columbus		Sales	
Address	3500 Indianola AVE		Rep:	Bill Davie
City	Columbus	State	Order	
Phone		Zip	Date:	
End User			PO #:	
Chassis Information:	Make Ford	WB 142"	Model	F250-SW
	Trans	CA/CT 56"	Model	2017
	VIN #		GVWR	

Qty	Description	Unit Price	Total
Four	<p><i>Knappheide Model 696D38FJ Flip Top Servive Bodies</i> >97.25" long, 78" wide with 20" deep side compartments >Body height 37.25" >Floor to compartment height 21.25" >Floor width 38" >15.75" horizontal compartment top >14 gauge A-40 two sided galvanneal steel throughout the body >1/8" treadplate steel floor in center cargo area</p> <p><i>Roadside and Curbside Compartments</i> >Front compartment: two removable and ajustable shelves wih adjustable dividers >Horizontal compartment: open-one removable shelf >Rear compartment: One (1) removable and adjustable shelf with adjustable dividers >All compartments shall have LED lighting</p> <p><i>Installed Miscellaneous Items</i> >Stainless steel hinges on all doors >Spring loaded door retainers on each vertical door >Chain retainers on each horizontal door >Grab handle in rear cargo area >Galva-grip steel rear bumper (compatible with OEM tow package) >Master locking on all dooes >FMVS 108 lights recessed into rear of body and mounted as high as possible in rubber >Light guards mounted inside of body</p> <p style="text-align: center;">(Page # 1)</p>		
<p><i>This order not binding until approved by a company official. All quotations & delivery promises made and orders accepted subject to delays caused by fire, accident, strike or other causes beyond our control. Deliveries delayed by any of the above conditions shall not constitute cause for cancellation of this order. Price subject to change without notice.</i></p>		SubTotal	
		Freight	
		Taxes	
		TOTAL	

QUOTE

Qty	Description	Unit Price	Total
	<p>>TSR, Telescopic sliding roof >Electric backup alarm >Class 5, 1801050 tow hitch</p> <p>Paint</p> <p>>The entire body shall be cleaned and primed by electro-coating immersing the service body in epoxy primer and baked on > >The service body and TRS shall be painted white to match OEM cab color with Imron brand or equivalent coating</p> <p>Electrical</p> <p>>RV style light plug mounted in riser of rear bumper</p> <p style="text-align: center;">All Equipment Installed and Painted</p> <p style="text-align: center;">(Page # 2)</p>	<p style="text-align: center;">Each</p> <p style="text-align: center;">Four</p>	<p style="text-align: center;">\$10,881.00</p> <p style="text-align: center;">\$43,524.00</p> <p style="text-align: center;">CV</p>
<p><i>This order not binding until approved by a company official. All quotations & delivery promises made and orders accepted subject to delays caused by fire, accident, strike or other causes beyond our control. Deliveries delayed by any of the conditions shall not constitute cause for cancellation of this order. Price subject to change without notice.</i></p>		<p>SubTotal</p> <p>Freight</p> <p>Taxes</p> <p>TOTAL</p>	<p> </p> <p> </p> <p> </p> <p> </p>

QUOTE

Qty	Description	Unit Price	Total
(Page # 3)			
<i>This order not binding until approved by a company official. All quotations & delivery promises made and orders accepted subject to delays caused by fire, accident, strike or other causes beyond our control. Deliveries delayed by any of the conditions shall not constitute cause for cancellation of this order. Price subject to change without notice.</i>		SubTotal	
		Freight	
		Taxes	
		TOTAL	

Rose, K Erich



4595 Chambersburg Rd
Huber Heights, OH 45424

PH: (937) 236-9702
FAX: (937) 236-9783

Serving All Your Upfitting Needs in Southwest Ohio

Estimate

Name / Address
City of Columbus Purchasing Office 50 W. Gay St. Columbus, Oh 43215-9036

Date	Estimate #
9/23/2017	17-25305

Cust P.O.#	Sales Rep	Project	Truck/Liscence #	Contact & Phone #
	ER			

Description	Qty	Cost	Total
RFQ 6802			
Furnish and install Reading USLP98ASW, 8 ft long suitable for your 2017 F250 chassis, 20" deep side compartments above floor, lo profile 19" high compartments above floor, A60 galvaneal steel throughout, treadplate floor, shelving as requested with dividers, LED lighted compartments, heavy duty hidden scissor hinges, gas prop door holders, automotive bulb door seals, chain retainers on horizontal doors, grab handles each side rear, master mechanical gang locking on all side doors, pooched recessed step bumper, light guards inside rear compartment, 2 section telescoping sliding steel roof, backup alarm, powdercoat body white throughout interior and exterior, electrocathodic immersion primer, install RV trailer plug in bumper riser. Fully complies	4	11,200.00	44,800.00T
		Sales Tax (0.0%)	\$0.00
		Total	\$44,800.00

If estimate is accepted, please circle any option which is needed but not shown in estimate total. A new estimate will be provided. Insert P.O. # in block provided. Please sign and date and return by fax at your convenience

Signature _____



4595 Chambersburg Rd
Huber Heights OH 45424

PH: (937) 236-9702
FAX: (937) 236-9783

Serving All Your Upfitting Needs

9/21/17

City of Columbus

Dear Sirs,

The K. E. Rose Co Ltd. Has been an authorized master distributor for Reading bodies since 1998. K. E. Rose Co has been awarded many distinguished accomplishments since becoming a distributor and has consistently risen to be in the top 10 largest in sales/volume throughout the entire U.S. since 2012. K. E. Rose honors the Reading warranty and offers service at either your location or ours. We offer pickup and delivery of your vehicles. In addition to K. E. Rose Co providing warranty support; you may obtain warranty support at any other authorized Reading dealer throughout the U.S. You may also have Reading warranty work completed at the Reading facility located in Columbus on Starr Ave.

K. E. Rose Co Ltd has sold thousands of service bodies to gov't agencies throughout the Midwest including the City of Columbus. Our trained staff offers on site mobile repair as well as pickup and delivery of your vehicles in event the need arises. Please see your attached reference list.

Thank You

A handwritten signature in black ink, appearing to be "K. Erich Rose", written over a white background.

K. Erich Rose
President

READING

— NO BODY BETTER —

Thank you for purchasing a Reading product.

LIMITED WARRANTY



Benefits of Registering your Reading Product:

- We maintain a record of your purchase and can assist if any questions arise
- Your feedback can drive product enhancements
- Our goal is 100% satisfaction. Should you have any concerns regarding your Reading product, a Reading representative will contact you

Made in the USA



HERE ARE YOUR KEYS AND YOUR READING BODY WARRANTY!

What is Covered Under the Reading Limited Warranty?

- Steel body manufactured after 2/16/04 – 6 years
- Hybrid bodies are covered for a period of 6 years
- Aluminum body manufactured after 6/30/08 – 10 years
- Platform, Landscaper SL, Stake Rack, Dump Bodies, Redi-Dek, Tool Boxes – 3 years
- Pick-up Caps – 5 years

Reading warrants its factory applied powder coat finish against material defects for 3 years or 36,000 miles whichever occurs first from the date of purchase.

Reading warrants its products to be free of rust-through perforation for the life of the warranty.

Reading warrants only its own products that are manufactured in its own facility for the time period outlined. Vendor-supplied components, such as locks, hinges, lights, hoists, etc, are solely covered by the vendor's explicit warranty. Reading does not extend beyond the vendor supplied warranty.

This limited warranty applies only when the product is properly installed by an Authorized Reading Truck Body installer and is properly maintained and used for the purpose for which it was designed. The warranty period begins on the date of purchase from the first owner/user or one year from the date the product was shipped from the Reading Truck Body manufacturing plant, whichever comes first.

Who Benefits from this Warranty?

The Reading obligation under this warranty applies to the first purchaser of the product of the vehicle during the warranty period.

How is a Warranty Claim Handled?

The purchaser shall immediately notify the local Authorized Distributor. The Purchaser or the Distributor can submit the claim using the form on www.readingbody.com/warranty-info/make-a-claim. The claim must include the model and serial number of the body, provide a detailed description of the problem and provide photographs of the entire unit including shots of the specified defect. All repairs must be authorized by Reading Truck Body prior to any work being completed.

If after the claim is reviewed, and Reading determines the product is defective in material or workmanship as claimed, Reading shall have the option to repair the defect or replace the product or any part. Reading shall not be liable for any rental reimbursement, loss of vehicle use, inconvenience, storage, lost time/pay, etc.

Exclusions to Warranty

1. Accessories or services not furnished by Reading, or damages/corrosions caused by these accessories or services. This includes optional parts, aftermarket products, components, installation, finish painting, lettering, wiring or modifications.
2. Specific non-rust-through and paint warranty exclusions:
 - Products which may have been used to carry corrosive materials, where such materials may result in corrosion or rust-through perforation
 - Paint warranty void if product purchased in prime paint and finished by the original owner
 - If an aftermarket liner coating is applied to the body the paint warranty will be voided due to the requirements of the liner
 - Products being warranted under the rust-through warranty must have a perforation through the metal

- Rust on a painted surface is not considered a rust-through warranty
 - Damage or corrosion caused by airborne fallout, salt from the sea air, salt or other materials used to control road conditions, chemicals, tree sap, stones, hail, earthquake, water or flood windstorm, lightning, the application of chemicals or sealants subsequent to manufacture are not covered or normal wear and tear on the product
 - Damages due to the failure to follow the recommended maintenance schedule of lubricating the hinges, locks and lock cylinders
3. Damage due to accident, misuse, abuse or alteration of the product.
 4. Fatigue cracking of the body structure caused by improper mounting, overloading, severe off-road applications, twisting loads influenced by cranes or aerial devices. The twisting exceeds the factory body twist allowance.
 5. Products purchased and used outside the United States and Canada.
 6. Products not properly maintained per maintenance instructions.
 7. Platforms only – wood floors that are found defective, in which case the replacement cost to Reading shall be limited to the following percentages:
 - 100% First year
 - 50% Second year
 - 25% Third year
 8. The SMART Racks on Reading platform bodies are covered for a period of 5 years.
 9. Translucent roofs are covered for a period of 1 year, unless misused or modified in any way.
 10. Factory bed liners are covered for a period of 1 year, unless misused or modified in any way.

Disclaimers

Reading Truck Body, LLC warrants its products only as stated in this warranty. Reading makes no other warranties, express or implied and disclaims all other warranties, including any implied warranty of merchantability or fitness for particular purpose.

Reading obligations are limited to those expressed in this warranty, and Reading shall not be liable to the purchaser or any third party for any direct or indirect, incidental or consequential damage or loss.

Some states do not allow limitations on how long an implied warranty lasts or exclusions or limitations of incidental or consequential damages so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.

If the product is improperly installed, modified, misused, damaged or otherwise tampered with, the foregoing warranty shall lapse and become null and void.

This warranty shall be enforced and construed in accordance with the laws of Pennsylvania.

No person is authorized to modify or add to the foregoing warranty.



CITY OF COLUMBUS / PUBLIC UTILITIES DEPARTMENT / DIVISION OF
WATER SERVICE BODIES
SPECIFICATIONS

REFERENCES

The bidder must briefly document its capabilities and submit an outline of its experience and work history in the supply and delivery of Service Bodies for the past five years by submitting the contact information of professional references from four (4) separate contracts. References should consist of projects of a similar scope, complexity, and cost.

Business Name: CITY Columbus WATER Tel # 614 695-6907

Address: 912 Dustin Columbus Ohio

E-mail Address: _____ Fax # _____

Contact: Kevin Marcus Work performed from 1990 to 2016

Work Performed: Bodies, compressors, essential vehicle
EQUIPMENT

Business Name: Montgomery County Water Tel # 907 781-2585

Address: 1850 Spaulding Rd Kettering, OH

E-mail Address: kendigk@mcwhio.org Fax # 907 781-2685

Contact: Kerry Kendig Work performed from 1982 to CURRENT

Work Performed: Bodies, dumps, cranes, flat bed,
Service bodies, compressors etc,

CITY OF COLUMBUS / PUBLIC UTILITIES DEPARTMENT / DIVISION OF
WATER SERVICE BODIES
SPECIFICATIONS

Business Name: CITY DEPT WATER Tel # 937-233-4855

Address: 1012 OTTAWA ST DEPT. of 45401

E-mail Address: _____ Fax # 937-233-4897

Contact: MATT REUTER Work performed from 1982 to CURRENT

Work Performed: Service bodies, pumps, cranes etc...

Business Name: CITY DEPT WATER Tel # 937-296-5165

Address: 20 Park Ave Columbus OH 45415

E-mail Address: _____ Fax # _____

Contact: Clara Debes Work performed from 2001 to CURRENT

Work Performed: _____

Service bodies, compressors etc...

CITY OF COLUMBUS / PUBLIC UTILITIES DEPARTMENT/ DIVISION OF
WATER SERVICE BODIES
SPECIFICATIONS

SUBCONTRACTORS INFORMATION (IF APPLICABLE)

Business Name: _____ Tel #. _____ - _____

Address: _____

E-mail Address: _____ Fax #. _____ - _____

Contact: _____ Work to be performed from _____ to _____

Work To Be Performed: _____

Business Name: _____ Tel #. _____ - _____

Address: _____

E-mail Address: _____ Fax #. _____ - _____

Contact: _____ Work to be performed from _____ to _____

Work To Be Performed: _____


SPACEMAKER® BODIES

Model	Approx. Wt.		Cab-to-Axle	A	B	C	D	Approx. Compartment Clear Door Openings					J	K	L	M
	Steel	Alum.						E	F	G	H	I				
**S78-SWs	1018 lbs.	560 lbs.	40"	18"	42"	18"	78"	12-1/2"x33-3/8"	40-1/2"x11-7/8"	12-1/2"x33-3/8"	56-1/2"x11-7/8"	12-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
*S82-SW	1081 lbs.	580 lbs.	41"	17"	42"	23"	82"	11-1/2"x33-3/8"	40-1/2"x11-7/8"	17-1/2"x33-3/8"	61-1/2"x11-7/8"	17-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
S98-SWs	1189 lbs.	654 lbs.	56"	28"	48"	22"	98"	22-1/2"x33-3/8"	45-1/2"x11-7/8"	17-1/2"x33-3/8"	66-1/2"x11-7/8"	17-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
S98-DWs	1377 lbs.	757 lbs.	56"	28"	48"	22"	98"	22-1/2"x33-3/8"	45-1/2"x11-7/8"	16-1/2"x33-3/8"	66-1/2"x11-7/8"	17-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
US108-SWs	1307 lbs.	719 lbs.	60"	33"	47"	28"	108"	27-1/2"x33-3/8"	45-1/2"x11-7/8"	22-1/2"x33-3/8"	71-1/2"x11-7/8"	22-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
US108-DW	1442 lbs.	793 lbs.	60"	33"	47"	28"	108"	27-1/2"x33-3/8"	45-1/2"x11-7/8"	22-1/2"x33-3/8"	71-1/2"x11-7/8"	22-1/2"x16-1/4"	10"	14-5/8"	24"	41-1/2"
LOW PROFILE																
**SLP-78SWs	978 lbs.	538 lbs.	40"	18"	42"	18"	78"	12-1/2"x28-3/8"	40-1/2"x6-7/8"	12-1/2"x28-3/8"	56-1/2"x6-7/8"	12-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"
*SL82-SWs	1009 lbs.	549 lbs.	41"	17"	42"	23"	82"	11-1/2"x28-3/8"	40-1/2"x6-7/8"	17-1/2"x28-3/8"	61-1/2"x6-7/8"	17-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"
SLP98-SWs	1139 lbs.	626 lbs.	56"	28"	48"	22"	98"	22-1/2"x28-3/8"	45-1/2"x6-7/8"	17-1/2"x28-3/8"	66-1/2"x6-7/8"	17-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"
SLP98-DWs	1317 lbs.	724 lbs.	56"	28"	48"	22"	98"	22-1/2"x28-3/8"	45-1/2"x6-7/8"	17-1/2"x28-3/8"	66-1/2"x6-7/8"	17-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"
USLP108-SWs	1257 lbs.	691 lbs.	60"	33"	47"	28"	108"	27-1/2"x28-3/8"	45-1/2"x6-7/8"	22-1/2"x28-3/8"	71-1/2"x6-7/8"	22-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"
USLP108-DW	1382 lbs.	760 lbs.	60"	33"	47"	28"	108"	27-1/2"x28-3/8"	45-1/2"x6-7/8"	22-1/2"x28-3/8"	71-1/2"x6-7/8"	22-1/2"x16-1/4"	5-7/8"	9-5/8"	19"	36-3/4"


Installers notes:

- * 2017 Ford Super Duty chassis only
- ** E-Z mounting installation not available on these models
- s Equipped with spring shackle offsets (see diagrams below). Contact your Reading Distributor for dimensions of offsets


SINGLE WHEEL DIAGRAMS



"A" Compartment Layout




"B" Compartment Layout




Rear View


DUAL WHEEL DIAGRAMS



"A" Compartment Layout



"B" Compartment Layout



Rear View

Standard Shelf and Divider Equipment


All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves.

All Models Available With:

"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside
 "LP" denotes low profile model number

132 BODIES

Model	Approx. Wt.	Cab-to-Axle	Approx. Clear Door Openings					
			A	B	C	D	E	F
U132-DW	1502 lbs.	84"	27-1/2"x33-3/8"	17-1/2"x33-3/8"	45-1/2"x11-7/8"	22-1/2"x33-3/8"	22-1/2"x16-1/4"	71-1/2"x11-7/8"
US132-DW	1757 lbs.	84"	27-1/2"x33-3/8"	17-1/2"x28-3/8"	45-1/2"x11-7/8"	22-1/2"x33-3/8"	22-1/2"x16-1/4"	71-1/2"x11-7/8"
LOW PROFILE BODIES								
ULP132-DW	1392 lbs.	84"	27-1/2"x28-3/8"	17-1/2"x28-3/8"	45-1/2"x6-7/8"	22-1/2"x28-3/8"	22-1/2"x16-1/4"	71-1/2"x6-7/8"
USLP132-DW	1652 lbs.	84"	27-1/2"x28-3/8"	17-1/2"x28-3/8"	45-1/2"x6-7/8"	22-1/2"x28-3/8"	22-1/2"x16-1/4"	71-1/2"x6-7/8"



LP132-DW Height : Same as LP108

S132-DW and SLP132-DW Height: Same as S108 and SLP108

Optional crane reinforcement available at added cost upon request. Reading also manufactures "Cranemaster" bodies which are specifically engineered for crane use. Capacity restrictions may apply.

Standard Shelf and Divider Equipment


All shelves and dividers removable and adjustable.

STEEL SLIDING TOPS



Model	For Body	Approx. Wt.		A	B	C	D	E
		Steel	Alum.					
ST-78	78SW	145 lbs.	80 lbs.	40-1/4"	37-1/4"	—	77-1/2"	50-7/8"
ST-98	98SW/DW	155 lbs.	86 lbs.	49-3/4"	47-3/4"	—	102"	50-7/8"
ST-108	108SW/DW	170 lbs.	95 lbs.	55-1/4"	52-1/4"	—	107-1/2"	50-7/8"
ST-108HD	HD-108	225 lbs.	—	55-1/4"	53-7/8"	107-1/2"	52-3/8"	—
ST-120HD	HD-120	350 lbs.	—	40-3/4"	40-3/4"	40"	119-3/4"	52-3/8"
ST-132HD	HD-132	370 lbs.	—	44-3/4"	44-3/4"	44"	131-3/4"	52-3/8"
ST-150HD	HD-150	410 lbs.	—	50-3/4"	50-3/4"	50"	149-3/4"	52-3/8"

- Available in two or three sections (depending on body size)
- Slides on full-length galvanized steel tracks
- Secured with a two-point positive action stainless steel T-handle lock

Models ST78 - ST108HD




Models ST120HD - ST150HD





STANDARD FEATURES

Our flagship Reading service body is the product of more than 60 years of refinement, and it shows. Available in rugged steel or fuel-saving aluminum, our service truck bodies offer a wealth of exclusive features and options. The result is a service body that you can truly make your own—and will serve you well for many miles down the road.



Spacemaker model shown with available options

Available with E-Coat prime & powder coated finish, A60 coating weight steel construction.

- ▶ **Patented Hidden Hinges** – Industry-exclusive overlapping door construction resists forcible entry. Robust, concealed hinge design provides protection against corrosion without requiring frequent lubrication or maintenance. Fully adjustable and easily replaced without damage to body or door.
- ▶ **Slam Action Tailgate** - Features a polished, stainless steel handle and double-panel construction. Stainless steel locking rods, hinge rods and striker channels.
- ▶ **Pooched, Frame-Mounted Bumper** – Prevents body damage and provides slip-resistant step surface. E-coat prime and white powder coat finish.
- ▶ **Nitrogen Strut Door Holders** - All vertical compartment doors are equipped with nitrogen strut door holders. Internal dampeners control the opening and closing of doors.
- ▶ **LED Lights** - Rubber isolated seal for improved leak resistance.
- ▶ **Heavy-Duty Compartment Doors** – Double-panel construction with internal reinforcement for added strength.
- ▶ **Exclusive Dual-Pro® Door Seal System** – Large, automotive quality bubble-type seal and mechanical seal provide a dual line of defense against weather. Patented design increases clear door openings in every compartment of the body.
- ▶ **Stainless Steel Rotary Locks** – Attractive appearance with no exposed fasteners; rust resistant. Features a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to prevent water intrusion.
- ▶ **Galvanized Shelves** – Designed with 2" dividers for more small item storage. Full access between all vertical compartments for longer tool storage.

OTHER STANDARD FEATURES



A60 Coating Weight Pressed Diamond Plate Floor and Tailgate Face Plate - Industry exclusive surface provides additional corrosion protection and better traction.




Aluma-Fill® – Fuel receptacle protects the body and finish from accidental nicks and scratches.



Removable Stainless Steel Tailgate Knee Braces - Allow the tailgate to swing down flush with the bed surface.

Quality Truck Body And Equipment Co I



QUALITY

TRUCK BODY & EQUIPMENT CO., INC.

"Where the Red Carpet is Always Out!"

Quote NO. 11908
Date: 09/25/17
Expires:
P.O.:
Page: 1

4440 Simon Road * Youngstown, OH 44512 * (330) 788-7087* Fax (330) 788-9850

* * * P R O P O S A L * * *



Customer: 103227

CITY OF COLUMBUS
1ST FLOOR 50 WEST GAY STREET
PURCHASING OFFICE
COLUMBUS OH 43215
Contact: DIVISION OF WATER

RFQ006802

Make: FORD	2017	Model: F250	CA:	FAGVW:
VIN NO.		Body Style: SERVIDE BOD	Body S/N:	
ENGINE: GAS		TRANS: AUTO		
TERMS: CASH		Ship VIA:	Order Tkr: CS	

3.3 The Service Bodies shall be mounted on four (4)
Division of Water supplied Cab/Chassis: 2017 Model F2A F-250 4x2 SD R/C 142 WB
56 CA SRW (Bed Delete) Automatic Transmisson and Gas Engine - 9950 lb. GVWR.

3.3.1 Service Body: Four (4) Knapheide Model 696D38FJ Flip-Top Service Bodies
or equal that includes all listed standard equipment. All items listed are to
be installed on supplied Cab & Chassis.

3.3.1.1 General Specifications

3.3.1.1.1 97.25 long x 78 overall width with 20 deep side compartments

3.3.1.1.2 body height is 37.25"


3.3.1.1.3 floor to compartment height is 21.25"

3.3.1.1.4 floor width will be 38"

3.3.1.1.5 horizontal flip-top style compartments each side

3.3.1.1.6 14 gauge a-40 two sided galvanneal steel throughout the body

*** CONTINUED NEXT PAGE ***



QUALITY

TRUCK BODY & EQUIPMENT CO., INC.

"Where the Red Carpet is Always Out!"

Quote NO. 11908
Date: 09/25/17
Expires:
P.O.:
Page: 2

4440 Simon Road * Youngstown, OH 44512 * (330) 788-7087* Fax (330) 788-9850

* * * P R O P O S A L * * *



Customer: 103227

CITY OF COLUMBUS
1ST FLOOR 50 WEST GAY STREET
PURCHASING OFFICE
COLUMBUS OH 43215

Contact: DIVISION OF WATER

Make: FORD 2017
VIN NO.
ENGINE: GAS

Model: F250
Body Style: SERVIDE BOD
TRANS: AUTO

CA: FAGVW:
Body S/N:

TERMS: CASH

Ship VIA:

Order Tkr: CS

3.3.1.1.7 12 GA steel floor in center cargo area (not 1/8" treadplate)

3.3.1.2 Roadside and Curbside Compartments:

3.3.1.2.1 Front compartment: two (2) removable and adjustable shelves with adjustable dividers

3.3.1.2.2 Horizontal compartment: open one removable shelf

3.3.1.2.3 Rear compartment: one (1) removable and adjustable shelf with adjustable dividers

3.3.1.2.4 All compartments shall have LED lighting

3.3.1.3 Installed Vertical door


Chain retainers on each horizontal door

3.3.1.3.4 Grab handle in the rear cargo area

3.3.1.3.5 Galva-grip steel rear bumper (compatible with OEM tow pkg.)

3.3.1.3.6 Master locking on all side doors

*** CONTINUED NEXT PAGE ***



QUALITY

TRUCK BODY & EQUIPMENT CO., INC.

"Where the Red Carpet is Always Out!"

Quote NO. 11908
Date: 09/25/17
Expires:
P.O.:
Page: 3

4440 Simon Road * Youngstown, OH 44512 * (330) 788-7087* Fax (330) 788-9850

* * * P R O P O S A L * * *



Customer: 103227

CITY OF COLUMBUS
1ST FLOOR 50 WEST GAY STREET
PURCHASING OFFICE
COLUMBUS OH 43215

Contact: DIVISION OF WATER

Make: FORD 2017 Model: F250
VIN NO. Body Style: SERVIDE BOD
ENGINE: GAS TRANS: AUTO

CA: FAGVW:
Body S/N:

TERMS: CASH

Ship VIA:

Order Tkr: CS

3.3.1.3.7 FMVSS 108 led lights recessed into rear of the body & mounted as high as possible and mounted in rubber.

3.3.1.3.8 Light guards mounted inside the body

3.3.1.3.9 Telescopic Sliding Roof (TSR)

3.3.1.3.10 Electric backup alarm

3.3.1.3.11 Class 5 tow hitch (will be supplies if chassis doesnt have)

3.3.1.4 Paint:

3.3.1.4.1 The entire body shall be cleaned and primed by electro-coating immersing the service body in epoxy primer and baked on.

3.3.1.4.2 The service body and TSR shall be painted white to match OEM cab color Ford White .

3.3.1.5 Electrical:

3.3.1.5.1 RV style trailer light plug mounted in the riser of the rear bumper

*** CONTINUED NEXT PAGE ***



QUALITY
 TRUCK BODY & EQUIPMENT CO., INC.
 "Where the Red Carpet is Always Out!"

Quote NO. 11908
 Date: 09/25/17
 Expires:
 P.O.:
 Page: 4

4440 Simon Road * Youngstown, OH 44512 * (330) 788-7087* Fax (330) 788-9850

* * * P R O P O S A L * * *



Customer: 103227
 CITY OF COLUMBUS
 1ST FLOOR 50 WEST GAY STREET
 PURCHASING OFFICE
 COLUMBUS OH 43215
 Contact: DIVISION OF WATER

 Make: FORD 2017 Model: F250 CA: FAGVW:
 VIN NO. Body Style: SERVIDE BOD Body S/N:
 ENGINE: GAS TRANS: AUTO

 TERMS: CASH Ship VIA: Order Tkr: CS

All work to be performed at Quality Truck Body And Equipment Co. Inc.

We have been doing this type of work for 46 Years !!!

Chad A. Smithberger

RETURN POLICY

NO RETURNS ON SPECIAL ORDERS * NO RETURNS ON ELECTRICAL PARTS *
 NO RETURNS AFTER 30 DAYS * NO WARRANTY RETURNS AFTER 30 DAYS
 20% RESTOCKING CHARGE FOR RETURN ON PARTS ACCEPTED

 Subtotal 10,130.00
 Sales Tax 0.00
 Freight 750.00
 Excise Tax 0.00

 Total \$ 10,880.00
 =====

09/25/17

Signature _____

CITY OF COLUMBUS / PUBLIC UTILITIES DEPARTMENT / DIVISION OF
WATER SERVICE BODIES
SPECIFICATIONS

Business Name: Donnell Ford Tel # 330-332-0031

Address: 152 Continental Dr. Salem, OH. 44460

E-mail Address: FordCommercialTrucks@outlook.com Fax # -

Contact: Tom Beule Work performed from 1-19-16 to 2-29-16

Work Performed: Service body supplied and installed
with a tanny gate lift gate

Business Name: Modany Falcone Tel # -

Address: 2934 Puss Ave. Ambbridge PA. 15003

E-mail Address: Ph. 412-812-4567 Fax # -

Contact: Modany Falcone Work performed from 1-20-16 to 2-22-16

Work Performed: Installed service body and hitch.

CITY OF COLUMBUS / PUBLIC UTILITIES DEPARTMENT / DIVISION OF
WATER SERVICE BODIES
SPECIFICATIONS

REFERENCES

The bidder must briefly document its capabilities and submit an outline of its experience and work history in the supply and delivery of Service Bodies for the past five years by submitting the contact information of professional references from four (4) separate contracts. References should consist of projects of a similar scope, complexity, and cost.

Business Name: City of Warren Lake Dept. Tel # 330 841-2570

Address: 540 Laird Ave SE. Warren, OH 44484

E-mail Address: _____ Fax # 330 841-2711

Contact: Dave SFerra Work performed from 1-18-14 to 2-19-14

Work Performed: Supplied and installed Stahl
Service body on Crane. Strobes and
Cone Holders.

Working with the 20+ years

Business Name: Cuyahoga County Tel # 216-443-7203

Address: 2079 East 9th Street. Cleveland, OH. 44115

E-mail Address: J.Pinter@CuyahogaCounty.org Fax # -

Contact: John Pinter Work performed from 7-25-16 to 11-12-16

Work Performed: Custom Service body built from Alum.
Installed Tommy Gate, inverters, and custom
rocks inside body,