

EXHIBIT "A"

PERMANENT PIPELINE EASEMENT AND TEMPORARY WORKSPACE LYING WITHIN AND BEING FROM
APN 530260367
SECTION 7, T-11-N, R-21-W
CONGRESS LANDS
CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO



CURVE TABLE											
	RADIUS	DELTA	ARC LENGTH	CHORD BEARING	CHORD DISTANCE						
C1	225.0'	10"14"11"	40.2'	N 67'55'48" E	40.1'						
C2	225.0'	00"22"38"	1.5'	N 63'37'23" E	1.5'						

	LINE TABLE	
	BEARING	DISTANCE
L1	N 27'41'05" W	81.4'
L2	N 12'28'47" W	32.2'
L3	N 27'03'37" W	9.8'
L4	S 27'03'13" E	51.2'
L5	S 28'04'04" E	161.5'
L6	S 01'15'12" E	60.7'
L7	S 28'52'16" E	210.2'
L8	N 85'10'51" W	29.5'
L9	N 28'57'09" W	51.0'
L10	N 28'04'04" W	292.1'
L11	N 64'17'46" E	1.6'
L12	S 27'41'59" E	43.6'
L13	5 12°28'49" E	7.8'
L14	N 28'41'35" W	5.5'
L15	N 14'36'24" W	40.1'
L16	N 85'10'51" W	12.0'
L17	N 85'10'51" W	54.4'
L18	N 14'36'24" W	21.4'
L19	N 28'04'04" W	288.2'
L20	N 64'17'46" E	50.0'
L21	N 85'10'51" W	54.2'
L22	N 28'04'04" W	88.4'
L23	S 49'12'18" E	126.3'
L24	N 85°10'51" W	29.1'
L25	N 28'04'04" W	209.4'
L26	S 73'52'48" E	41.8'
L27	S 85'17'49" E	5.9'
L28	N 64'17'46" E	40.1'

NOTES:

NOTES:

1. THE BASIS OF BEARINGS AND DATUM FOR THIS SURVEY IS GRID NORTH, UTM 17 NORTH ZONE, NAD 83 (2011), U.S. SURVEY FOOT.

2. INFORMATION DEPICTED HEREON IS BASED ON A SURVEY CONDUCTED FOR THE PURPOSE OF ESTABLISHING A BASELINE FOR MAPPING SELECTED TOPOGRAPHIC FEATURES AND LOCATING NECESSARY LINES FOR ENGINEERING DESIGN AND EASEMENT ACQUISITION FROM LAND RECORD INFORMATION.

3. THIS IS AN EASEMENT DRAWING AND IS NOT INTENDED TO REPRESENT A BOUNDARY SURVEY PURSUANT TO CHAPTER 4733—37, O.A.C.

4. LAND RECORDS AND DEED INFORMATION SUPPLIED BY NORTHEASTERN LAND SERVICES. THIS DOCUMENT WAS PRODUCED WITHOUT THE BENEFIT OF A TITLE REPORT.

5. TEMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE LIES ADJACENT AND CONTRIDUIS TO THE PERSANENT EASEMENT UNLESS OTHERWISE NOTED. THE SIDE LINES OF SAID EASEMENT, TEMPORARY WORKSPACE AND ADDITIONAL TEMPOR



PERPENDICULAR TO THE PERMANENT EASEMENT.						5-1-1	7		ਨ੍ਹੋ\ S-8533 /ਹੈ							
T R D.B. P.B. D.V.	Baseline Township Range Deed Book Plat Book Plat Book Deed Volume Instrument			P.S PH	S-853 SANIEL A. NEER P.S. NO. 8533 PHONE: (859) 629–3533 FAX: (859) 224–0146								SURFILITION SURFILITION			
PG. P.O.B. P.O.T. P.O.S. P.O.R. C.P.B. ROW PERM. CONC.	PAGE POINT OF BEGINNING POINT OF TERMINATION POINT OF SUSPENSION POINT OF RESUMPTION CONDO PLAT BOOK RIGHT OF WAY PERMANENT CONCRETE	PROJECT RIGHT OF CITY OF		Columbia Gas Transmission												
MON. FND. N.T.S. APN O.R.F.C.O.	MONUMENT FOUND NOT TO SCALE AUDITOR PARCEL NUMBER OFFICAL RECORDS OF FRANKLIN COUNTY, OHIO P.I. ROADWAY CENTERLINE	DISTANCE ACROSS PROPERTY: 321.9 FEET = 19.5 RODS PROPOSED PERMANENT EASEMENT: 0.008 ACRE TEMPORARY WORKSPACE: 0.37 ACRE EXISTING PERMANENT EASEMENT: 0.39 ACRE PREVIOUSLY DISTURBED TEMPORARY WORKSPACE: 0.05 ACRE ADDITIONAL TEMPORARY WORKSPACE: 0.46 ACRE ACCESS ROAD: N/A STAGING AREA: N/A MOTT MACDONALD														
	EXISTING PIPELINE PROPERTY LINE ADJACENT PROPERTY LINE	PROJ. ID 21506	EN	IGINEE	₹	FIELD BOOK			_	COUNTY(IES) FRANKLIN COUNTY SECTION 7, T-11-N, R-21-W						
	EXISTING PERMANENT EASEMENT PROPOSED PERMANENT	SURVEY DATE 08/2015		I						STATE(S)	1-11-	N, K-2	.,-w			
	EASEMENT TEMPORARY WORKSPACE	MAP DATE 4/24/2017	F								оню					
	PREVIOUSLY DISTURBED TEMPORARY WORKSPACE ADDITIONAL TEMPORARY WORKSPACE	APPROVED BY MM							\exists	SHEET NO.	2	OF	5			
	STAGING AREA	SCALE	1	7/2018	PEMBED PER CLIDIT REQUEST FRAL SUBMITIAL		erc HMM	DAN	DAN		00	60	اممما			
	ACCESS ROAD	1″=100′	NO.	DATE	REVO	ICH	CRIM	COCO	AFD	OH-FN	-02	.00.0	000			

Written: April 17, 2017 OH-FN-0260.000 Columbia Gas Transmission

B111 20" Pipeline Project CITY OF COLUMBUS, OHIO, PARKS AND RECREATION DEPARTMENT

0.39 Acre Existing Permanent Easement
0.002 Acre Proposed Permanent Easement
0.006 Acre Proposed Permanent Easement
0.37 Acre Proposed Temporary Workspace Easement
0.46 Acre Proposed Additional Temporary Workspace Easement
0.05 Acre Previously Disturbed Temporary Workspace (Existing Permanent Easement)

GENERAL DESCRIPTION

Situated in the State of Ohio, Franklin County, City of Columbus, lying within and being a part of Section 7, Township 11 North, Range 21 West of the Congress Lands and being on, over and across a tract of land as conveyed to City of Columbus, Ohio, Parks and Recreation Department (hereinafter referred to as "Columbus") by deed of record in Instrument Number 200211040279291 (all records referenced herein refer to the records of the Recorder's Office, Franklin County, Ohio).

EXISTING PERMANENT EASEMENT DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a three-quarter (3/4) inch iron pipe found at a common corner to said Columbus tract and the southeasterly corner of a tract of land conveyed to Nicholas J. Bryan, unmarried and Cheryl S. Karagiorg and George Karagiorge (hereinafter referred to as "Bryan"), wife and husband, by deed of record in Instrument Number 200402030024663;

THENCE North 27°41′05" West, along a common line to said Columbus tract and the easterly line of said Bryan tract, a distance of 81.4 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) North 12°28'47" West, a distance of 32.2 feet to a point;
- 2) North 27°03'37" West, a distance of 9.8 feet to a point on the arc of a curve to the left on a common line to the northerly line of said Columbus tract and the southerly right-of-way line of Pendent Lane;

THENCE with the arc of said curve, having a radius of 225.0 feet, a delta angle of 10°14′11″, an arc length of 40.2 feet and a chord bearing and distance of North 67°55′48″ East, a distance of 40.1 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) South 27°03'13" East, a distance of 51.2 feet to a point;
- South 28°04'04" East, a distance of 161.5 feet to a point on a common line to an easterly line of said Columbus tract and the westerly line of a tract of land conveyed to Anthony Q. Dulaney and Benita D. Dulaney, husband and wife, (hereinafter referred to as "Dulaney") by deed of record in Instrument Number 200503240054635;

THENCE South 01°15′12″ East, along said common line, a distance of 60.7 feet to a point at a common westerly corner to said Dulaney tract and a tract of land conveyed to Wade L. Johe and Dehavlyn N. Wainwright (hereinafter referred to as "Wainwright") by deed of record in Instrument Number 201411100149276 and being an easterly corner to said Columbus tract;

THENCE South 28°52′16" East, along a common line to said Columbus tract and partly to said Wainwright tract and a tract of land conveyed to Malick Diane and Saran Diane, husband and wife, (hereinafter referred to as "Diane") by deed of record in Instrument Number 200703270052896, distance of 210.2 feet to a point at the common southerly corner to said Columbus and Diane tracts and being on the northerly right-of-way line of Williams Road;

THENCE North 85°10′51″ West, along a common line to said northerly right-of-way line and the southerly line of said Columbus tract, a distance of 29.5 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) North 28°57'09" West, a distance of 51.0 feet to a point; and
- North 28°04'04" West, a distance of 292.1 feet to a point on a common line to a northerly line of said Columbus tract and the southerly line of said Bryan tract;

THENCE North 64°17'46" East, a distance of 1.6 feet to the POINT OF BEGINNING.

The above described Existing Permanent Easement contains 0.39 acre, more or less.

PROPOSED PERMANENT EASEMENT #1 DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point at the common northerly corner to said Columbus tract and a tract of land conveyed to David R. Bartholomew, Jr. and Kimberly K. Bartholomew (hereinafter referred to as "Bartholomew") by deed of record in Instrument Number 201003030025663, said also being on the southerly right-of-way of Pendent Lane;

THENCE South 27°41′59″ East, along a common line to said Columbus and Bartholomew tracts, a distance of 43.6 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) South 12°28'49" East, a distance of 7.8 feet to a point; and
- 2) North 27°03′13″ West, a distance of 51.2 feet to a point on the arc of a curve to the left on a common boundary to said Columbus tract and southerly right-of-way;

THENCE with the arc of said curve to the left, having a radius of 225.0 feet, a delta angle of 00°22'38", an arc length of 1.5 feet and a chord bearing and distance of North 63°37'23" East, 1.5 feet to the **POINT OF BEGINNING**.

The above described Proposed Permanent Easement contains 0.002 acre, more or less.

PROPOSED PERMANENT EASEMENT #2 DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to the southerly line of said Columbus tract and the northerly right-of-way line of Williams Road, said point bearing North 85°10′51″ West, a distance of 41.5 feet from the common southerly corner to said Columbus tract and a tract of land conveyed to Malick Diane and Saran Diane, husband and wife, by deed of record in Instrument Number 200703270052896 and also being on said northerly right-of-way line;

THENCE across said Columbus tract, the following three (3) courses:

- 1) North 28°41'35" West, a distance of 5.5 feet to a point;
- 2) North 14°36'24" West, a distance of 40.1 feet to a point; and
- 3) South 28°57'09" East, a distance of 51.0 feet to a point on said common line;

THENCE North 85°10'51" West, along said common line, a distance of 12.0 feet to the POINT OF BEGINNING.

The above described Proposed Permanent Easement contains 0.006 acre, more or less.

PROPOSED TEMPORARY WORKSPACE EASEMENT DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to a northerly line of said Columbus tract the southerly line of a tract of land conveyed to Nicholas J. Bryan, unmarried and Cheryl S. Karagiorg and George Karagiorge, wife and husband, (hereinafter referred to as "Bryan") by deed of record in Instrument Number 200402030024663, said point bearing South 64°17′46" West, a distance of 1.6 feet from a three-quarter (3/4) inch iron pipe found at a common corner to said Columbus tract and the southeasterly corner of said Bryan tract;

THENCE across said Columbus tract, the following three (3) courses:

- South 28°04'04" East, a distance of 292.1 feet to a point;
- 2) South 14°36'24" East, a distance of 40.1 feet to a point; and
- South 28°41'35" East, a distance of 5.5 feet to a point on a common line to the southerly line of said Columbus tract and the northerly right-of-way line of Williams Road;

THENCE North 85°10'51" West, along said common line, a distance of 54.4 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) North 14°36'24" West, a distance of 21.4 feet to a point; and
- North 28°04'04" West, a distance of 288.2 feet to a point on said common line to Columbus and Bryan tracts;

THENCE North 64°17′46" East, a distance of 50.0 feet to the POINT OF BEGINNING.

The above described Proposed Temporary Workspace Easement contains 0.37 acre, more or less.

PROPOSED ADDITIONAL TEMPORARY WORKSPACE EASEMENT DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to a northerly line of said Columbus tract the southerly line of a tract of land conveyed to Nicholas J. Bryan, unmarried and Cheryl S. Karagiorg and George Karagiorge, wife and husband, (hereinafter referred to as "Bryan") by deed of record in Instrument Number 200402030024663, said point bearing South 64°17′46" West, a distance of 51.6 feet from a three-quarter (3/4) inch iron pipe found at a common corner to said Columbus tract and the southeasterly corner of said Bryan tract;

THENCE across said Columbus tract, the following two (2) courses:

- 1) South 28°04'04" East, a distance of 288.2 feet to a point; and
- South 14°36′24″ East, a distance of 21.4 feet to a point on a common line to the southerly line of said Columbus tract and the northerly right-of-way line of Williams Road;

THENCE North 85°10'51" West, along said common line, a distance of 29.1 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) North 49°12'18" West, a distance of 126.3 feet to a point; and
- North 28°04′04" West, a distance of 209.4 feet to a point on a common line to said Columbus and Bryan tracts;

THENCE along lines common to said Columbus and Bryan tracts, the following three (3) courses:

- 1) South 73°52'48" East, a distance of 41.8 feet to a point;
- 2) South 85°17'49" East, a distance of 5.9 feet to a point; and
- 3) North 64°17'46" East, a distance of 40.1 feet to the POINT OF BEGINNING

The above described Proposed Temporary Workspace Easement contains 0.46 acre, more or less.

PREVIOUSLY DISTURBED TEMPORARY WORKSPACE (EXISTING PERMANENT EASEMENT) DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to the southerly line of said Columbus tract and the northerly right-of-way line of Williams Road, said point bearing North 85°10′51″ West, a distance of 125.0 feet from the common southerly corner to said Columbus tract and a tract of land conveyed to Malick Diane and Saran Diane, husband and wife, by deed of record in Instrument Number 200703270052896 and also being on said northerly right-of-way line:

THENCE North 85°10'51" West, along said common line, a distance of 54.2 feet to a point;

THENCE across said Columbus tract, the following two (2) courses:

- 1) North 28°04'04" West, a distance of 88.4 feet to a point; and
- 2) South 49°12′18″ East, a distance of 126.3 feet to the *POINT OF BEGINNING*.

The above described Previously Disturbed Temporary Workspace Easement contains 0.05 acre, more or less.

Bearing Source: Grid North, Bearings and Distances are derived from static ties to existing NGS monuments and transformed into NAD 83 (2011), UTM 17 North Zone, U.S. Survey Foot, Global Positioning System (GPS) survey performed by Mott MacDonald.

I, Daniel Neer, Professional Surveyor No. 8533-Ohio, do hereby certify that the above description and the attached plat were prepared under my direction and supervision from land records and deed information supplied by Northeastern Land Services and from an actual field survey made on the ground within the month of August, 2015.

Daniel Neer, P.S. Ohio No. 8533 Mott MacDonald 2343 Alexandria Drive, Suite 320 Lexington, KY 40515

859-629-3533 – Office 859-224-0146 – Fax COA No. 01776

Dogwe

5-1-17 Date DANIEL NEER S-8533 OO

MINITE OF

Sheet 5 of 5




EXHIBIT "A"

PERMANENT PIPELINE EASEMENT, PERMANENT ACCESS ROAD AND TEMPORARY WORKSPACE LYING WITHIN AND BEING FROM APN 530-234278
SECTION 18, T-11-N, R-21-W
CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO

VICINITY MAP

	LINE TABLE	
	BEARING	DISTANCE
L1	S 40'35'51" W	3.9'
L2	N 48'57'04" W	0.9'
L3	N 63'47'59" W	75.6'
L4	N 49'01'51" W	308.2'
L5	N 40'56'42" E	50.0°
L6	S 48.57'23" E	268.9'
L7	S 28'56'40" E	77.0'
LB	S 48'56'14" E	40.9'
L9	S 40°35′50° W	46.1'
L10	N 48'56'36" W	50.2"
L11	N 28'56'53" W	77.0'
L12	S 48'57'23" E	112.7'
L13	N 52'49'16" W	111.1'
L14	S 50'10'04" E	96.7'
L15	S 48'55'40" E	31.7'
L16	S 59'04'03" E	12.9'
L17	S 48'57'23" E	265.1"
L18	S 28'56'36" E	45.28'
L19	N 48'56'36" W	16.7°
L20	N 50°46'21" W	22.3'
L21	N 28'56'36" W	59.7'
L22	N 57'46'33" E	25.0°
L23	N 28'56'36" W	20.2'
L24	N 48'57'23" W	251.1'
L25	N 66'43'38" W	34.9'
L26	N 15'33'18" W	91.2'
L27	N 335752° E	174.3'
L28	N 44'49'32" E	275.6'
L29	N 40'22'27" E	829.1'
L30	N 38'20'58" E	249.8'
L31	N 40'40'03" E	128.4'
L32	S 40'40'03" W	127.8'
L33	S 38'20'58" W	249.7
L34	S 40°22'27" W	830.5'
L35	S 44'49'32" W	274.2'
L36	S 33'57'52" W	160.4'
L37	S 15'33'18" E	74.2
L38	S 66'43'35" E	10.4
L39	S 00"11'59" W	21.7'

NOTES:

NOTES:


1. THE BASIS OF BEARINGS AND DATUM FOR THIS SURVEY IS GRID NORTH, UTM 17 NORTH ZONE, NAD B3 (2011), U.S. SURVEY FOOT.

2. INFORMATION DEPICTED HEREON IS BASED ON A SURVEY CONDUCTED FOR THE PURPOSE OF ESTABLISHING A BASELINE FOR MAPPING SELECTED TOPOGRAPHIC FEATURES AND LOCATING NECESSARY LINES FOR ENGINEERING DESIGN AND EASEMENT ACQUISITION FROM LAND RECORD INFORMATION.

3. THIS IS AN EASEMENT DRAWING AND IS NOT INTENDED TO REPRESENT A BOUNDARY SURVEY PURSUANT TO CHAPTER 4733-37, O.A.C.

4. LAND RECORDS AND DEED INFORMATION SUPPLIED BY MORTHEASTERN LAND SERVICES. THIS DOCUMENT WAS PRODUCED WITHOUT THE BENETIT OF A TITLE REPORT.

5. TEMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE LIES CHAPTER ADACENT AND CONTIQUOUS TO THE PERMANENT EASEMENT UNLESS CHIERWISE NOTED. THE SIDE LINES OF SAID EASEMENT, TEMPORARY WORKSPACE AND ADDITIONAL THE SORD PREVIOUS AND CONTIQUOUS TO THE PERMANENT EASEMENT, TEMPORARY WORKSPACE AND ADDITIONAL THE SORD PREVIOUS AND CONTIQUOUS TO THE PERMANENT EASEMENT, TEMPORARY WORKSPACE AND ADDITIONAL THE EMPORARY WORKSPACE CAND ADDITIONAL THE EMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE AND ADDIT



LEGEND T R D.B. P.B. D.V.	BASELINE TOWNSHIP RANGE DEED BOOK PLAT BOOK DEED VOLUME INSTRUMENT			PH	LLAND E. SHAW 5. NO. 8644 ONE: (413) 535- (: (413) 788-04	-0135	1/17 DATE:		Illini	THE STATE OF THE PROPERTY OF T							
PG. P.O.B. P.O.T. P.O.S. P.O.R. C.P.B. ROW PETM.	PAGE POINT OF BEGINNING POINT OF TERMINATION POINT OF TERMINATION POINT OF RESULIPTION CONDO PLAT BOOK RIGHT OF WAY RIGHT OF WAY PERMANENT											Columbia Gas Transmission					
CONC. MON. FND. N.T.S. APN O.R.F.C.O.	CONCRETE MONUMENT FOUND NOT TO SCALE AUDITOR PARCEL NUMBER OFFICIAL RECORDS OF FRANKLIN COUNTY, OHIO P.I.	DISTANCE ACROSS PROPERTY: 387.0 FEET = 23.5 RODS PROPOSED PERMANENT EASEMENT: 0.07 ACRE TEMPORARY WORKSPACE: 0.15 ACRE EXISTING PERMANENT EASEMENT: 0.37 ACRE PREVIOUSLY DISTURBED TEMPORARY WORKSPACE: 0.3D ACRE ADDITIONAL TEMPORARY WORKSPACE: 0.47 ACRE ACCESS ROAD: 1.00 ACRE MOTT MACDOI ACCESS ROAD TOTAL DISTANCE: 1755.3 FEET STAGING AREA: N/A											M ONALD				
	ROADWAY CENTERLINE DISTING PIPELINE PROPERTY LINE ADJACENT PROPERTY LINE EXISTING PERMANENT	PROJ. ID 21508 SURVEY DATE	COUNTY(IES) FRANKLIN COUNTY SECTION 18, T-11-N, R-21-W														
	EASEMENT PROPOSED PERMANENT EASEMENT	08/2015 MAP DATE								STATE(S)	OHIC	`					
	TEMPORARY WORKSPACE	07/31/2017					Orne										
//////	PREVIOUSLY DISTURBED TEMPORARY WORKSPACE	APPROVED BY								SHEET NO.	2	OF	4				
******	ADDITIONAL TEMPORARY WORKSPACE	MM	3	07/2017	REMIED FOR LAND/LENAL CO.		CAD FAID	AID DMI	DAN	DRAWNG NO.							
**************************************	STAGING AREA	SCALE	1	7/2018	FINAL SUBMITTAL		HAM	HAM	DAN	OH-FN	_01	82	റററ				
	ACCESS ROAD	1"=300"	HO.	DATE	REVO	ION	ORTON	GRAD	(PP)	OII TIN	0	UZ.	000				

Written: July 31, 2017 OH-FN-0182.000

Columbia Gas Transmission **B111 20" Pipeline Project** City of Columbus, Ohio

0.07 Acre Proposed Permanent Easement 1.00 Acre Proposed Permanent Access Road

GENERAL DESCRIPTION

Situated in the State of Ohio, Franklin County, City of Columbus, lying within and being a part of Section 18, Township 11 North, Range 21 West, and being on, over and across tracts of land conveyed to City of Columbus, Ohio (hereinafter referred to as "Columbus") by deed of record in Deed Book 31228, Page D09 (all records referenced herein refer to the records of the Recorder's Office, Franklin County, Ohio).

PROPOSED PERMANENT EASEMENT DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to the southeasterly line of said Columbus tract being common with the northwesterly right-of-way line of Highway 270, said point bearing South 38°23'41" West, a distance of 62.4 feet and South 40°35'52" West, a distance of 83.2 feet from the common easterly corner to the northeasterly corner of said Columbus tract and the southeasterly corner of a tract of land conveyed to City of Columbus, Ohio by deed of record in Deed Book 31288, Page D07 and being on said northwesterly right-of-way line;

THENCE South 40°35'50" West, along said common line, a distance of 46.1 feet to a point;

THENCE over and across said Columbus tract, the following five (5) courses:

- North 48°56'36" West, a distance of 50.2 feet to a point;
- North 28°56'53" West, a distance of 77.0 feet to a point;
- South 49°26'00" East, a distance of 48.2 feet to a point; 3)
- South 63°47'59" East, a distance of 75.6 feet to a point; and 4)
- South 48°57'04" East, a distance of 0.9 feet to the POINT OF BEGINNING.

The above described Proposed Permanent Easement contains 0.07 acre, more or less.

PROPOSED PERMANENT ACCESS ROAD DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point common to the southeasterly corner of said Columbus tract, the northwesterly right-of-way line of Highway 270 and the northerly right-of-way line of the Chesapeake and Ohio Railway;

THENCE North 66°43'38" West, along a common line to the southwesterly line of said Columbus tract and said northerly right-of-way line, a distance of 34.9 feet to a point;

THENCE across said Columbus tract, the following fourteen (14) courses:

- North 15°33'18" West, a distance of 91.2 feet to a point;
- North 33°57'52" East, a distance of 174.3 feet to a point;
- North 44°49'32" East, a distance of 275.6 feet to a point;
- North 40°22'27" East, a distance of 829.1 feet to a point;
- North 38°20'58" East, a distance of 249.8 feet to a point;
- North 40°40'03" East, a distance of 128.4 feet to a point; 6) South 48°56'36" East, a distance of 25.0 feet to a point;
- South 40°40'03" West, a distance of 127.8 feet to a point;
- South 38°20'58" West, a distance of 249.7 feet to a point;
- 10) South 40°22'27" West, a distance of 830.5 feet to a point;
- 11) South 44°49'32" West, a distance of 274.2 feet to a point; 12) South 33°57'52" West, a distance of 160.4 feet to a point;
- 13) South 15°33'18" East, a distance of 74.2 feet to a point; and
- 14) South 66°43'35" East, a distance of 10.4 feet to a point on a common line to the southeasterly line of said Columbus tract and said northwesterly right-of-way line of Highway 270;

THENCE South 00°11'59" West, along said common line, a distance of 21.7 feet to the POINT OF BEGINNING.

The above described Proposed Permanent Access Road contains 1.00 acre, more or less.

Bearing Source: Grid North, Bearings and Distances are derived from static ties to existing NGS monuments and transformed into NAD 83 (2011), UTM 17 North Zone, U.S. Survey Foot, Global Positioning System (GPS) survey performed by Mott MacDonald.

I, Holland E. Shaw, Professional Surveyor No. 8644-Ohio, do hereby certify that the above description and the attached plat were prepared under my direction and supervision from land records and deed information supplied by Northeastern Land Services and from an actual field survey made on the ground within the month of August, 2015.


Shaw, P.S. Ohio No. 8644


7/31/17 Date

Nott MacDonald

134 Capital Drive, Suite D West Springfield, MA 01089 413-535-0135 – Office 413-788-0438 – Fax

COA No. 01776








EXHIBIT "A"


PERMANENT PIPELINE EASEMENT, TEMPORARY WORKSPACE, ADDITIONAL TEMPORARY WORKSPACE AND PERMANENT ACCESS ROAD LYING WITHIN AND BEING FROM APN 530138294
SECTIONS 17 & 18, T-11-N, R-21-W
MADISON TOWNSHIP, FRANKLIN COUNTY, OHIO

LINE TABLE				LINE TABLE		LINE TABLE						
	BEARING	DISTANCE	1	BEARING	DISTANCE	 	BEARING	DISTANCE				
LI	N 61'21'11" W	1102.8	L41	N 28"38"48" E	40.0"	L81	N 18'58'33" E	100.01				
L2	N 48'52'32" W	40.0"	L42	S 61'21'12" E	130.01	LB2	N 36'36'17" E	151.2'				
L3	N 51'21'11" W	38.0'	L43	S 00"13"48" W	30.9'	L53	S 39'21'38" W	21.3'				
L4	N 75'49'50" W	40.0'	L44	S 0714'41" E	16.6"	L84	N 48'56'42" W	63.2'				
L5	N 81'21'11" W	203,2'	L45	N 15"58"34" E	50.0'	LB5	N 65'35'13" W	62.2'				
LS	N 67'58'08" W	123.6'	L48	S 71'01'27" E	117.9'	1.86	S 39'58'27" W	79.5'				
L7	N 71"01"27" W	1780.8'	L47	S 67'58'08" E	37.8	L57	S 37'20'24" W	24.0'				
Lā	N 69'14'38" W	858.91	148	S 22'08'57" W	50.0*	L88	N 65'34'47" W	14.8*				
L9	N 67'58'08" W	43.0'	L49	N 67'14'27" E	75.1	L89	N 48"55"48" W	7.7'				
L10	N 55'34'12" W	44.2'	L50	5 71'01'27" E	35.5	LSO	N 66'43'35" E	48.7*				
L11	N 48'56'43" W	617.2	L51	S 87'58'08" E	39.0'	L91	N 30'00'48" E	193,3'				
L12	N 38'27'05" W	113.4'	L52	S 22'06'25" W	50.0	L92	N 36'46'43" E	79.4"				
L13	N 38'38'13" E	3.9'	1.53	S 22'08'25" W	25.0"	L93	N 38'23'29" E	84.5'				
L14	S 48'58'36" E	19.2'	L54	N 6758'08" W	34.0'	194	N 35'38'48" E	625,5°				
L15	S 65'35'15" E	89.0'	L55	N 71'01'27" W	114.6'	L95	N 36'36'17" E	479.2				
L18	S 48'56'43" E	521.6	1.56	N 16"58"33" E	25.0"		CURVE TABLE					
L17	5 55'34'12" E	35.8'	L57	N 88'00'25" W	49.0		R= 321.6'					
L18	S 67'56'08" E	37.0'	1.58	N 6752'08" W	163.0	l	ANGLE: 37'51'04'	•				
L19	S 69'14'38" E	857.5'	L59	N 68'23'38" W	244.1	C1	ARC LENGTH: 212.5					
L20	S 71'01'27" E	1781.3'	LSO	N 67'44'15" W	93.3'		CHORD BEARING: N 4 CHORD DISTANCE: 20					
L21	S 67'58'06" E	128,0	L81	N 36'35'17" E	50.2'			10,0				
122	S 61'21'11" E	1402.2"	1.62	S 48'58'36" E	15.7'		R= 150.5' △ ANGLE: 48'31'34'					
123	S 75'49'50" E	40.0'	LOS	S 65'35'15" E	58.6*	ಜ	ARC LENGTH: 138.2	i				
L24	S 61'21'11" E	50.7	L84	S 47"40"54" E	31.3'		CHORD BEARING: N					
125	S 4552'32" E	40.0"	1.65	S 18"01"09" E	23.6'		CHORD DISTANCE: 13	2.2'				
128	N 65'35'21" W	89.1'	LOS	S 02'52'17" E	39.6'							
L27	N 49'38'54" W	22.5"	L67	S 65'35'15" E	30.2							
128	N 50'38'38" W	36.4	L68	S 48'58'43" E	626.0'							
L29	S 20'45'22" W	38.4'	L69	S 55'34'12" E	27.5							
L30	N 69'30'30" W	42.3'	L70	S 67'58'05" E	31.0'							
L31	N 49'15'12" W	558.2"	171	S 69"14"38" E	49.1							
1.32	N 37'16'37" W	12.6'	172	S 20'45'22" W	50.0'							
L33	N 11'59'58" W	38.6'	L73	N 20'45'22" E	25.0'							
L34	N 38'48'58" E	17.4'	L74	S 69.14'38" E	713.9'							
L35	N 28'38'49" E	50.0*	L75	S 71'01'27" E	447.9'							
L36	S 81'21'11" E	308.4	L78	S 18"58"33" W	25.0'							
L37	N 81'21'11" W	199.7'	L77	S 18'58'33" W	25.0'							
L38	N 22'08'28" E	5.0'	L78	N 71'01'27" W	75.0'							
139	S 67"58"06" E	20.2'	L79	S 18"58"33" W	75.0							
L40	S 84'50'07" E	82,3'	LEO	N 71"01'27" E	200.0*							

- NOTES:

 1. THE BASIS OF BEARINGS AND DATUM FOR THIS SURVEY IS GRID NORTH, UTM
 17 NORTH ZONE, MAD B3 (2011), U.S. SURVEY FOOT.
 2. RIFORMATION DEPICTED HEREON IS BASED ON A SURVEY CONDUCTED FOR
 11 HE PURPOSE OF ESTABLISHING A BASEDLINE FOR MAPPING SULDTED
 TOPOGRAPHIC FEATURES AND LOCATION INCESSARY LINES FOR ENGINEERING
 DESIGN AND ESSEMENT ACQUISITION FROM LAND RECORD REFORMATION
 SUPPLIED BY CLIENT.
 3. THIS IS AN EASSEMENT TO CHAPTER A733—37, C.A.C.
 4. LAND RECORDS AND DEED INFORMATION SUPPLIED BY NORTHEASTERN LAND
 SERVICES. THIS DOCUMENT WAS PRODUCED WITHOUT THE BENEFIT OF A
 1THE REPORT.
 5. TEMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE LUES
 ADJACENT AND CONTINUOUS TO THE PERSANDER INSENSET INJECTION
 TO INTERSECT PROPERTY LINES, FOREIGN PIPELINES, WATCH BOOKES AND
 OTHER RETURNS THAT ARE NOT PERPENDICULAR TO THE BISELINE
 6. THE DIMENSIONS SHOWN FOR THE TEMPORARY WORKSPACE AND ADDITIONAL
 TEMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE AND ADDITIONAL
 TEMPORARY WORKSPACE AND ADDITIONAL TEMPORARY WORKSPACE AND ADDITIONAL
 TEMPORARY WORKSPACE ARE DESCENDED.





PERPENON LEGEND IL T R D.B. P.B. LIN.	CULAR TO THE PERMANENT EAS BASELINE TOWNSHIP ROWNED COCK DEED BOOK PLAT BOOK DEED VOLUME HISTRAINENT	EMENT.		RS PH	LAND E. SHAW I. NO. 8644 ONE: (413) 535- (: (413) 788-04	-0135	8/23/1 Date:	7	Millimi	S-8644 OF						
PO. P.O.B. P.O.T. P.O.S. P.O.R. C.P.B. ROW PERM. COMC.	PAGE POINT OF BEGINNING POINT OF TERMINATION POINT OF SUBSPENSION POINT OF BESSUBSPICON CONDO PLAT BOOK ROHT OF WAY PERSANENT CONCRETE	RIGHT OF WAY ACROSS THE PROPERTY OF: CITY OF COLUMBUS, OHIO CITY OF COLUMBUS, OHIO CITY OF COLUMBUS, OHIO										abi	a ssion			
MON. FND. N.T.S. APH O.R.F.C.O.	LONDARDIT FOUND NOT TO SCALE AUDITOR PARCEL NUMBER OFFICHAL RECORDS OF FRANKLIN COUNTY, OHIO P.I. ROADWAY CENTERLINE	DISTANCE ACROSS PROPERTY: 4991.8 FEET = 302.53 RODS PROPOSED PERMANENT EASEMENT: 0.08 ACRE TEMPORARY WORKSPACE: 2.15 ACRES EXISTING PERMANENT EASEMENT: 5.04 ACRES PREVIOUSLY DISTURBED TEMPORARY WORKSPACE: 063 ACRE ADDITIONAL TEMPORARY WORKSPACE: 1.59 ACRE ACCESS ROAD TOTAL DISTANCE: 1848.0 FEET TEATING AREA: N/A														
	DOSTING PIPELINE PROPERTY LINE ADJACENT PROPERTY LINE EXISTING PERMANENT	PROJ. ID 21506 SURVEY DATE	Đ	VOINEE		FIELD BOOK PAGE			_	COUNTY(IES) FRANKLIN COUNTY SECTIONS 17 & 18, T-11-N, R-21-W						
	EASEMENT PROPOSED PERMANENT EASEMENT TEMPORARY WORKSPACE	08/2015 MAP DATE 8/23/2017								STATE(S)	OHIC					
/////// ********	PREVIOUSLY DISTURBED TEMPORARY WORKSPACE ADDITIONAL TEMPORARY WORKSPACE	APPROVED BY MM	3	87/3017	REMIX P.O.S. OF PROMISES.		PAS CHS	673 574	1423\$ 1483\$	SHEET NO.	4	OF	6			
	STAGING AREA ACCESS ROAD	SCALE 1"=300'	1 100	65/2017 7/2018 DATE	REMEMBER POR CLIENT RECURST FRAME REMEMBER.	m .	PARI PARI CREM	MASS CIRCO	DAR	OH-FN	-01	79.	000			
		J		1 1412	1 12.00	wi .	-	unto	W4.9							

Written: August 23, 2017 OH-FN-0179,000 Columbia Gas Transmission B111 20" Pipeline Project City of Columbus, Ohio 0.02 Acre Proposed Permanent Pipeline Easement #1 0.06 Acre Proposed Permanent Pipeline Easement #2 0.82 Acre Proposed Permanent Access Road

GENERAL DESCRIPTION

Situated in the State of Ohlo, Franklin County, Madison Township, lying within and being a part of Sections 17 and 18, Township 11 North, Range 21 West, and being on, over and across a tract of land conveyed City of Columbus. Ohio (hereinafter referred to as "Columbus") by deeds of record in Deed Volume 3098, Page 496, Deed Volume 3098, Page 499, Deed Volume 3051, Page 681, Deed Volume 3025, Page 553 and Deed Volume 3017, Page 690 (all records referenced herein refer to the records of the Recorder's Office, Franklin County, Ohio).

PROPOSED PERMANENT PIPELINE EASEMENT #1 DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

COMMENCING at a point on a common line to the easterly line of said Columbus and the westerly line of a tract of land conveyed to Columbus and Southern Ohio Electric Company (hereinafter referred to as "Southern") by deed of record in Deed Book 2649, Page 341, said point bearing North 04°48'53" East, a distance of 190.1 feet from the common southerly corner to said Columbus and Southern tracts;

THENCE North 61°21'11" West, across said Columbus tract, a distance of 1,074.3 feet to the POINT OF BEGINNING.

THENCE continuing across said Columbus tract, the following four (4) courses:

- North 61°21'11" West, a distance of 128.2 feet to a point;
- 2)
- South 75"49'50" East, a distance of 40.0 feet to a point; South 61"21'11" East, a distance of 50.7 feet to a point; and
- South 46°52'32" East, a distance of 40.0 feet to the POINT OF BEGINNING.

The above described Proposed Permanent Easement contains 0.02 acre, more or less.

PROPOSED PERMANENT PIPELINE EASEMENT #2 DESCRIPTION

Being a metes and bounds description of land and being more particularly described as follows:

BEGINNING at a point on a common line to the northwesterly line of said Columbus tract and the southeasterly right-of-way line of I-270, said point bearing North 36°40'55" East, a distance of 1,505.6 feet from a common corner to a southwesterly corner of said Columbus tract and an angle point on said right-of-way line;

THENCE North 36°36'17" East, continuing along said common line, a distance of 46.6 feet to a point:

THENCE across said Columbus tract, the following three (3) courses:

- South 38°27'05" East, a distance of 113.4 feet to a point;
- North 65°35'21" West, a distance of 89.1 feet to a point; and
- North 49°38'54" West, a distance of 22.5 feet to the POINT OF BEGINNING.

The above described Proposed Permanent Easement contains 0.06 acre, more or less.

PROPOSED PERMANENT ACCESS ROAD

Being a centerline description, 12.5 feet each side of the following described centerline:

BEGINNING at a point on a common line to southwesterly line of said Columbus tract and the southeasterly rightof-way line of I-270, said point bearing North 75°51'00" East, a distance of 16.5 feet from the southwesterly corner of said Columbus tract and being on said right-of-way line;

THENCE across said Columbus tract, the following seven (7) courses:

- 1) South 66*43'35" East, a distance of 48.7 feet to a point of curvature;
- 2) With the arc of a curve to the left, having a radius of 160.8 feet, a delta angle of 48°31'34", an arc length of 136.2 feet and a chord bearing and distance of North 65°49'32" East, 132.2 feet to a point;
- North 30°00'48" East, a distance of 193.3 feet to a point;
- North 36°46'43" East, a distance of 79.4 feet to a point;
- North 38°23'29" East, a distance of 84.5 feet to a point;
- North 35"38'48" East, a distance of 625.9 feet to a point; and
- North 36°36'17" East, a distance of 479.2 feet to the POINT OF TERMINATION.

The above described Proposed Permanent Access Road Easement contains 0.82 acre, more or less

Bearing Source: Grid North, Bearings and Distances are derived from static ties to existing NGS monuments and transformed into NAD 83 (2011), UTM 17 North Zone, U.S. Survey Foot, Global Positioning System (GPS) survey performed by Mott MacDonald.

l, Holland E. Shaw, Professional Surveyor No. 8644-Ohio, do hereby certify that the above description and the attached plat were prepared under my direction and supervision from land records and deed information supplied by Northeastern Land Services and from an actual field survey made on the ground within the month of August

8/23/17

Holland E. Shaw, P.S. Ohio No. 8644 Mott MacDonald

Date

134 Capital Drive, Suite D West Springfield, MA 01089 413-535-0135 — Office 413-788-0438 — Fax COA No. 01776

HILL E OF ONLY HOLLAND E. SHAW S-8644

П

U

C

w