



LEEDS

17300 Medina Road, Suite 600
Minneapolis, MN 55447 USA
Phone: +1 763-546-8575
Fax: +1 763-546-4369
www.leedsmicro.com

Quotation

prepared for


**Columbus Police Crime Lab
Attention: Amy Amstutz
770 E Woodrow Ave
Columbus, OH 43207
aemyers@columbuspolice.org**

**Project Description:
New Camera for Existing LCF Comparison Microscopes**

**Quote Number: 78083, issued by Leeds Precision Instruments, Inc.
This quote is valid from
April 20, 2018 to August 31, 2018**

**F.O.B: Vendor Dock
Terms: Net 30 (With Open Account)
Delivery: Will ship within 60 days of receipt of a Purchase Order**

**Respectfully submitted for Leeds Precision Instruments, Inc. by:
Jake Kurth, Co-Director of Sales, U.S. and International**



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #78083

4/20/2018

TO:

COLUMBUS POLICE CRIME LAB
 ATTN: AMY AMSTUTZ
 770 E WOODROW AVE
 COLUMBUS, OH 43207
 aemyers@columbuspolice.org/614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT.		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
PROJECT DESCRIPTION: NEW CAMERA FOR EXISTING LCF COMPARISON MICROSCOPES					
LCF-CMOS5	2	ea	Insight CMOS Color Mosaic 5Mp USB3.0 C-Mount Camera	5,030.00	10,060.00T
LCF-DE63BXC	2	ea	0.63X C-Mount.	630.00	1,260.00T
PCIX-USB3	1	ea	USB 3.0 PCI Express 2 port card compaible USB 2.0	23.00	23.00T
C-Discount			Customer Credit on Account	-23.00	-23.00
			Total		11,320.00

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%) \$0.00

Total (USD) \$11,320.00



TERMS AND CONDITIONS

Revised 1-11-18

ORDER TERMS AND ACCEPTANCE: All customer orders are subject to these Terms and Conditions. Any inconsistent or conflicting terms in any purchase order, or other customer communication, cannot supersede or modify these Terms and Conditions, and are expressly rejected. All orders are subject to acceptance by Leeds and no provision of goods or services by Leeds will be deemed to be an acceptance of conflicting or inconsistent terms, or a waiver of these Terms and Conditions.

If the customer is the federal government, a state government, an agency of the federal or state government, or a political subdivision of any state, including, but not limited to, any county, city, or municipality, these Terms and Conditions shall be deemed to be subject to the mandated terms and conditions of any said government as they relate to government purchases.

Any transactions with Leeds for products or services will be governed by the laws of the State of Minnesota applicable to contracts and accepted and to be performed in Minnesota, without regard to applicable conflicts of law principles. Any action relating to any Leeds transactions, or these Terms and Conditions, will be brought in the applicable federal or state courts located in Hennepin County, Minnesota. By placing orders with Leeds, each customer irrevocably submits to the jurisdiction and venue of such courts.

SHIPPING: Leeds will attempt to honor special shipping requests, but reserves the right to select the carrier and manner of shipment. All shipping and delivery dates provided are estimates only, and customer will pay all applicable shipping and handling charges. All products are sold and shipped F.O.B. Plymouth, Minnesota, with title and risk of loss passing to customer upon tender to carrier.

PRICING AND PAYMENT: Prices and applicable discount terms are subject to change without notice, and orders will be filled and shipped at prices confirmed on acceptance. Except as otherwise quoted by Leeds, pricing is exclusive of all applicable sales, use or similar taxes, which will be the sole liability of customer. Unless customer has been granted credit terms, all customer purchases are payable prior to shipment. Without Leeds' prior written consent, payment by credit card is not permitted in excess of \$5000.

If credit is extended, customer agrees that Leeds will be entitled to collect interest on any late payments from date of delivery at the rate of 8% per annum, or the highest applicable interest rate allowed by law in the State of Minnesota, together with reasonable attorney's fees or other costs of collection. Leeds also reserves the right to amend or revoke customer credit terms at any time.

PRODUCT ACCEPTANCE: In case of any shortage or product damage, customers must notify delivering carrier and Leeds immediately, and must file a carrier claim within 10 days of receipt. Leeds will provide necessary supporting claim information and documentation on request. Leeds will use best efforts to expedite reorders for missing or damaged products, which will also remain subject to Leeds' Terms and Conditions.

RETURNS AND CANCELLATIONS: Unused and undamaged non-custom products are the only type of products that may be returned, provided that the customer has obtained a written return authorization code from Leeds. All such returns must be requested within 30 days of product receipt. Credit for authorized returns will be issued at current price paid, less freight costs and reasonable restocking fees. Cancellation of orders prior to delivery are subject to the following: i) If items ordered are Leeds' stock items, the order cancellation will be accepted without charge or penalty, ii) If items ordered are special order items by Leeds and Leeds has placed a purchase order with the manufacturer, or if the items ordered include Leeds' customization of products, a reasonable fee may be charged, not to exceed an amount equal to 15% of the customer's purchase price.

LIMITED WARRANTY: Leeds warrants that its custom products will be free from defects in materials and workmanship under normal use and service for a period of one year for mechanical, electrical, electronic, or wear-related components. The warranty shall begin on the date of purchase. If any product proves to be defective within the relevant warranty period, the customer must return the defective product to Leeds.

Leeds Precision Instruments, Inc.
17300 Medina Road, Suite 600
Plymouth, MN 55447-5639
(763) 546-8575 www.leedsmicro.com

Leeds at its sole discretion, will repair, replace, or adjust the defective product, provided that Leeds' investigation and factory inspection disclose that such defect developed under normal and proper use and the product is covered under this limited warranty. Repair, replacement, or adjustment of defective product shall be Leeds' sole obligation and the customer's sole remedy.



17300 Medina Road, Suite 600
Minneapolis, MN 55447 USA
Phone: +1-763-546-8575
Fax: +1-763-546-4369
www.leedsmicro.com

Quotation

prepared for


Columbus Police Crime Lab
Attention: Amy Amstutz
770 E Woodrow Ave
Columbus, OH 43207
aemyers@columbuspolice.org

Project Description:
Leeds Firearms and Toolmarks Comparison Microscope (LCF3)

Quote Number: 78046, issued by Leeds Precision Instruments, Inc.
This quote is valid from
April 3, 2018 to August 31, 2018

F.O.B: Vendor Dock
Terms: Net 30 (With Open Account)
Delivery: Will ship within 60 days of receipt of a Purchase Order

Respectfully submitted for Leeds Precision Instruments, Inc. by:
Jake Kurth, Co-Director of Sales, U.S. and International



17300 Medina Road, Suite 600
Minneapolis, MN 55447
Phone: 763-546-8575
Fax: 763-546-4368

March 1st, 2018

Columbus Police Crime Lab
Attn: Amy Amstutz
770 East Woodrow Ave
Columbus, Ohio 43207
United States

Leeds' LCF3 Firearms and Toolmarks Comparison Microscope

Leeds Forensic Systems, Inc. (Leeds) is the sole manufacturer, and U.S. distributor of the Leeds' LCF3 Firearms and Toolmarks Comparison Microscope. As its manufacturer and distributor, Leeds provides on-site installation, training, on-going technical support, and warranty service. In addition, Leeds' service department is available after the sale for scheduled maintenance and recertification.

Unique Specifications for Leeds Firearms and Tool Marks Comparison Microscope (LCF3) includes:

1. Leeds Precision Instruments, Inc. is an ISO/IEC 17025:2005 accredited facility for calibration, providing certificates of calibration for magnification matching and all measurement functions.
2. The LCF3 with primary magnification range of 6x- 102x, has a zoom design providing 14 matched magnification positions. Of these 14 positions, 11 are between the magnifications of 6x- 56x.
3. Leeds Universal holder, designed to manipulate various size cartridge casings (from a 0.030" diameter wire to a 10-gauge shot gun shell), requires no additional holder accessories.
4. The dividing line controller is easily adjusted with one hand, allowing the examiner to sweep the dividing line from right to left. Any line width is possible and images can be viewed at any percentage left, right or superimposed.
5. The LCF3 has unique stages that can be removed entirely from the system or swung aside. Specialized toolmark holders can be swapped out on the stages via the adjustment of the two simple thumb screws.
6. The LCF3 13 watt quad lamp fluorescent lighting system is a brighter lamp with 4 tube bulb system offering a unique rotatable hood that can be adjusted for maximum sample contrast.
7. The LCF3 utilizes a work surface that is machined from a single piece of billet aluminum, providing structural rigidity for an increased image quality by minimizing effects of vibration. This specialized table surface also provides a custom ergonomic shape and roll-off protection edge.

Sincerely,
Leeds Precision Instruments, Inc.

By Terri Barnett
Its Vice President



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #78046

4/3/2018

TO:

COLUMBUS POLICE CRIME LAB
 ATTN: AMY AMSTUTZ
 770 E WOODROW AVE
 COLUMBUS, OH 43207
 aemyers@columbuspolice.org|614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
LCF3-BRIDGE	1	ea	PROJECT DESCRIPTION: LEEDS FIREARMS AND TOOLMARKS COMPARISON MICROSCOPE (LCF3) Comparison Bridge designed with high-quality optics that provide a superior color balanced system. This unit has an upright unreversed image with a 22mm field of view. Images can be viewed as 100% right, 100% left, split, or superimposed. The image dividing-line controller is easily adjusted with one hand, allowing the examiner to sweep the dividing-line from right to left. The dividing-line can be eliminated or adjusted to any desired line width. The same centrally located control allows any percentage of the right and left images to be superimposed as well. An ISO 17025:2005 Accredited/NIST Traceable certificate of magnification matching is included with each system.	16,001.00	16,001.00T
LCF-3-U137	1	ea	U-TBI-3-CLI; Tilting binocular observation tube, continuously-variable eyepiece inclination from 5° to 35°; FN 22 capable; Siedentopf-type dust-free design. Accepts 30mm diameter WH series eyepieces. High transmission coated prisms; antifungal treatment. Graduated interpupillary distance adjustment 50mm-76mm; right eyepiece tube with +/- 5 diopter control.	1,657.00	1,657.00T

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
Minneapolis, MN 55447
Phone: 763-546-8575
Fax: 763-546-4369

Quote #78046

4/3/2018

TO:

COLUMBUS POLICE CRIME LAB
ATTN: AMY AMSTUTZ
770 E WOODROW AVE
COLUMBUS, OH 43207
aemyers@columbuspolice.org/614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
LCF-U-IT134EC	1	ea	U-TRU; Side-port adapter for camera attachment. Two-position light path selector: 100% observation/0% camera, or 20% observation/80% camera. Includes FN 22 tube lens and dovetail port to accept U-SPT phototube (cat# 3-U801) or U-TV series CCD camera adapters. Mountable with port to the right, rear, or left of the user with binocular observation tube. Mountable to the rear with trinocular observation tube.	890.00	890.00T
LCF-2-U1007	1	ea	WHN10X-1-3; Widefield 10X eyepiece for BX/IX with reticle shelf. FN 22, high-eyepoint.	217.00	217.00T
LCF-2-U100H6	1	ea	WHN10X-H-1-3; Widefield focusing 10X eyepiece for UIS optics, high-eyepoint, field number 22, 30mm diameter; with shelf for 24mm diameter reticle ± 5 diopter adjustment Vernier printed on eyepiece.	260.00	260.00T
LCF-2-U1026	1	ea	CROSSWHN10X-1-7; Widefield 10X Crosshair Eyepiece, high eyepoint, FN 22; 30mm diameter, focusable top lens with crosshair reticle and alignment pin ± 5 diopter adjustment vernier printed on eyepiece.	346.00	346.00T
LCF-EPH	1	ea	Third eyepiece holder, attaches to LCF column.	113.00	113.00T
LCF-1600-1X	2	ea	SDFPLAPO1XPF; 1X Plan Apochromat objective. WD 60mm, NA 0.15, Super Depth of Focus. This objective is parfocal with the .5X, 1.6X and 2X objectives carrying the "PF" designation. Total magnification with WHN10 H 6x to 102x.	1,832.00	3,664.00T
LCF-1600	2	ea	Macrozoom optical body with 16:1 zoom ratio. Magnification range of 6x-102x with 1x objective and 10x eyepieces. Built-in aperture diaphragm, 14 magnification click stops, zoom control on both sides of body. Outside-zoom knob has magnification indicator for specified objective and 10x eyepieces. Will accept a dual nosepiece for multiple objectives.	5,366.00	10,732.00T

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #78046

4/3/2018

TO:


COLUMBUS POLICE CRIME LAB
 ATTN: AMY AMSTUTZ
 770 E WOODROW AVE
 COLUMBUS, OH 43207
aemyers@columbuspolice.org 614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
LCF3-STATION-S	1	ea	36" Ergonomic shaped table top with object roll-off protection edge. Table is constructed from billet aluminum and is laminate covered. The station includes optical mounts bridge on motorized column and accessory support column. The universal power supply comes with control pendant and column connections for fluorescent and LED illumination. Ergonomic shaped table top with object roll-off protection edge. The accessory support column can be positioned over 18" right-to-left distance. The station sits on two 4"x 4" adjustable height aluminum legs with motorized lead screw drive. Providing a table height from 24" to 34". Leg crossbar can be raised or lowered as needed for foot rest.	9,915.00	9,915.00T
LCF-FOPOS	2	ea	Focus-mount positioner; 4" X-axis range to change the side-to-side position of the universal bullet holder.	298.00	596.00T
LCF3-FFOMT	2	ea	Stage mount with fine and coarse focus control.	2,009.00	4,018.00T
LCF-STAGE	2	ea	Horizontal coaxial control X-Y stage, 180mm x 135mm platform with 50mm X-axis and 77mm Y-axis movement. Uniform ball-bearing motion.	1,606.00	3,212.00T
LCF3-SCALE	1	ea	LCD Measuring scale, inch/metric, .0005"/0.1mm resolution with bracket kit. Includes ISO 17025:2005 Accredited/NIST Traceable Certification of Scale Accuracy.	637.00	637.00T

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
Minneapolis, MN 55447
Phone: 763-546-8575
Fax: 763-546-4369

Quote #78046

4/3/2018

TO:


COLUMBUS POLICE CRIME LAB
ATTN: AMY AMSTUTZ
770 E WOODROW AVE
COLUMBUS, OH 43207
ameyers@columbuspolice.org/614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
LCF3-UVLHLR	2	ea	Universal Manipulating Bullet/Shell Holder; with 90 degree vertical to horizontal positioning range. 360 degree rotating chuck with as small as .030" wire to as large as a 10-gauge shotgun shell. This holder allows a shell to be gripped by its inside, or outside, diameter. It can also grip a shell by the extraction groove. This unique holder replaces many special holders, eliminating the additional time required for change over. Includes a mini-platter for sticky wax mounting.	3,765.00	7,530.00T
LCF-PINMTS	1	ea	Set of pin mount pairs, .094", .125", .190", .250".	324.00	324.00T
LCF-PMH	1	ea	Pin mount holder tray	133.00	133.00T
LCF3-FLRKIT-AA-R2	1	ea	Flourescent light kit for LCF3 Station w/articulating arms. New design florescent light pairs. 13W - 5000K -900 lumens - energy efficient - "Double U-Tube" quad. design lamp. Incorporated into a holder with rotating hood, has a life of 10,000 hours.	1,216.00	1,216.00T
LCF-CF13DD	2	ea	13 W-D/E-5000K Fluorescent quad lamp.	13.00	26.00T
LCF-LEDFO	1	ea	Fanless 5700K LED cube illuminator light source/fiber optic light guide.	644.00	644.00T
LCF3-LEDFO-PST	1	ea	LMS-LEDFO Post Mount for LCF3 Station.	86.00	86.00T
LCF-A08520	1	ea	Dual 18" gooseneck light guide with 30" flexible fiber bundle. Mounts directly onto microscope body so that illuminator unit can be located at some distance from the microscope stand.	219.00	219.00T
LCF-A08080	2	ea	Focusing spot lens.	46.00	92.00T
LCF-D8080	2	ea	Diffused spot lens.	188.00	376.00T
LCF-COVER	1	ea	Nylon dust cover. (List \$199)	278.00	278.00T
MS-LCF-ISO	1	ea	ISO/IEC 17025:2005 accredited calibration, providing certificates of calibration for magnification matching and all measurement functions. (List \$130)	130.00	130.00T

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #78046

4/3/2018

TO:

COLUMBUS POLICE CRIME LAB
 ATTN: AMY AMSTUTZ
 770 E WOODROW AVE
 COLUMBUS, OH 43207
 aemyers@columbuspolice.org/614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
			Subtotal		63,312.00
LCF3-POST	1	ea	OPTIONAL EXTRA POST AND 16" SHELF		
LCF3-SHELF16-PST	1	ea	Accessory post assembly for LCF3 Station.	426.00	426.00T
			16" Shelf and swivel arm with post mount for LCF3 Station.	792.00	792.00T
			Subtotal		1,218.00
LCF-RFLDOC	2	ea	OPTIONAL SAMPLE HOLDERS		
LCF-BPVTL	2	ea	Reflected light holder for document and toolmark examination. Includes tall adjustable stage clips.	166.00	332.00T
LCF-BPMVISE	2	ea	Large ball pivot positioner with an adjustable (tilting) surface for toolmark examination.	505.00	1,010.00T
LCF-UVWP	2	ea	Ball pivot vise positioner with adjustable (tilting) jaws for toolmark examination.	632.00	1,264.00T
LCF-MAGMT	1	ea	Wax platen with ball pivot to mount in universal holder.	269.00	538.00T
			Magnetic shot gun shell holder for firearms systems (pair).	99.00	99.00T
			Subtotal		3,243.00
LCF-CMOS5	1	ea	OPTIONAL CAMERA AND CAMERA MOUNT		
DE63BXC	1	ea	Insight CMOS Color Mosaic 5Mp USB3.0 C-Mount Camera	5,030.00	5,030.00T
			0.63X C-Mount for OLYMPUS BX	549.00	549.00T
			Subtotal		5,579.00
			OPTIONAL COMPUTER AND MOUNTING ACCESSORIES		

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)

Total (USD)



17300 Medina Road, Suite 600
 Minneapolis, MN 55447
 Phone: 763-546-8575
 Fax: 763-546-4369

Quote #78046

4/3/2018


TO:

COLUMBUS POLICE CRIME LAB
 ATTN: AMY AMSTUTZ
 770 E WOODROW AVE
 COLUMBUS, OH 43207
 aemyers@columbuspolice.org/614.645.4911

Payment Terms		Shipping Terms		Quote Valid Until	
Net 30		FOB DESTINAT		8/31/2018	
Item #	Qty	U/M	Description	Price	Total
PC1MT-1605-24 DIS	1	ea	Optiplex 7040 MT; Operating System: Windows 7 Professional English/French, 64bit; Processor: Intel® Core™ i5-6600 (Quad Core 3.30GHz, 6MB 4T); Memory: 4GB (1X4G) 2133MHz DDR4; Graphics Cards: AMD Radeon™ R5 340X, (2GB DP, DVI-I); Hard Drive: 500GB 3.5inch SATA (7,200 RPM); Optical Drives: 8X DVD+/-RW; Hardware Support Services: 3 year Prosupport with next business day Onsite Service; Keep your hard drive 3yrs.; Keyboard: KB216; Mouse: MS116; Monitor: P2417H Monitor	1,592.00	1,592.00T
LCF3-FPARM-LX	1	ea	Flat panel monitor arm for use with accessory post.	227.00	227.00T
			Subtotal		1,819.00
			System Subtotal		75,171.00

Respectfully submitted by: Jake Kurth, Co-Director of Sales, U.S. & International

Sales Tax (0.0%)	\$0.00
Total (USD)	\$75,171.00



TERMS AND CONDITIONS FOR LEEDS LCF AND LCT MODELS

ORDER TERMS AND ACCEPTANCE: All customer orders are subject to these Terms and Conditions. Any inconsistent or conflicting terms in any purchase order, or other customer communication, cannot supersede or modify these Terms and Conditions, and are expressly rejected. All orders are subject to acceptance by Leeds and no provision of goods or services by Leeds will be deemed to be an acceptance of conflicting or inconsistent terms, or a waiver of these Terms and Conditions.

If the customer is the federal government, a state government, an agency of the federal or state government, or a political subdivision of any state, including, but not limited to, any county, city, or municipality, these Terms and Conditions shall be deemed to be subject to the mandated terms and conditions of any said government as they relate to government purchases.

Any transactions with Leeds for products or services will be governed by the laws of the State of Minnesota applicable to contracts and accepted and to be performed in Minnesota, without regard to applicable conflicts of law principles. Any action relating to any Leeds transactions, or these Terms and Conditions, will be brought in the applicable federal or state courts located in Hennepin County, Minnesota. By placing orders with Leeds, each customer irrevocably submits to the jurisdiction and venue of such courts.

SHIPPING: Leeds will attempt to honor special shipping requests, but reserves the right to select the carrier and manner of shipment. All shipping and delivery dates provided are estimates only, and customer will pay all applicable shipping and handling charges. All products are sold and shipped F.O.B. Plymouth, Minnesota, with title and risk of loss passing to customer upon tender to carrier.

PRICING AND PAYMENT: Prices and applicable discount terms are subject to change without notice, and orders will be filled and shipped at prices confirmed on acceptance. Except as otherwise quoted by Leeds, pricing is exclusive of all applicable sales, use or similar taxes, which will be the sole liability of customer. Without Leeds' prior written consent, payment by credit card is not permitted in excess of \$5000.

If credit is extended, customer agrees that Leeds will be entitled to collect interest on any late payments from date of delivery at the rate of 8% per annum, or the highest applicable interest rate allowed by law in the State of Minnesota, together with reasonable attorney's fees or other costs of collection. Leeds also reserves the right to amend or revoke customer credit terms at any time.

PRODUCT ACCEPTANCE: In case of any shortage or product damage, customers must notify delivering carrier and Leeds immediately, and must file a carrier claim within 10 days of receipt. Leeds will provide necessary supporting claim information and documentation on request. Leeds will use best efforts to expedite reorders for missing or damaged products, which will also remain subject to Leeds' Terms and Conditions.

RETURNS AND CANCELLATIONS: Unused and undamaged non-custom products are the only type of products that may be returned, provided that the customer has obtained a written return authorization code from Leeds. All such returns must be requested within 30 days of product receipt. Credit for authorized returns will be issued at current price paid, less freight costs and reasonable restocking fees. Cancellation of orders prior to delivery are subject to the following: i) If items ordered are Leeds' stock items, the order cancellation will be accepted without charge or penalty, ii) If items ordered are special order items by Leeds and Leeds has placed a purchase order with the manufacturer, or if the items ordered include Leeds' customization of products, a reasonable fee may be charged, not to exceed an amount equal to 15% of the customer's purchase price.

LIMITED WARRANTY: Leeds warrants that its LCF Firearms & Toolmarks Comparison Microscope and its LCT Trace Evidence Comparison Microscope, will be free from defects in materials and workmanship under normal use and service for a period of five years for mechanical or optical defects and one year for electrical, electronic, or wear-related components. The warranty shall begin at installation. If any product proves to be defective within the relevant warranty period, the customer must return the defective product to Leeds.

Leeds Forensic Systems, Inc.
17300 Medina Road, Suite 600
Plymouth, MN 55447-5639
(763) 546-8575
www.leedsmicro.com

Leeds at its sole discretion, will repair, replace, or adjust the defective product, provided that Leeds' investigation and factory inspection disclose that such defect developed under normal and proper use and the product is covered under this limited warranty. Repair, replacement, or adjustment of defective product shall be Leeds' sole obligation and the customer's sole remedy.