LPA RX 887 T Rev. 07/09

Page 1 of 4

Ver. Date 12/10/2018 PID 99744

PARCEL 18-T FRA-CR 14-1.99 TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO COMPLETE GRADING AND REMOVE WALK FOR 24 MONTHS FROM DATE OF ENTRY BY THE CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO

[Surveyor's description of the premises follows]

Situate in the State of Ohio, County of Franklin, City of Columbus, being located in Half Section 53 in original Truro Township, Township 12, Range 21 of the Refugee Lands. The herein described parcel lies on the left side of the existing centerline of Right-of-way of Refugee Road. All bearings and distances, stations and offsets are based on the Right-of-Way plans prepared by Burgess & Niple for the City of Columbus as shown on the centerline plat for Refugee Road as recorded in Plat Book 125, pages 58 – 61 of the Franklin County Recorder's Office and as on file with the City of Columbus in plan 3419-E. Being part of lands conveyed to the "FIRST CHURCH OF GOD, INC., A NON-PROFIT OHIO COPORATION" (hereafter referred to as Grantor) as described in Instrument No. 199802230039216 of the Franklin County Recorder's Office and being more particularly described as follows:

COMMENCING at 60.00 feet left of the existing centerline of right-of-way of Refugee Road at station 24+32.24 and the **TRUE POINT OF BEGINNING** of the herein described parcel;

THENCE North 76 deg. 44 min. 55 sec. East for a distance of **69.78 feet** to 81.02 feet left of the existing centerline of right-of-way of Refugee Road at station 24+98.78;

THENCE South 85 deg. 44 min. 08 sec. East for a distance of **422.86 feet** to 81.14 feet left of the existing centerline of right-of-way of Refugee Road at station 29+21.64;

THENCE South 85 deg. 44 min. 08 sec. East for a distance of **336.36 feet** to 81.24 feet left of the existing centerline of Right-of-way of Refugee Road at station 32+57.99;

THENCE North 54 deg. 38 min. 30 sec. East for a distance of **23.27 feet** to 96.08 feet left of the existing centerline of right-of-way of Refugee Road at station 32+75.91;

THENCE South 85 deg. 52 min. 32 sec. East for a distance of **70.63 feet** to 96.28 feet left of the existing centerline of Right-of-way of Refugee Road at station 33+46.54;

LPA RX 887 T

THENCE South 39 deg. 50 min. 32 sec. East for a distance of 19.72 feet to 82.12 feet left of the existing centerline of Right-of-way of Refugee Road at station 33+60.26;

THENCE South 85 deg. 31 min. 28 sec. East for a distance of 190.69 feet to 81.48 feet left of the existing centerline of Right-of-way of Refugee Road at station 35+50.95;

THENCE South 89 deg. 50 min. 16 sec. East for a distance of 46.44 feet to 84.81 feet left of the existing centerline of Right-of-way of Refugee Road at station 35+97.27;

THENCE South 04 deg. 16 min. 52 sec. West for a distance of 14.82 feet to 70.00 feet left of the existing centerline of Right-of-way of Refugee Road at station 35+97.27;

THENCE North 85 deg. 43 min. 08 sec. West for a distance of 366.39 feet to 70.00 feet left of the existing centerline of Right-of-way of Refugee Road at station 32+30.89;

THENCE on a tangent curve to the left, with an ARC LENGTH of 55.55 feet, a RADIUS of 212.00 feet, a TANGENT LENGTH of 27.93 feet, a DELTA ANGLE of 15 deg. 00 min. 45 sec., with a CHORD BEARING of North 78 deg. 13 min. 46 sec. West and a CHORD **DISTANCE** of **55.39 feet** to 77.22 feet left of the existing centerline of Right-of-way of Refugee Road at station 31+75.97;

THENCE North 85 deg. 44 min. 08 sec. West for a distance of 148.97 feet to 77.17 feet left of the existing centerline of Right-of-way of Refugee Road at station 30+27.00;

THENCE on a tangent curve to the left, with an ARC LENGTH of 66.84 feet, a RADIUS of 212.00 feet, a TANGENT LENGTH of 33.70 feet, a DELTA ANGLE of 18 deg. 03 min. 52 sec., with a CHORD BEARING of South 85 deg. 13 min. 56 sec. West and a CHORD **DISTANCE** of **66.56** feet to 66.70 feet left of the existing centerline of Right-of-way of Refugee Road at station 29+61.27;

THENCE South 76 deg. 11 min. 59 sec. West for a distance of 21.61 feet to 60.00 feet left of the existing centerline of Right-of-way of Refugee Road at station 29+40.72;

THENCE North 85 deg. 43 min. 08 sec. West for a distance of 93.87 feet to 60.00 feet left of the existing centerline of Right-of-way of Refugee Road at station 28+46.85;

THENCE on a tangent curve to the left, with an ARC LENGTH of 85.79 feet, a RADIUS of 212.00 feet, a TANGENT LENGTH of 43.49 feet, a DELTA ANGLE of 23 deg. 11 min. 10 sec., with a CHORD BEARING of North 74 deg. 08 min. 33 sec. West and a CHORD

LPA RX 887 T

DISTANCE of **85.21 feet** to 77.10 feet left of the existing centerline of Right-of-way of Refugee Road at station 27+63.38;

THENCE North 85 deg. 44 min. 08 sec. West for a distance of 227.00 feet to 77.03 feet left of the existing centerline of Right-of-way of Refugee Road at station 25+36.38;

THENCE on a tangent curve to the left, with an ARC LENGTH of 60.01 feet, a RADIUS of 152.00 feet, a TANGENT LENGTH of 30.40 feet, a DELTA ANGLE of 22 deg. 37 min. 12 sec., with a CHORD BEARING of South 82 deg. 57 min. 16 sec. West and a CHORD **DISTANCE** of **59.62 feet** to 65.32 feet left of the existing centerline of Right-of-way of Refugee Road at station 24+77.92:

THENCE South 71 deg. 38 min. 40 sec. West for a distance of 13.83 feet to 60.00 feet left of the existing centerline of Right-of-way of Refugee Road at station 24+65.16;

THENCE North 85 deg. 43 min. 08 sec. West for a distance of 32.92 feet BACK TO THE TRUE POINT OF BEGINNING.

The above-described parcel contains 0.271 acres total, including 0.000 acres in the present road occupied (PRO), lying in Franklin County Auditors parcel number 010-109331.

The basis of bearings for the above-described parcel are based on the Grid North and the Ohio State Plane Coordinate System, South Zone, NAD83(2011), as established from a GPS survey utilizing the Ohio Department of Transportation's Virtual Reference System (VRS), performed by OHM-Advisors in November, 2015 and as expressed on said Right-of-Way plans and Centerline Plat prepared by Burgess & Niple for the City of Columbus on the existing centerline of Refugee Road by a monument box, located at the center of the box lid, at station 10+00.00 and a 1" rebar set in pavement at the centerline intersections of Refugee Road and Schwartz Road at station 28+89.33 with a bearing of South 85 deg. 43 min. 08 sec. East.

LPA RX 887 T Rev. 07/09

This description was prepared by Burgess & Niple, under the direct supervision of Michael D. Jones, P.S., Ohio License No. 8459 and is based on a recent survey of the existing boundary monument locations performed by OHM Advisors, under the direction of John Raab, Professional Surveyor, Ohio License Number 7863, under a sub-consultant agreement between Burgess & Niple and OHM Advisors, for said services.

	Burgess and Niple, Inc.	
Michael D. Jones PS Date	Michael D. Jones PS	
	Ohio Reg. No. 8459	