

EXHIBIT A

RX 250 WD

Page 1 of 3

Rev. 06/09

Ver. Date 7/25/19

PID 86645

**PARCEL 11-WD
FRA-US40-10.55
ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE
IN THE FOLLOWING DESCRIBED PROPERTY
WITHOUT LIMITATION OF EXISTING ACCESS RIGHTS**

Grantor/Owner, for himself and his heirs, executors, administrators, successors and assigns, reserves all existing rights of ingress and egress to and from any residual area (as used herein, the expression "Grantor/Owner" includes the plural, and words in the masculine include the feminine or neuter).

[Surveyor's description of the premises follows]

Situated in the State of Ohio, County of Franklin, City of Columbus, Virginia Military Survey No.1393, being a part of Lots 1 and Lot 2 as shown numbered and delineated on the record plat of Franklinton Square of record in Plat Book 67, Page 17 and being a 1.480 acres tract of land described in a deed to National City Bank, Columbus, N.A., a National Banking Association by deed of record in Official Record 26150G07 and being a parcel of land lying on the south side of the existing centerline of right-of-way for Broad Street (US-40) as shown on the Right of Way plans for FRA-US40-10.55 on file with the City of Columbus. All references to records herein are those located in the Recorder's Office of Franklin County, Ohio and being more particularly described as follows:

Commencing at a mag spike set in the intersection of existing centerline of right of way line for Broad Street (US-40) (80' width) with the existing centerline intersection of Central Avenue (60' width), said point also being the northeast corner of a 130.000 acres tract of land described in a deed to the State of Ohio by deed of record in Deed Book 82, Page 582 and being located in the centerline of Broad Street (US-40) at station 557+05.83 and centerline station 15+00.00 for Central Avenue;

Thence **S 08 degrees 29 minutes 14 seconds E** a distance of **40.00 feet** with the existing centerline of right of way for Central Avenue and the east line of said State of Ohio 130.000 acres tract to a point, said point being 40.00 feet right from Broad Street (US-40) centerline station 557+05.83;

EXHIBIT A

Page 2 of 3

RX 250 WD

Rev. 06/09

Thence **S 81 degrees 30 minutes 46 seconds W** a distance of **30.00 feet** across Central Avenue roadway and the said State of Ohio 130.000 acres tract to a mag spike set in the existing westerly right of way line of said roadway, same being the northeast corner of the grantor's 1.480 acres tract, said spike being also in the existing southerly right of way line of Broad Street, being 40.00 feet right from Broad Street (US-40) centerline station 556+75.83 and also being the ***TRUE POINT OF BEGINNING***;

Thence **S 08 degrees 29 minutes 14 seconds E** a distance of **31.68 feet** with the existing westerly right of way line of Central Avenue, the west line of said highway easement and the east line of the grantor's 1.480 acres tract to an iron pin set, said iron pin being 71.68 feet right from Broad Street (US-40) centerline station 556+75.83;

Thence **N 46 degrees 25 minutes 59 seconds W** a distance of **33.84 feet** across the grantor's tract to an iron pin set, said iron pin being 45.00 feet right from Broad Street (US-40) centerline station 556+55.02;

Thence **S 81 degrees 30 minutes 46 seconds W** a distance of **9.19 feet** across the grantor's tract to an iron pin set, said iron pin being 45.00 feet right from Broad Street (US-40) centerline station 556+45.83;

Thence **N 08 degrees 29 minutes 14 seconds W** a distance of **5.00 feet** across the grantor's tract to an iron pin set in the existing southerly right of way line of Broad Street (US-40), same being the south line of said State of Ohio 130.000 acres tract and also the north line of the grantor's 1.480 acres tract and being 40.00 feet right from Broad Street (US-40) centerline station 556+45.83;

Thence **N 81 degrees 30 minutes 46 seconds E** a distance of **30.00 feet** with the existing southerly right of way line for Broad Street (US-40), the south line of said State of Ohio 130.000 acres tract and the north line of the grantor's 1.480 acres tract to the northeast corner of said tract and the ***TRUE POINT OF BEGINNING***, containing 0.010 acres more or less.

The above described area contains a total of **0.010 acres**, within Franklin County Auditor's Parcel Number 010-227528-00, which includes 0.000 acres in the present road occupied.

Grantor claims title by Instrument recorded in Official Record 26150G07 in the records of Franklin County, Ohio.

EXHIBIT A

Page 3 of 3

RX 250 WD

Rev. 06/09

Iron pins set, as shown on plan and in the above description are 3/4 inch steel rod, thirty (30) inches long with an aluminum cap stamped "ODOT R/W PS No. S-7514".

Mag Spike set, as shown on plan and in above description are magnetized spikes eight (8") inches in length by three-eighths inch (3/8") shank and a one (1" dia.) head.

This description was prepared by Mark S. Ward, professional Surveyor No. S-7514, and was based on available public records and actual field survey of the premises performed by Resource International, Inc. in March, 2018. Bearings used in this description are based on Ohio State Plane Coordinates System, South Zone, NAD 83 (2011) and were established utilizing ODOT's VRS system, GPS Equipment and Procedures and an established bearing of N 81°30'46" E on the centerline of Broad Street.

Resource International, Inc.

Mark S. Ward, P.S.
Professional Surveyor No. S-7514