

5255 N State Route 60 NW \* McConnelsville, Ohio 43756 800-545-3280 \* 740-962-4328 \* Fax 740-962-5422 www.finleyfire.com

September 17, 2020

Columbus Division of Fire Attn: Captain Ryan Brzezinski

The quote for the Pierce 107' Ascendant Tiller ladder truck of \$ 1,383,038.00 is good until 10-31-2020. Please make PO out to Finley Fire Equipment.

Thank you, George Thomas

# PROPOSAL FOR FURNISHING FIRE APPARATUS

May 29, 2020

Columbus Division Of Fire

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Pierce Manufacturing, Inc., at its home office in Appleton, Wisconsin, the apparatus and equipment herein named and for the following prices:

(1) One Pierce Tiller Mounted On An Arrow XT Chassis Per The Enclosed Spec	\$	1,383,038.00
Note Total Cost Includes The Following Trips For Department Members:	<del></del>	21
-Pre Construction		
-Post Paint Inspection	υ	
-Final Inspection		
Please note any issued PO's need to be sent to Finley Fire Equipment Company.		
	— T-4-1 ft	1 202 020 00
	_ Total \$	1,383,038.00

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 13 months after receipt of this order and the acceptance thereof at our office at Appleton, Wisconsin, and to be delivered to you at Columbus Division Of Fire.

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 30 days from date, the right is reserved to withdraw this proposition.

Pierce Manufacturing, Inc.

By: AUTHORIZED SALES REPRESENTATIVE

George Thomas



OSD1397

PERFORM. LIKE NO DTHER"

Revised: 09/28/2011



## **Proposal Option List**

5/28/2020

Customer:

COLUMBUS DIVISION OF FIRE

Representative

Thomas, George

ranization:

Finley Fire Equipment Co, Inc

quirements Manager:

Description:

Columbus Tiller

Body: Aerial, Tiller, Alum Body

Chassis: Arrow XT Chassis, Tractor (Tiller) Bid Number:

Job Number:

Number of Units:

1 08/12/2020

1032

Bid Date:

Stock Number:

Price Level:

39 (Current: 39)

Lane:

Clias			Arrow XT Chassis, Tractor (Tiller)	Lane:	
Line	Option	Туре	Option Description		Qty
1	0766599		Boiler Plates, Tiller		1
			Fire Department/Customer - City of Colu	ımbus	3)
			Operating/In conjunction W-Service Cen		
			Miles - 75 Miles		
			Number of Fire Dept/Municipalities - 20		
			Bidder/Sales Organization - Finley Fire E	Equipment	
			Delivery - Delivery representative		
2	0584456		Dealership/Sales Organization, Service Manufacture Location, Appleton, Wisconsin	- Finley Fire Equipment	
	0584452		RFP Location: Appleton, Wisconsin		1
	0588609		Vehicle Destination, US		1
	0018180		Single Source Compliance, Aerials		1
	0670275		Unit to be Similar in some Aspects, Excluding Pum	n Danel	1
Ŭ	00/02/0			p Panei	1
7	0610784		Fill in Blank - Job #32598 Comply NFPA 1901 Changes Effective Jan 1, 2016	With Executions	4
	0533349		Aerial Fire Apparatus	o, with exceptions	1
	0588613		Vehicle Certification, Aerial w/o Pump		1
	0681279		Agency, Apparatus Certification, Aerial w/o Pump,	m ·	1
	0799172		FLEET CUSTOMER	O.L.	1
12	0000114		Inspection Trip(s)		1
			Qty, - 03		3
			Fill in Blank - Drawing Approval - Post Pa	aint - REP	
13	0536644		Customer Service Website	AITE TO I	1
14	0620355		Consortium, State of Ohio		1
15	0535579		Not Required, Unit of Measure, (no pump, no tank)		1
16	0030006		Bid Bond Not Requested		1
17	0540326		Performance Bond, Not Requested		1
18	0000007		Approval Drawing		1
19	0611571	SP	Drawing, As Built, At Delivery a Revised Print w/ Ch	nanges, FLEET	1
20	0002928		Electrical Diagrams		1
21	0624883		Arrow XT Chassis, Tractor (Tiller)		1
22	0000110		Wheelbase		1
			Wheelbase - 178.00"		
23	0000070		GVW Rating		1
24			GVW rating - 78,300 pounds		
	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Ve		1
	0050817		Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT, Fro		1
	0640191		Axle, Front, Meritor MFS-20, 21,500#, w/assist, QT		1
	0000549		Suspension, Front Spring, 21,500 lb, FL-943/MFS	Axle/Dana	1
	0000319		Shock Absorbers on Front Axle, Qtm/AXT/Imp/Vel		1
	0000322		Oil Seals, Front Axle		1
	0594821		Tires, Front, Goodyear, G296 MSA, 425/65R22.50,		1
	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, H		1
	0508439		Axle, Rear, Meritor RT46-160, 48,000 lb, HDR/Tiller	Tractor	1
	0544244		Top Speed of Vehicle, 60 MPH		1
	0555353		Suspen, Rear, Hendrickson FMX 482 EX, Air Ride,	48,000 lb	1
	0000485		Oil Seals, Rear Axle		1
	0587016		Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 p		1
	0019639		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hu	b Pilot, Tandem	1
38	0568081		Tire Balancing, Counteract Beads		1

line	Option	Type	Ontion Description	
CHICAGO CONTRACTOR OF THE PARTY	0794137	Type SP	Option Description  Tire Pressure Monitoring Valve Cap, Quick Pressure, QP-000080	Qty
		0.	Qty, Tire Pressure Ind - 12	1
40	0691196		Extender, Valve Stem, 180 Degree, Tandem Axle, Two Pair	1
41	0002046		Mud Flap, Front and Rear, No Logo	1
( '2	0515990		Mud Flap, Tiller Trailer, No Logo	1
43	0601010		Chocks, Wheel, SAC-44-E, Folding, Aerials	2
			Qty, Pair - 02	2
44	0663124		Mounting Straps, Chocks, SAC-44-E, Folding, In Compt	2
			Location, Wheel chock - In compt D8 stood up in front of the tool board driver side. Ship the wheel chocks loose with the unit per the customer at mid inspection.  Qty, Pair - 02	2
	0608639		ABS/ATC Wabco Brake System, Tandem Axle, Tiller	1
	0508676		Brakes, Meritor, EX225, 17", Disc Plus, Front	1
	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
48	0058463		Air Compressor, Brake, Bendix 15.8 CFM	1
	0000789		Brake Reservoirs, Five	1
50	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
51	0000790		Brake Lines, Nylon	1
52	0520383	SP	Air Inlet, w/Disconnect Coupling Special Location	1
			Location - in the drivers side front cab step well MOVE TO THE REAR AND HIGH AS POSSIBLE. MATCH JOB # 31093	
53	0070810		Qty, Air Coupling (s) - 1 All Wheel Lockup (Aerial/Tanker Chassis)	24
	0610882		Engine, DDC DD13, 505 hp, 1750 lb-ft, W/OBD, EPA 2016, AXT	1
	0001244		High Idle w/Electronic Engine, Custom	1
	0590300		Engine Brake, Jacobs Compression Brake, DD13	1
00	000000			1
57	0552334		Switch, Engine Brake - f) DD13 Clutch, Fan, Air Actuated, Horton Drive Master	
	0043422			1
	0565965		Air Intake, w/Ember separator, AXT	1
f	0797727		Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Right Side Radiator, Arrow XT	1
	0001090		Cooling Hoses, Rubber	1
	0618681	SP		1
UL.	0010001	JI.	Fuel Tank, 65 gal, Stainless Steel, Side Mount, Tandem, Tiller	1
63	0001129		Finish, Fuel Tank - Painted Lines, Fuel	
	0763582		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle, Tiller	1
	0552793		Door, Material & Finish, DEF Tank - Brushed Stainless  Not Required, Fuel Priming Pump	1
	0552712		Not Required, Shutoff Valve, Fuel Line	1
	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
	0690880		No Selection Required From This Category	1
	0642538		Trans, Allison 5th Gen, 4500 EVS P, w/Prognostics, Arrow XT	1
70	0693570		Transmission, Shifter, 6-Spd, Push Button, 4500 EVS, AXT, Qtm, Dash CF Trans, ratio - 4500 EVS, 6Spd	1
71 (	0797722		Transmission Oil Cooler, Modine, External, AXT	4
	0535530		Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 6 speed **	1
	0001375		Driveline, Spicer 1810	1
	0669989		Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler	1
	0001545		Steering Assist Cylinder on Front Axle	1
	0509230		Steering Wheel, 4 Spoke without Controls	1
	0550144		Logo/Emblem, on Horn Button	1
			Text, Row (1) One - Columbus Text, Row (2) Two - Fire Text, Row (3) Three - Division	1
	0029285		Lube System, Vogel, 48 Point, Tilt Cab, Tiller	1
	0606443		Bumper, 19" Extended, Steel Painted, Arrow XT	1
30 (	510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
81 (	0612736	SP	Tow Eyes, Painted, Extended Out Front of Bumper, Color Feature	1
82 (	762394		Paint Color, Predefined - #587 Red Lights, Amdor, 12" Amdor AY-LB-12HW012 Light, Front Bumper Cover	1
			Qty, - 01	

- L-	CM-Dteament	Option 0532853	Тур		Qt
	00	0002000		Recess, Side Zone Warning Light, In Side of Extended Bumper	
	84	0562558		Material, Brkt, Recess Lt Bumper - Painted Smooth Aluminum Cab, Arrow XT 2010, 6700	
		0614530		Engine Tunnel, DD13, Arrow XT	
1		0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	
1	2.0	0587335		Cab Lift Flac/Hyd Manual Override Land	
				Cab Lift, Elec/Hyd, Manual Override, Loc Feature, AXT	
	00	050000		Location - In compt P8 on the hyd tank wall above the louver as high as possible keeping the switch assembly inside the hyd oil tank cover behind the wall of the compt.	
	00	0562080		Light, Red LED Indicator, Cab Not Engaged Into Lockdown Latches	
	89 (	0640431		Location - in switch panel #12 per the switch panel layout.reference JPEG photo #104 Grille, Bright Finished, Front of Cab, Arrow-XT	
		0769765		Lettering Numerals Critic Deints during (2)	•
		0002224		Lettering, Numerals, Grille, Painted w/ Outline (2)	•
		- velle i		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	
	92 (	0663120		Material Trim/Scuffplate - c) S/S, Polished	
				Scuffplate, S/S Behind Handrails	2
				Location - The two handrails on the front face of the cab.  Qty, - 02	
	93 (	0513581		Material Trim/Scuffplate - c) S/S, Polished Scuffplate, S/S, Behind Cab Door Handrails	
				Material Trim/Scuffplate - c) S/S, Polished	1
	94 0	647932		Not Required, Trim, S/S Band, Across Cab Face, AXT/Dash CF/Saber/Enforcer	
	95 0	015440		No Chrome Molding, On side of cab	1
	96 0	628259		Mirrors, Lang Mekra, Aero 300, Convex, Heated/Remote, Custom Chassis	1
	97 0	517525		Mirrors, 8" K-10 Eyeball, PS Cab Front, Front Cross View	1
	98 0	563092		Door, Half-Height, Arrow-XT 4-Door Cab, Level Roof	1
	99 0	655603		Door Panel, Brushed Stainless Steel, Arrow XT 4-Door Cab	1
1	00 0	554537		Controls, Electric Roll-Up Windows, 4dr, 3 Driver Controls, AXT	1
		771399	SP	Steps, 4-Door Cab, Dual, Grip Strut Inserts, AXT	1
			O,		1
	)2 0	770213		Light, Step, Additional - P25 LED	
1		509649		Handrail, Exterior, Brey-Krause, 24" Formed, S/S, Coat Hook, 4-Door Cab	1
1	04 0	005772		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step Fenders, S/S on cab, w/Radius corner, 2.00" wide	1
		612925	SP	Tractor 5th Wheel and Fender Skirts Teacher City	1
		674349	SP	Tractor 5th Wheel and Fender Skirts, Tandem, Grip Strut Steps, Tiller, No Chains	1
		566915	0.	Handrail, 10" on Cab Below Windshield, One (1) Piece, Stainless Steel, Pair Window, Side of C/C, Fixed, Arrow-XT 2010	1
		012094		Windows, Delete Rear of Crew Cab	1
		554199			1
		663686		Compt, Storage, (1) Each Side Crew Cab, 14" D, AXT	1
•	10 00	300000		Mounting Provisions, 3/16" Alum, Engine Tunnel, AXT	1
1	11 07	748682		Mounting Provision Spacing - 1.00"  Material Finish, Cab Interior - Painted  Cab Interior, Vinyl, Painted Tunnel, Arrow XT, CARE	- 4
				Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	1
1	12 07	753917		Cab Interior Rear Wall Material - Painted Aluminum Cab Interior, Paint Color, Arrow XT	1
1	13 07	752811	SP	Color, Cab Interior Paint - b) black Floor, Alum Cab & Crew Cab, Safe Stride, AXT/Imp/Vel/Dash CF, CARE	1
1	14 00	43079		Color, Safe-Stride - Black	
		03353		Heater/defroster, AXT	1
•	15 00	100000		Air Conditioning, Arrow-XT 2010	1
1.	16 06	60960		Paint Color, A/C Condenser - Cover/Mounts Match Roof	
		73386		Dual Condensate Drain Tubes for A/C Drip Pan, AXT	1
		32085		Louvers, A/C, S/S IPO Plastic Louvers, 2010 AXT	1
	.0 00	U2000		Fans, Window Defrost, Two (2), Location Feature	1
11	19 06	39675		Location - ONE EACH SIDE OF THE CENTER WINDSHIELD POST. Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
,2	0 06	72911	SP	Sun Visor Retention - No Retention  Grab Handles Driver Side Lower Doob & Officer Doob B. A. Charles	
		02526	Section 1	Grab Handles, Driver Side Lower Dash & Officer Dash Panel, AXT MUX	1
		31830		Light, Engine Compt, All Custom Chassis	1
		83039		Fluid Check Access, Saber FR/Enforcer, Arrow XT Not Required, Side Roll and Frontal Impact Protection	1
1/		***************************************		NOUNCOUNTED DIDE KOII and Frontal Impact Protection	

	Line Option	Туре	Option Description	Qty
	124 0622617		Seating Capacity, 6 Seats	1
	125 0697004		Seat, Driver, Pierce PSV, Air Ride, High Back	1
	126 0565224		Seat, Officer, Pierce PSV, Fixed, SCBA	1
	127 0620425		Radio Compartment, Below Non-Air Ride Seat, Arrow XT	1
(	`8 0629296	SP	Seat, Rear Facing C/C, DS Outboard, Pierce PSV, SCBA, 17" Btm	1
	29 0102783		Not Required, Seat, Rr Facing C/C, Center	1
	130 0629293	SP	Seat, Rear Facing C/C, PS Outboard, Pierce PSV, SCBA, 17" Btm	
	131 0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
	132 0611318	SP	Seat, Forward Facing C/C, Center, (2) Pierce PSV, SCBA, 17" Btm, 8" Spacing	1
	133 0108190	٥.	Not Required Seat Forward Feeing C/C DC Outhered	1
	134 0766467		Not Required, Seat, Forward Facing C/C, PS Outboard	1
	134 0700407		Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE	7
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black	
	135 0543991		Qty, - 07	
	100 0040001		Bracket, Air Bottle, Hands-Free II, Cab Seats	5
	136 0690610		Qty, - 05	
	100 000010		Embroidery, Seats, Cab and Crew Cab	1
	137 0674936		Qty, Seats Embroidery - 7 Seats	
			Door, Access, Each Side and Front, Forward Facing Seat Riser, AXT 2010, Imp/Vel	1
	138 0667047		Seat Belt, Sheath Length, Removable	6
			Location - each seat	
	139 0697223	OD.	Qty, - 06	
		SP	Seat Mounting, Forward Facing. Moved Rearward	1
	140 0603221		Seat Belt, ReadyReach, Extended Shoulder Belt Length	1
	444 0550004		Seat Belt Color - Red	
	141 0553381		Seat Belt Height Adjustment, Arrow XT	1
	142 0543133		Bracket, Helmet Holder, Zico UHH-1	1
	440 0047047		Qty, Helmet Storage Brkt - 6	
	143 0647647		Lights, Dome, FRP Dual LED 4 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black	
1			Control, Dome Lt White - Door Switches and Lens Switch	
1	144 0624776		Control, Dome Lt Color - Lens Switch	
	144 0631776		Not Required, Overhead Map Lights	1
	145 0555813		Handlts, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange	1
			Location, Portable Hand Light - 1 light to comp D8 verit next to the light	
			tower controls. 1 in compt D1 up hi on rear wall. 1 light on DS side wall of the	
			crew cab rear of door up hi. 1 light on the pass side wall of the crew cab behind the door up hi. Jpeg's 004, 085, 090, 0119	
	146 0567650		Cab Instruments, Blk Gags, Blk Bez, AXT 2010	1
	147 0002544		Air Restriction Indicator - Pierce Chassis	1
	148 0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - No Alarm	1
	149 0005925		Light, Open Door - Custom Std	
	150 0043467		Switching, Cab Instrument & Overhead, Rocker Sw's, AXT	1
			Location, Emerg Switch - a) driver's	1
	151 0012630		Wiper Control, 2-Speed with Intermittent, AXT	4
	152 0002565		Hourmeter, Aerial Inside Cab	1
	153 0002615		Switch, Aerial 12V Master	. 1
	154 0032828		No PTO switch req'd - w/aerial piggyback	1
	155 0547322		Wiring, Spare, 15 A 12V DC, Switch Feature 1st	1
				1
			Qty, 01	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location - installed to the inside between the drivers seat and rear facing seat in a enclosed brackey accessible to the occupants.	
			Switch, Lt Control 1 DC - n) No Control	
			Switch, Lt Control 2 DC - n) No Control	
(	156 0548004		Wiring, Spare, 15 A 12V DC 1st	2
			Qty, - 02	13. <del>75.7</del> .
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location, Spare Wiring - Officer Dash and 1 next to DS switch panels	
			13/14 pre layout.JPEG 100, & 115	
		MARK NOTE OF		

Line Option	Туре	Option Description	Oty
157 0594194		Radio, AM/FM/CD/WB/Aux in, Panasonic	Qty 1
~ 8 0610240		Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - c) Roof-mounted rubber antenna Location, AM/FM Radio - g) instrument panel Vehicle Data Recorder w/Seat Belt Monitor	
J9 0799477	SP	Intercom, Firecom 5200D Dual Radio, 1 Wireless Base Station, (3C,Wired)	1
		Location - TBD AT PRE CON.  Location, Intercom, C Cab - 3) 2 forward and 1 rear facing	1
160 0006240		Cable, Radio to Intercom Interface, Firecom, 1 Radio Radio, First Two-Way Make - Motorola Mid Power	1
161 0681383		Radio, First, Two-Way Model - Motorola XTL-5000 Headset, Firecom, UH-54 Under Helmet, Intercom Only, Mic On/Off Button	3
		Qty, - 03 Location, Headset - DS Outbrd, Rear Fcng Seat and Center Crew Cab Seat	
162 0602376		Headset, Firecom, Wireless, UHW-505 Under Helmet, Radio Transmit Qty, - 04	4
		Location, Headset - Driver Seat, Officer Seat, Center Crew Cab Seat and Tiller	
163 0681408		Hangers For Headsets, NFPA, Each	8
		Qty, - 08	
164 0788871		Location, Headset Hangers - Driver Seat, Officer Seat and Tiller Operator Antenna Kit, External for Firecom Wireless	1
165 0559512		Install Customer Provided MDT, Complete (Qty)	1
		Location - Mounted on the instrument panel in front of the officer per JPEG #114 Qty, - 01	
166 0559156		Install Customer Provided Two-Way Radio(s)	1
		Location - in pass side overhead switch panel #4. See photo for location of PTT in Stage three job folder Qty, - 01	
167 0696438		Antenna Mount, Custom Chassis, Cable Routed to Radio Box	1
		Location Qty, - 01	
168 0003757		Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing	1
		Location - cable routed to center instrument panel area for MDC Qty, - 01	
169 0653531		Location 1 - antenna opposite the standard antenna Camera, Pierce, 7" LCD, R, RS Cameras Location, Camera Monitor - Driver Side Dash	1
170 0511071		Guard, 4-Way, Rear Vision Camera  Qty, - 01	1
171 0768717		Location - rear Bracket, Mounting, 60 Degree, KeySecure 5, Knox KLS-MB-60	1
172 0762208		Location - Approval meeting Key Storage, Knox-Box, KeySecure 6, KS-6K2-B, WiFi, Cab Surface Mt	1
470.0004050		Location - Mounted on the tunnel, final location to be determined at post paint inspection.	
173 0624252 174 0624266		Electrical Power/Signal Protection & Control, Arrow XT	1
175 0079211		Electrical System, Arrow XT Hard Wired Batteries, (6) Exide Grp 31, 950 CCA each, Threaded Stud	1
176 0008621		Battery System, Single Start, All Custom Chassis	1
177 0622893		Battery Compartment, Stainless Steel, Arrow XT	1
		Battery Trays - Roto-Molded Trays Material Finish - Painted	
178 0032690		Charger, Sngl Sys, IOTA, DSL 45, 45 amp	1
179 0012782		Location, Charger, Front Left Side Body Compartment	1
'90 0537512		Location, Battery Chrgr/Cmpr - High On Left Wall Location, Bat Chrg Ind, Display Through Window Behind Driver Seat	4
31 0507624		Shoreline, 30A 120V, Kussmaul Auto Eject, 091-159-30-120, Super	1
		Qty, - 01 Color, Kussmaul Cover - d) yellow	
		Connection, Shoreline - battery charger, all interior cab receptacles, D6	

-	Option	Туре	Option Description	Qty
182	0026800		Shoreline Location	1
183	0663075	SP	Location, Shoreline(s) - DS Cab Side Shoreline Inlet, 30A 120/240V, NEMA L14-30 TL	1
			Location - In compt D5 near the breaker box.	1
			Qty, - 1	
			Connection, Shoreline - in the event of primary generator failure, customer shall plug in Honda 6500 watt generator connect to breaker panel	
184	0036802		Sub Feed Breaker Box Cutler Hammer, For Shoreline	1
195	0783395		Location, CB Panel - Will be done at Approval meeting	
	0543023		Transfer Switch, Generator to Shoreline 30 Amp and Under Cover, Protection over Battery, Alum Treadplate	1
	0515090		Display, Kussmaul Single Bat Status Ind 091-94-12, Wired to Batteries	1 1
			Location - DS window behind cab door	
	0566294		Alternator, 430 amp, Niehoff C680-1	1
	0012766 0795739	SP	Radio Cut-Out, Interlocked to Emerg Master Switch Guard, Switch, Stainless Steel "U" Shaped, Location	1
		C.	Location - inter lock at drivers right knee	1
404	0000700		Qty, - 01	
	0002762 0783153		Load Manager, Kussmaul Mark I, (7) Channels	1
132	0703133		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel	1
193	0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
404	0040074		Color, Lens, LED's - m)match LED's	
	0648074 0750542		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
	0511569		Light, Directional/Marker, Intermediate, Truck-Lite 60421Y LED 2lts Lights, Clearance/Marker/ID, Rear, P25 LED 7Lts	1 1
			Light Guard - With Guard	1
	0625210	OD	Lights, Directional, Cab Front Side, Truck-Lite 19036Y LED, AXT/Enf	1
198	0783440	SP	Light, Marker End Outline, Rubber Arm, LED Marker Lamp, Mounted On Box	1
			Location, Lights - These lights are to be mounted on aluminum 4 way boxes to extend the lights past the overall width of the vehicle. Mount the same way as job # 28842. Reference photo JPEGs 56 and 58 in the Job Photo's Qty, Lights, Pair - 1	
199	0650675		Lights, Tail, WIn 60BTT* Red LED Stop/Tail & 60A00TAR Amb LED Dir For Housing	1
200	0765583		Color, Lens - Colored Lights, Backup, Win C6BU, LED for use w/Win PLASC*V, 3 & 4 Light Bezel Housing	1
201	0663884		Bracket, License Plate & Light, P25 LED, Temp Under Tailbrd	1
202	0768261		Location - D/S	528
	0589905		Bezels, Wln, (2) PLASC4V, For Mtg (4) C6 Lts Alarm, Back-up Warning, PRECO 1040	1
	0515839		Light, Marker, P25 LED, Two (2) Pair In Rub Rails	1
005	0545000		Location - in tiller rub rails	
205	0515836		Light, Marker, P25 LED, Four (4) pair in Rub Rails	1
206	0769569		Location - in tiller rub rails Lights, Perimeter Cab, Amdor AY-LB-12HW012 LED 4Dr	1
	0616293		Not Required, Lights Perimeter Pump House, No Pump	1
208	0768492		Lights, Perimeter Body, Amdor AY-LB-12HW012 & 020 LED 4lts, Tiller	1
209 (	0610601	SP	Control, Perimeter Lts - Parking Brake Applied Lights, Perimeter, FRC FireFly LED110-Q01 W/SPL Switching	0
		•	Location, Lights - one each side forward of the rear tires to illuminate the tires and pavement when driving.	2
210 (	0554516		Qty, - 02	0.00
	0670323	SP	Lights, Step, P25 LED, Tiller, Aerial Master Lights, Side Scene, Zico ZQL-SS-LED, Stainless, Tiller Cb Control Only	1 4
			Location, Lights - Two each side in the tiller trailer fender panel one	4
			facing forward and one rearward. Light to be angled slightly downward.	
12 (	0663071	SP	Qty, - 04 Control, Tiller Cornering Lights, Cab Instrument Panel, IAT	1
213 (	0693551		Lights, Tractor Scene, Win M9LZC LED, pair	1
			•	

Line Option	Туре	Option Description	Qty
214 0679615	17	Bracket, Alum. Trdplate, 12V Surface Mounted Flood Lights, Compt Top, Each	6
C'		Location - One above Compartment D2 and P2 in front of the boom support and the rear of the body. One above Compartment D7 and P7 both to be front of compartment. One on each side of tractor cab above side windows. Qty, - 06	
5 0692052		Light, FRC, 12V SPA260-Q15* LED, Surface Mount 1st	3
		Qty, - 03 Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
		Color, FRC/Rom Lt Housing - FRC, Chrome Bezel Location, 12/24 Volt Lights - PS Body, Forward, 1lt, PS Body, Rearward,	
216 0602049		1lt and PS Lower Cab Roof, 1lt	
216 0692048		Light, FRC, 12V SPA260-Q15* LED, Surface Mount 2nd Qtv 03	3
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
		Color, FRC/Rom Lt Housing - FRC, Chrome Bezel Location, 12/24 Volt Lights - DS Body, Forward, 1lt, DS Body, Rearward,	
		1lt and DS Lower Cab Roof, 1Lt	
217 0692047		Light, FRC, 12V SPA260-Q15* LED, Surface Mount 3rd	1
		Location, Lights - centered on back of tiller cab	
		Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
218 0781750	SP	Color, FRC/Rom Lt Housing - FRC, Chrome Bezel	
19 0618310	SP	Lights, Centering, Rng, Cab Roof, Tiller, Weldon 9186-150*-**, LED R/G 4lts, L Light, Visor, FRC, 12V SPA851-Q20-*, LED 1st	1
5 0010510		Qty, - 01	1
		Location, driver's/passenger's/center - Centered	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control Color, FRC/Rom Lt Housing - FRC, White	
220 0532322		Not Required, Hose Bed Lights, Alt. Rear Scene Lights, Aerials	1
221 0645678		Lights, Not Required, Rear Work, Alt. 120/240 Volt Lights At Rear Body	1
222 0709438		Light, Walking Surf, FRP Flood, LED	1
223 0090655		Aerial, Tiller, Alum Body	1
224 0554269		Body Skirt Height, 18"	1
225 0045810		Not Required, Water Tank, Tiller	1
226 0023410		Not Required, Overflow	1
227 0043076		Not Required, Hose Bed, Tiller	1
228 0013481 229 0013534		Not Required, Hose Bed Capacity	1
230 0690023		Not Required, Running Boards Wall, Rear, Smooth Aluminum	1
231 0029503		Tow Eyes (2), Painted, Aerial	1 1
232 0090670		Construction, Compt, Alum, Tiller	1
233 0673597	SP	Compt, Tandem Tractor Reservoir, Roll-Up Door, w/o Tak4, Special 178" WB	1
234 0672821	SP	Compt, F/H, No Trans, Roll, Shortened, Single Compt, 70.00" Wide, DS Front	1
235 0036503		Compt, F/H, Trans Front, Roll, LS Center, Tiller	1
236 0796084	SP	Compt,Roll Dr.Front F/H Rear,2 Lift Ups,Special Cab Steps,Nrw Rr Wall,Tiller	1
237 0672822	SP	Compt, F/H, No Trans, Roll, Shortened, Single Compt, 70.00" Wide, PS Front	1
38 0672831	SP	Compt, F/H, Trans Front, Roll, Rear Blistered, PS Center, Tiller	1
_39 0796078	SP	Compt, Roll Dr.Front,F/H Rear,2 Lift Ups,Special Cab Steps,Nrw Rr Wall,Tiller	1
240 0594014		Doors, Amdor, Rollup, Side Compartments	12
		Qty, Door Accessory - 12 Color, Roll-up Door - AMDOR Satin Aluminum	
		Latch, Roll-up Door - Locking, 751, AXT/Qtm/Dash CF/Saber Cabs	

Line Option	Туре	Option Description	Qty
241 0667139		Not Req'd, Compt Blister in Front of Rear Axle, Tiller	1
242 0067768		Not Required, Bumper, Tiller	1
243 0562375		Scuffplate, S/S, On Rear Outside, Corner of Body, Full-Height	1
4 0524589		Material Trim/Scuffplate - c) S/S, Polished Scuffplate, Alum 4-Way, Top/Rear of Tractor Reservoir Compt, Tiller	
∠45 0624660	SP	Door Grabber, Cast Products Model #DH0016-1-A, IPOS	1
	٥.	Qty, Door Accessory - 02	2
246 0600540		Location, Door Accessory - rear ladder compartment doors mounted the top corners of the doors to elminate flex in the door.	
246 0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door  Location - B1,LS1,LS2,LS3,LS4,LS5,LS6,LS7,LS8,RS1,RS2,RS3,RS4,RS5,RS6,RS7,RS	17
		8	
247 0603420		Qty, - 17 Shelf Tracks, Painted, Aerial	12
		Qty, Shelf Track - 12 Location, Shelf Track - LS1, LS4, LS5, LS6, LS7, RS1, RS4, RS5, RS6 and RS7	
248 0687112		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted Qty, Shelf - 11	11
		Location, Shelf - (2) in D7,(1) centered in D6/P6 only as wide as tiller frame, (1) in D1, (1) in D5, (1) in D6, (1) in P1, (2) in P5, (1) in P6, (1) in P7 make it as long as the air bottle storage and 18.5 high from the top of the bottle storage, also see drawing.	
249 0783135	SP	Tray, 1000 lb Capacity, SlideMaster Slides, Transverse w/4" Sides, 3/16",Adj Ht Location - In compartment D6 and P6, 28" up from floor	1
250 0613349	SP	Qty, Tray (slide-out) - 01 Tray, Floor Mounted, Utility,Two Way,1000lb,SlideMaster,Special Sides,Full Trans	1
<i>2</i>		Qty, - 01 location - in transvers compartment behind cab. P8 and D8 Material - paint to match compt interior Utility Tray Side Height - 4.00"	
1 0647472		Tray, Floor Mounted, Slide-Out, w/ Side Slides, FW/FD, 500lb, 2.00" Sides, 2G Qty, - 03	3
252 0647091		location - LS4 & RS4. Third tray added at mid inspection for customer installed generator in compartment LS5 for a Homda EMS 6500 watt generator, 27.00" long x 21.00" wide X 22.00" high Material - Painted - Spatter Gray	
232 004/091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides  Qty, - 01	1
253 0590939		Location, Tray Slide-Out, Floor Mounted - LS7 Material Finish, Tray - Painted - Spatter Gray Toolboard, Alum, .188", Peg Board, Added to Slide-Out Tray	1
		location - on the two way slide out tray in the compt behind the cab, tool board to be adjustable side to side on tray.  Qty - 1	
254 0735093	SP	Finish, Pegboard/Toolboard - Painted - Spatter Gray Box, Alum 4-Way, Stokes Storage, Gooseneck, Lift Past 90 Doors, Ea Side	1
255 0559649		Size - Compartment to be 30" wide by 14" tall by the full width of the body. Have someone check the lock handles, they have come open under load. Box, Alum 4-Way, Stokes Storage, Above Rear Compts,LS/RS Access, Tiller	1
0.00		Size - compt to be full width of the body, 52.00" wide by 8.00" tall. Clear inside height to be 6". Mount just forward of the boom support. Have someone check the lock handle so it will not come open under load. The last four tiller have come open under load	r
256 0048202		Partition(s), Delete, Between Upper Compts  Location - one each side between the small compartments over tiller	2
257 0096116		wheels Qty, Partition - 02 Partition, Vertical Compartment, Special Height	1
		Location - P7, separating the compartment at the edge of the air bottle rack, extending up to the adjustable shelf that is 18.5" higher than the rack. Qty, Partition - 01	
		Finish - Painted, Compt Interior, Spatter Gray Fill in Blank - extending from the floor up to the adj shelf in the upper left side compt	

Line Option	Туре	Option Description	
258 0013202	- ype	Strap, Nylon w/Velcro	Qty 2
		Location - Across the face of the air bottle storage rack in compt P7, one over each row, horizontal. See JPEG #025	2
79 0004016		Qty, - 02 Rub Rail, Aluminum Extruded, Side of Body	
J0 0667068		Fender Crowns, Rear, S/S, Wider Than Std, Tandem Tiller	1
261 0777288	SP	Handrails, Tiller Cab Access Steps, Each Side, Hansen S/S Knurled	1
262 0777286	SP	Handrails, Tiller Reservoir and Turntable Steps, Each Side, Hansen S/S Knurled	1
263 0612838	SP	Handrail Coat Hook, Brey-Krause	1 4
264 0663118	SP	Location, Handrails - Cab doors Qty, Handrails - 04 Scuffplate, S/S, Polished, Behind Handrails	
	-	Location, Handrails - the handrails located on compts D8 and P8 and TILLER CAB access	6
265 0024210		Qty, - 06 Storage Bin, Air Bottle	8
		Location, Bracket/comp on the floor of compt P7 toward the rear of truck side of the compt. Velcro straps to hold bottles in place.  Qty, Bottle Bin - 08	Ū
266 0004218		Ladder, 35' Duo-Safety 1200A 2-Sect Qty, - 1	1
267 0064557		Ladder, 20', Duo-Safety 900A 2-Section	1
268 0034226		Qty, - 01 Ladder, 28', Duo-Safety 1200A 2-Section	1
269 0004222		Qty, - 1 Ladder, 24' Duo-Safety 900A 2-Section	2
		Qty, - 02 Location, Extension Ladder - ladder storage	2
270 0024232		Ladder, 16' Duo-Safety 875A Roof	1
271 0655286		Qty, - 1 Ladder, 14' Duo-Safety 775-DR Roof with 7/8" Hooks	1
_/2 0004233		Qty, - 01 Ladder, 14' Duo-Safety Fresno 701	1
273 0004246		Qty, - 1 Ladder, 10' Duo-Safety Folding, 585A	1
		Qty, - 01	
274 0524506		Location, Folding Ladder Aerial - torque box	
275 0638437	SP	Ladder Storage, Vertically Hinged Lap Doors, Smooth Aluminum, Tiller	1
276 0796497	SP	Modify Ladder Storage Troughs, No Shift Side To Side Lights, Torque Box Ladder Storage, Not Required	1
277 0798476	SP	Ladder Roller System, w/ Dura Surf, No Cam Lock System, Tiller	1.
278 0607939	SP	Straps, Velcro, Ladders In Torque Box/Ladder Storage	1
	0.	Location - 14' ladder on the top right	1
		Qty, - 01	
279 0772685	SP	Anti-Migration Plate, Ladder, Ladder Storage, Quantity	2
		Location - In Ladder Storage Area	
280 0004249		Qty, - 02	
281 0780977	SP	Slides, Dura-Surf, Ground Ladder Storage, Ascendant, PAL, PAP	1
201 0/009//	SF	Flange, 4.00", Pike Pole Heads Interference	1
282 0658169		Location - below the pike poles in the ladder storage compartment.  Ladders, Nested, Left Side Ground Ladder Storage	
283 0658170		Ladders, Nested, Right Side Ground Ladder Storage	1
284 0642363		Pike Pole, 10' Fire Hooks Unlimited, Fiberglass, APH-10, Gas Shut Off	1
		Location - in the ladder storage compartment Per Jpeg 49 and 52	1
285 0783143	SP	Qty, Pike Poles - 1 Pike Pole, 14' Fire Hooks Unlimited, APH-14, Pry End	1
		Location - In ladder compartment	1
6 0604208	SD.	Qty, Pike Poles - 1	
0 0004208	SP	Pike Pole, 12' Fire Hooks Unlimited, Fiberglass, APH-12, w/ Pry/Chisel End Qty, - 01	1
287 0009048		Location - In ladder compartment	
201 0003040		Pike Pole, 8' Fire Hooks Unlimited, Fiberglass, APH-8', Gas Shut Off Qty, - 01	1

-	Option	Туре	Option Description	Qty
287 288	0602876		Location - in ladder compartment Pike Pole, 6', Aerial, Provided by Fire Department, NFPA 2016	
			Qty, - 01	1
,			Pike Pole Make/Model - Akron 6' Pike Pole	
	0548410		Not Required, Pole, Pike, 3'	1
	0765933		Velcro Straps For Pike Pole Tubes In Torque Box	1
201	0770577		Qty, - 01	
231	0110511		Pike Pole Tubes, in Torque Box/Ladder Storage, Aluminum	5
292	0743861		Qty, - 05 Modify Pike Pole Storage, Torque Box/Ladder Storage, Special Spacing	50,431
293	0692816		Label, Vinyl	1
			Location - install the numbers for the the ladder length on the rear torque	16
			box bottom ledge and up rights.	
			Qty, - 16	
			Fill in Blank - ladder lengths at rear in addition to the tags see 31093 stage 7 job file.	
294	0531401		Label, Special Information	2
			Location - Label the aerial hyd oil tank outlet valve. Provide a green	2
			outline around the outrigger control for the control for that side of the truck and	
			a yellow outline for the control for the opposite side outrigger. Do this on both outrigger control panels.	
			Qty, - 02	
			Fill in Blank - Label the aerial hyd oil tank outlet valve. Provide a green	
			outline around the outrigger control for the control for that side of the truck and	
			a yellow outline for the control for the opposite side outrigger. Do this on both outrigger control panels.	
295	0682737	SP	Shelf, Wedge Style - Extra (Special Width)	2
			Qty, - 02	2
			Fill in Blank - 1 ea side at the front of the body to fill the gap between the	
			front body & the Stokes storage compt from the outside edge of the body in to	
			the edge of the nested ladder to prevent some one from stepping in the space. Reference Photo JPEG #77, 35 and 39	
^96 (	0045867		Not Required, Pump	1
	0012216		No Seal/Packing Required	1
	0012690		Not Required, Trans, Pump	1
	0669703		Not Required, Pumping Mode	1
	0024484 0046295		Not Required, Pump Shift	1
	0046295		Transmission Lock-up, Not Reg'd, NO PUMP	1
	0046283		Not Required, Auxiliary Cooling System, NO PUMP	1
	0024513		Not Required, Transfer Valve, NO PUMP Not Required, Intake Relief Valve	1
	0046403		No Relief Valve Req'd, No Pump	1
	012336		No Pump Primer Reg'd	1
307 0	012816		Not Required, Pump Manuals	1
308 0	090789		Not Required, Plumbing, No Pump	1
	014625		No Main Inlet Required	1
	584002		Not Required, Cap, Main Pump Inlet, No Side Inlet Caps Required, No Pump	1
	089389		No Valves, (No Pump)	1
	055600		Not Required, Auxiliary Inlet, Left Side	1
	029147		Not Required, Inlet, Right Side	1
	681723 681730		No Bleeder Valve, No Pump	1
	074900		Not Required, Tank to Pump, No Pump Not Required, Tank Fill	1
	092570		Not Required, Outlets, Left Side Additional	1
	092571		Not Required, Outlets, Right Side Additional	1
	092572		Not Required, Outlet, Front	1
	092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
321 0	089391		Valve, Bleeder - None Reg'd, (No Pump)	1
	035094		Not Required, Elbow, Left Side Outlets, Additional	1
ა23 0	089584		Not Required, Elbow, Right Side Outlets, Additional	1
	089394		Not Required, Outlet Control, No Pump	1
	738072		Approval Dwg, Pump Panel(s), Not Required	1
200	043115		Not Required, Pump House, Tiller	1

Line Option 327 0067658	Туре	Option Description  Not Required, Step, Slide-Out Pump Op. Platform	Qty
328 0665700			1
329 0005578		Light, Slide-Out Pump Operator Step, Not Required Panel, Pump Access - Right Side Only	1
330 0050398		Pump House Structure, N/A	1
1 0001836		No Light, No Pump Compartment	1
J32 0046400			1
333 0738373	SP	Throttle, Engine, Not Required, No Pump/Skid Pump	1
334 0035650	O.	Not Required, Indicator Light, Pump Panel, Ok To Pump, No Water Pump	1
335 0606696		Not Required, Water Level Gauge	1
336 0606831		Air Horns, (2) Grover, Stutter Tone, In Bumper	1
337 0056164		Location, Air Horns, Bumper, Right Side, Outside Frame, Same Side (Pos #1 & #2)	1
338 0547475		Control, Air Horn, Horn Ring, DS & PS Lanyard	1
339 0692039		Siren, Win 295HFSA7 200W, Dual Tone, Flush Mount	1
340 0076156		Location, Electronic Siren, Center Console	1
341 0745225		Control, Elec Siren, Head Only	1
341 0743223		Speaker, (2) Wln, SA314A, Natural Finish, 100 watt	1
342 0601559		Connection, Speaker - siren head	
343 0016080		Location, Speaker, Frt Bumper, Recessed, Each Side, Inside Frame (Pos 3 & 5)	1
344 0006097		Siren, Federal Q2B	1
344 0000037		Location of Siren, Recessed in Bumper	1
345 0026170		Location, Siren, Mech - a) Left	
346 0740392		Control, Mech Siren, DS Foot Sw, PS Push Button	1
347 0500942	SP	Sw, Siren Brake, Momentary Red, RS Overhead Sw Pnl	1
011 0000042	Oi	Push Button Location (s), Specific Instructions	1
		Location - See photo for location of the siren switch in Stage three job folder	
348 0797384	SP	Lightbar, Wln, Freedom IV-*, 3-21.5", RRRRR RRRR RRRRR, 30 Deg	1
		Filter, Whl Freedom Ltbrs - No Filters	312
349 0761000	SP	Light, Front Zone, Wln Super 600 LED, 2pr, Q Bezel, Qtm/AXT/Dash CF	1
		Color,Whln Sup600 LED,INN - i) clear	
T0 0074004	0.0	Color,Whln Sup600 LED,OUT - a) rd/rd	
50 0671381	SP	Lights, Side Zone Lower, Wln RS*02ZCR LED, Clr Lns, 6lts	1
		Location, Lights Mid - CENTERED IN THE RUB RAIL BELOW	
		COMPARTMENTS D8 - P8	
		Location, Lights Rear - CENTERED IN THE RUB RAIL BELOW COMPARTMENTS D1 - P1	
		Location, Lights Front Side - b)each side bumper	
		Color, Lt Side Front - Red	
		Color, Lt Side Middle - Red	
	Transport of Territor	Color, Lt Side Rear - Red	
351 0760483	SP	Lights, Side, Win 60*02F*R LED 2nd	2
		Location, Lights - RIGHT SIDE FRONT BUMPER ( RECESSED) RIGHT	
		SIDE REAR CREW CAB CORNER BELOW HANDRAILS, REFERENCE JPFG	
		PHOTOS	
		Qty, - 02 Color Lights Warning Red Fleeking	
		Color, Lights, Warning - Red Flashing Color, Lens, LED's - Colored	
352 0760485	SP	Lights, Side, Win 60*02F*R LED 1st	2
		Location, Lights - LEFT SIDE FRONT BUMPER ( RECESSED) LEFT	2
		SIDE REAR CREW CAB CORNER BELOW HANDLERAILS. REFERENCE	
		JPEG PHOTOS	
		Qty, - 02	
353 0587020		Color, Lens, LED's - Colored	
333 030/929			4
		Location, Lights - in the rubrail one centered under compt D5, D7, P5 and	
54 0565305	SP	Lights, Side, Win LIN3. Horizontal ontic 1 FD. White Rub Baile	0
	Viscosia		2
		and P6.	
		ana i o.	
		Qty, Lights, Pair - 2	
353 0587929 54 0565305	SP	JPEG PHOTOS	

Line Option	Туре	Option Description	Qty
355 076099	7 SP	Lights, Rear Zone Lower, Whelen 60*02F*R LED, For 3 or 4 Bezel	1
356 068656	2	Color,Whln Sup600 LED - a) rd/rd Light, Rear Zone Upper, Wln MCFLED2* LED	1
1		Color, Lens, LED's - c)clear	
		Color, Lt, Rear Upper DS - r) DS Rear Upper Red	
357 000655	1	Color, Lt, Rear Upper PS - r) PS Upper Rear Red Not Required, Lights, Rear Upper Zone Blocking	
358 000664		Electrical System, 120/240VAC, General Design	1
359 009479	4	Generator, Harrison 15kW MPC Hydraulic, Hotshift PTO	1
000 050555		Generator Interlocks - No Interlocks	(II)
360 0505796		Location, Hydraulic Generator Above Gooseneck of Tiller	1
361 0016752 362 0667336		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	1
302 0007330	S SP	Remote Start, Diesel Generator, Location	1
363 0016740	)	Location - tiller cab and generator Not Required, Fuel System	
364 0016767		Not Required, Oil Drain Extension, Generator	1
365 0016771		Not Required, Routing Exhaust, Generator	1
366 0036738	}	Circuit Breaker Panel, Included With PTO Generator	1 1
007 00000		Location, Circuit Breaker Panel - LS5, Left Wall High	-1
367 0690934	SP	Indicator, Light, AC Power On, Insrument Panel	1
368 0099354	SP	Location - In switch panel #7 next to the flood light switches.	
000 0033334	. SF	Switch, Transfer, Manual, From Generator to Another Source	1
369 0066627	T 100	Make/Model - Honda EM6500, Reel, Elect Cable, Hannay, 1600, (4) Wire	-
		Qty, Cord Reels - 1	1
		Reel Guide - b) Captive roller	
		Finish, Reel - Painted Gray	
370 0653801		Location, Electric Cord Reel - D5, High & Right, 1 Reel Reel, Elect Cable, Hannay, 1616-17-18, (4) Wire, Bumper Ext	1
		Qty, Cord Reels - 1	
		Reel Guide - b) Captive roller	
371 0066628		Finish, Reel - Painted Gray Reel, Elect Cable, Hannay, ECR-6600, (4) Wire	
		Location, Cord Reel - IN P5, guide to be as high as possible	1
		Qty, Cord Reels - 1	
		Reel Guide - b) Captive roller	
372 0086632		Finish, Reel - Painted Gray	
072 0000032		Cord, Electric, 10/4 Yellow, 4 Wire	3
		Lengths of Elect Cord - 3 Feet of Yellow Cord - e)200	
		Connection, Cord - Hubbell 30A 120/240V Twet I k	
373 0781579		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab	1
		Qty, - 01	
		Location 1 - between drivers seat and rear facing seat	
		AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Interior SS Wall Plate(s)	
374 0783678		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st	1
		Location, Receptacles - D6 forward wall under utility tray	
		Qty, - 01	
		AC Power Source - Shoreline	
375 0783675		Cover, Receptacle - Exterior Flip Up Duplex Cover(s) Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 2nd	
		Location, Receptacles - in the tiller cab under the instrument panel to one	1
		side, maich 31093	
		Qty, - 01	
		AC Power Source - Generator	
376 0519934		Cover, Receptacle - Exterior Flip Up Duplex Cover(s) Not Required, Brand, Hydraulic Tool System	
77 0755072		Aerial, 107' ASL, 750/500 Tip, 50 MPH Wind, Tiller	1
<b>J</b> 8 0762413		Light, Boom Support, Amdor AY-LB-12HW012, 12" LED	1
379 0663833		Boom Support, Raised, Tiller	1 1
		Boom Support - Compt on top of body	1

380 0755127	Туре		Qt
000 0733127		Tie Down, Rope, Per Pair, 9000lb Rating, Trailer Gooseneck, Tiller	-
		Qty, Pair - 02	
		Finish, Tie Down - nickel plated	
31 0680821		Location, Rope Tie Down - Tiller Gooseneck Boom Panel, Pair	
\		± 383	85
382 0526886		Paint Color, Predefined - RED #587	
ALCO AVERAGE SACTOR		Indicator, Extension, Inside Handrails Only, Every 10'	
383 0592992		Color - 4) white Steps, Folding, Four, Aerial Device, w/LED, Trident	
			9
384 0688232		Coating, Step - luminescent Rung Covers, Aerial Device	
385 0674963		Rung Cover Color - Safety Yellow Scabbard, Temporary Vent Saw Storage, Aerial Ladder	
		Qty, - 01	1
386 0660132		Location, Aerial Device - right side of aerial egress Plate, Painted Aluminum for Department Numbers, Aerial Device	
		Qty, - 02	2
387 0678641		Location - aerial tip, painted black with white reflective numbers. Brackets Only, Pike Pole, Aerial Fly Section	
		Qty, - 01	1
		Pike Pole Make/Model - Fire Hooks Unlimited 6' All Purpose Hook D Handle	
388 0755047	SP	Active Damping System, Removed	4
389 0678815		Brackets Only, Axe, 6lb or 8lb, Aerial Fly Section	1
390 0786841		Brackets Only, Roof Ladder, Base Section, Inboard of Boom Panel	1
		Qty, - 01	1
		Location, Aerial Device - left side	
		Roof Ladder, Make/Model, Multi-Select - 14' Duo-Safety 775-A-DR	
391 0774003	SP	Plate, Painted Aluminum for Lettering, Aerial Base Section, Each Side	
		Location - Fly section of ladder	1
392 0601972		Lights, Turntable Walkway, P25, LED	
73 0601949		Light, Turntable Console, TecNiq T-10, LED Strip Light	1
J4 0673783	SP	Turntable Handrails, Modified for Saw Box	1
395 0675062		Box, Saw Storage, Turntable	1
		Size - 16.44" high x 36.25" long x 15.25" wide. The box will be located	1
		on the turntable opposite the control console. Reference print #2095836.	
200 0050000		Latch, Door, Storage - Rubber Hood	
396 0652662	SP	Cover, Turntable, Hinged to Rear of Console IPOS	1
397 0790401		Control Stations, ASL Tiller, MUX, Color Display	1
398 0743299		Remote Tip Controls, ASL/105' MUX	1
399 0789602		Stabilizers, ASL Tractor Drawn Steel Aerial, Split Pan, 17' Spread	1
400 0500040		Material, Stabilizer Pad - Aluminum	
400 0530819		Not Required, Aerial Stabilizer Pins	1
401 0779621		Doors, Stabilizer Control Box, Valve/Electrical Distribution Box, Tiller	1
		Hinge Location - Forward	ā
		Latch, Stabilizer Door - Lift and Turn Latch, Flush	
		Door, Material & Finish, Stabilizer - Aluminum Treadolate	
		Door, Material & Finish, Access - aluminum treadplate	
102 0615054		Latch, Door, Access - lift and turn latch, flush	
103 0605561		Stabilizer Placement, Cameras w/Back-Up System, 1 Set	1
		Inclinometer, Standard, Special Locations	1
104 0786011		Location - Location to be pin pointed at mid inspection	
105 0786880		Trydraulic System, ASL Tiller	1
106 0709718		Swivels, D-Series w/Encoder, ASL-Tandem/Tiller, MUX (32 Collector Rings)	1
107 0709376		Electrical System, ASL Tiller	1
0105310		Lights, WIn MPB* Micro LED, Trk & Tip, 4lts (PAL/HAL)	1
		Location, Sw, Arl DC Lts - w) 1 location	
8 0653677		Color, WIn Lt Housing - White Paint	
.0 0000011		Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly	1
		Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw	
		Color, Lt Aerial Fly Sect - Red	
		Color, Lt Aerial Base Sect - Red	
		Color, Lt Aerial Lower Mid Sect - Red	

Line Option 408	Туре		Qt
409 0760996 SP		Color, Lt Aerial Upper Mid Sect - Red Lights, Stabilizer Warn (1) Set, Whelen 60*02F*R LED	
		Flange Kit - w)with flange	
10 0068703		Color, Whin Sup600 LED, BCK - a) rd/rd	
11 0797648	SP	Lights, Grote Supernova LED, Stabilizer Beam, (1) Set	
412 0006930	O.	Lights, Stabilizer Scene, (1) set, Truck-Lite 44308C, LED	29
413 0760161	SP	AC Power To Aerial Tip, (PAL) 20A 120V L5-20 Receptacle	
710 0700101	SP	Light, FRC, Spectra, SPA100-J20 LED, 240 Volt, Bail Mt @ Under Tip of Bas	:
		Qty, - 02	
		Location, Sw, Arl AC Lts - F) 1 Pos	
		Location, Plat/Tip AC Lts - C) Drvr and Pass	
414 0737181		Color, FRC/Rom Lt Housing - FRC Black Lts	
415 0540895		Intercom, 2-Way Fire Research ICA910 Hands Free	3
416 0024742		Not Required, Breathing Air to Tip, Aerial Ladder	
417 0066919		Not Required, Mask, Breathing Air To Tip	10
		Not Required, Raised Pedestal, Tiller	
418 0604457		Lifting Eye Assembly, Rope Rescue Attachment, ASL	
419 0793481	SP	Turntable Access, ManSaver Bars, Yellow, Left Side Hinge	
420 0790402		Waterway, High Flow, ASL-Tiller	9
421 0632855		Monitor, Akron 3480 StreamMaster II Electric w/Extended Vertical Travel	
		Nozzle, Monitor 1 PAL - Akron 5177 Flectric 1250 gpm	
422 0542380		Wireless Monitor Remote Control, Akron	
423 0010758		Flow Meter, Waterway, PAL, 110' Ascendant, MUX	
424 0512000		Inlet, Aerial Waterway, 4.00" Plumbing with 5.00" Inlet, Tiller	
425 0673128		Quick-Lock Waterway Locking System, 100' HDL, 105' HDL, ASL	
426 0745638	SP	Valve, Butterfly, Akron 7940, Waterway Inlets, Tiller	1
427 0663185	SP	Monitor Auto Stow, To Left Side Body, Tiller	1
428 0047897		Tools, Aerial	1
429 0559494			1
430 0593168		Manuals and Training, 3 Consecutive Days, Ascendant Ladder, PAL	1
100 0000100		Cab, Tiller, Sliding Doors	1
1 0636263		Sun Visor Retention - No Retention Light, Dome, FRP Dual LED 1It	1
		Color, Dome Lt - Red & White	
		Color, Dome Lt Bzi - Black	
		Control, Dome Lt White - Door Switches and Lens Switch	
432 0776974	SP	Control, Dome Lt Color - Lens Switch	
133 0751020	O,	Heater/Defroster, Tiller Cab, Electric, On/Off Switch Tiller Cab Pnl, Dual 12V	1
34 0695671		Air Conditioner, Tiller Cab, 2019	1
35 0791526	CD.	Seat, Tiller, Pierce PS6, Premium, Air Ride Hi-Back	1
	SP	Steps, Tiller Cab Access, Moved Rearward, Grip Strut, Full Width Rear, Each Side	1
36 0036977		Tiller Warning Indicators w/Seatbelt Warn in Cab	1
37 0012207		Mirror, 6" Round Convex, Tiller Cab (PR)	1
38 0099824	200	Footswitch, Engine Start in Tiller Cab, W/Master Override Switch In Tractor Cab	1
39 0797404	SP	nandrails, Tiller Cab, Stainless Steel	1
40 0051052		Window Defrost Fans (2)	1
44 00	2000	Location - one each side	1
41 0694113	SP	Guard, Rear Window, Tiller Cab	1
42 0090680		Trailer, Tandem Axle, Tiller	1
43 0090681		Walkway, Turntable to Body, Tiller	1
44 0052481		Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800#	1
45 0032125		Steering, Sheppard M110 w/tilt, TAK-4, Tiller Trailer	1
46 0032170		Brakes, Knorr/Bendix 17", Disc, TAK-4, Tiller, Non-NFPA Compliant	1
47 0052483		Suspension, Tiller 2002, 22,800#	1
48 0037018			1
49 0037030		Tires, Goodyear, G296 MSA, 425/65R22.5 20 Ply (tiller)	1
50 0037050		Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller	1
51 0007150		Oil Seals, Tiller Axle	1
0007 100		Bag of Nuts and Bolts	1
52 0602507		Qty, Bag Nuts and Bolts - 2	
52 0602507		NFPA Required Loose Equipment, Aerial, NFPA 2016, Provided by Fire Department	1
53 0602535		Extinguisher, Dry Chemical, Aerial NFPA 2016, Provided by Fire Department	1
54 0602354		Extinguisher, 2.5 Gal. Pressurized Water, Aerial,NFPA 2016,Provided by Fire Dept	1
55 0007482		Not Required, Crowbars	1

Line Option 456 0007484	Type Option Description  Not Required, Claw Tools	Qty
457 0602675		1
458 0602673	Axes, (2) Flathead, Aerial NFPA 2016, Provided by Fire Department	1
459 0007494	Axes, (3) Pickhead, Provided by Fire Department, Aerial NFPA 2016	1
0 0559573	Not Required, Sledgehammers	1
0 0000010	Paint, Single Color, Custom	1
461 0509328	Paint Color, Predefined - Red #587 Paint, Single Color, Tiller Cab	
	Paint, Color - red #587.	1
462 0646901	Paint Chassis Frame Assy, With Liner, E-Coat, Standard	,
BUT DATAS AWRICIONAL SETT	Paint Color, Frame Assembly, Predefined - Standard Black	1
463 0693797	No Paint Required, Aluminum Front Wheels	1
464 0693792	No Paint Required, Aluminum Rear Wheels	1
465 0007230	Compartment, Painted, Spatter Gray	1
466 0790913	Aerial Ladder Paint, Tiller	1
	Paint Color, Aerial Device - Gray metallic 509	1
	Paint Color, Egress - #587 red	
	Paint Color, Turntable - Gray metallic 509	
	Paint Color, Boom Support - red 587	
	Paint Color, Cylinders - grey metallic 509	
	Paint Color, Aerial Torque Box - red 587	
	Paint Color, Aerial Stabilizers - red 587	
	Paint Color, Aerial Rotation Motor - gray metallic 509	
467 0544189	Paint Color, Aerial Control Console - gray metallic 509 Reflective Band, 1"- 8"- 1"	
	Color, Reflect Band - A - i) gold	1
	Color, Reflect Band - B - I) white	
	Color, Reflect Band - C - ze) gold	
468 0007356	Reflective across Cab Face	4
469 0763906	Stripe, Chevron, Rear, Oralite, Tiller	1 .
	Color, Oralite Band - A -	- 1
70.070000	Color, Oralite Band - B -	
0 0763980	Stripe, Reflective, Oralite, Chevron Stripes, Two (2) Stabilizers	1
	Size, Stripe -	
	Color, Oralite Band - A -	
471 0027341	Color, Oralite Band - B -	
471 0027341	Jog, In Reflective Stripe, Single or Multiple	1
472 0671876	Qty, - 1	
	Stripe, Diamond Grade Chevron, Slide Out Tray, Front and Sides	5
	Location - on body	
	Color, Reflect Band - A - p) fluorescent yellow green diamond grade Qty, - 05	
473 0667294	Stripe, Reflective, Chevron, Body Compt Door Edge, Diamond Grade	7
	Location - On the four lift up body compt doors, the ladder compt door	7
	and the outside bottom edge of the tiller cab doors.	
	Qty, - 07	
	Color, Reflect Chev - A - r) red diamond grade	
474 0669646	Color, Reflect Chev - B - c) fluorescent yellow green diamond grade	
474 0003040	Stripe, Reflective, Inside Aluminum Rub Rail, DOT Red/White Style	12
475 0763983	Qty, - 12 Stripe, Oralite, Chevron, Front Bumper	
	Size, Chevron Striping -	1
	Color, Oralite Band - A -	
	Color, Oralite Band - B -	
476 0077830	Stop Sign, Reflective, Cab Doors Interior	1
477 0543998	Stripe, Reflective, Tillerman Doors Interior	1
	Color, Reflective - a) white	1
478 0033179	Lettering Specifications, Reflective	1
479 0686162	Lettering, Reflective, 3.00", Each	1
	Qty, Lettering - 12	12
	Outline, Lettering - No Outline or Shade	
480 0685985	Lettering, Reflective, 12.00", Each	4
	Qty, Lettering - 04	4
	Outline, Lettering - No Outline or Shade	

	Option 0636000	Type SP		Qí
- 401	0000000	25	Lettering, Vinyl, 36.00", Each	*
			Qty, Lettering - 02	
482	0685993		Outline, Lettering - No Outline or Shade Lettering, Reflective, 10.00", Each	
-			1 5.5.60 as 1 1 40 1 40 1 4 1 4 1 4 1 4 1 4 1 4 1 4	2
			Qty, Lettering - 24 Outline, Lettering - Outline and Shade	
483	0686033		Lettering, Reflective, 4.00", Each	
			Qty, Lettering - 14	1
			Outline, Lettering - No Outline or Shade	
484	0685979		Lettering, Reflective, 16.00", Each	
			Qty, Lettering - 04	
			Outline, Lettering - No Outline or Shade	
485	0686002		Lettering, Reflective, 8.00", Each	
			Qty, Lettering - 07	
			Outline, Lettering - No Outline or Shade	
486	0020216		Lettering, Reverse Cut Into Reflective Band, Additional	2
			Location - on cab doors, "COLUMBUS" on frontdoors and "FIRE" on crew	•
			doors	
			Qty, Lettering - 24	
487	0017268		Size, Lettering, Reflect - 06	
701	0011200		Decals, Customer furnished, Pierce installed, Per Pair	
488	0695610		Qty, - 1	
,50 (			Emblem, Reflective, Per Dept. Submittal, Each	:
			Qty, - 02	
			Location, Emblem - on the lettering mounting plates	
489 (	0599008		Size, Dept Seal, Reflect - 20" - 22" Rust Proof/Undercoat, Custom Chassis	
				ě
490 (	0578154	SP	Color, Undercoating - Black Rust proof/Undercoat, Tiller Trailer	
			Color, Undercoating - Black	
491 (	0646119		E-Coat, TAK-4 Components, Tiller Axle, Black	99
72 (	000000	STF	COLUMBUS - AKRON #EBJX-22PO3030303G - QUANTITY (5	
	000000	STF	BID #775 - COLUMBUS TILLER - FFE SHOP ITEMS	1
492 0	000000	STF	BID #775 - COLUMBUS TILLER - STF ITEMS	1
493 0	089999		Base Component for STFs	1
			Location - STF = SALES TO FURNISH - SALES REP TO ORDER -	1
			INSTALL FFE SHOP	
494 0	032773		Qty, - 1 Manuals Two (2) Fire Apparatus Ports 8 (4) CD Conference	
	032421		Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, (2) Chassis Service, (1) CD, Custom	1
	029551		Manuals, Two (2) Chassis Operation 9 (4) Operation 9	1
	030008		Manuals, Two (2) Chassis Operation, & (1) Compact Disc, Custom Warranty, Basic, 1 Year, Apparatus, WA0008	1
	696696		Warranty, Engine, Detroit DD13, 5 Year, WA0180	1
	684952		Warranty, Stopring Goor, TDW Book TAC, 4 Van Wasses	1
	596017		Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202 Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
	777373		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
	777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328 Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
	652758		Warranty ARS Brake System 2 Veer Mariter Web - WA 2000	1
	019914		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	595813		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
	660535		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	695416		Not Required, Warranty, Electrical System	1
	647720		Warranty, Pierce Camera System, WA0188	1
	046369		Warranty, Pierce LED Strip Lights, WA0203	1
	685945		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
	033401		Warranty, Transmission Cooler, WA0216	1
	596025		Not Required, Tank Warranty	1
	393126		Warranty, Structure, 10 Year, Body, WA0009	1
	012599		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
			Warranty, Pump, Not Required	1
	046370		Not Required, Warranty, No Plumbing	1
10 0	006999		Warranty, Structure, 20 Year, Aerial Device, WA0052	1
	887388		Warranty, Swivels, 5 Year, Aerial Device, WA0197	16

Line Option	Туре	Option Description	Qty
518 0685727		Warranty, Hydraulic System and Components, 3 Year/5 Year, WA0200	1
519 0687327		Warranty, Waterway, 10 Year, Aerial Device, WA0198	1
520 0595860		Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047	1
521 0609981		Warranty, Harrison Generator, 6 Year, WA0285	1
2 0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
023 0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
524 0683627		Certification, Vehicle Stability, CD0156	1
525 0610841		Certification, Engine Installation, Arrow XT, Detroit DD13, 2016, CD0144	1
526 0686786		Certification, Power Steering, CD0098	1
527 0543934		Certification, Cab Integrity, AXT, CD0011	1
528 0548949		Certification, Cab Door Durability, AXT, CD0002	1
529 0548968		Certification, Windshield Wiper Durability, AXT, CD0006	1
530 0548952		Certification, Electric Window Durability, AXT, CD0003	1
531 0549275		Certification, Seat Belt Anchors and Mounting, AXT, CD0019	1
532 0694929		Certification, Cab Heater and Defroster, AXT, CD0094	1
533 0609805		Certification, Cab Air Conditioning Performance, Arrow XT 2010, CD0140	1
534 0545073		Amp Draw Report, NFPA Current Edition	1
535 0002758		Amp Draw, NFPA/ULC Radio Allowance	1
536 0799248		Appleton/Florida BTO	1
537 0000029		TILLER BODY	1
538 0000012		PIERCE CHASSIS	1
539 0562778		DD13 ENGINE	1
540 0046396		EVS 4000 Series TRANSMISSION	1
541 0020037		NO PUMP	1
542 0020013		NO WATER TANK	1
543 0020007		AKRON VALVES	1
544 0020015		ABS SYSTEM	1
545 0658751		PUMPER BASE	1



5255 N State Route 60 NW \* McConnelsville, Ohio 43756 800-545-3280 \* 740-962-4328 \* Fax 740-962-5422 www.finleyfire.com

September 17, 2020

Columbus Division of Fire Attn: Captain Ryan Brzezinski

Finley Equipment Fire is pleased to quote you on Fire Com Intercom Systems.

Fire Com 5200D Digital Intercom with interface cable of 4 feet, 7 Radio Transmit UH, DECT 7 Headsets, Remote Antenna Permanent Mount, Wireless Base Station 5-user Radio Transmit and 7 Hanger Hooks, Yellow NFPA for Headsets.

Your cost is \$ 8,718.49 a system x 7 = \$ 61,029.43

Thank you, George Thomas



Quote

**Date:** 5/20/2020

#4509

**Expires**: 6/19/2020

17600 SW 65th Ave Lake Oswego OR 97035 United States

Ph: (503) 684-6647 Fax: (503) 620-2943 www.firecom.com

#### **ATTENTION**

Ryan Brzezinski rbrzezinski@columbus.gov 614 607-2688

**BILL TO** 

## **SALES REP**

Josh Commoss josh.commoss@soneticscorp.com 503-684-7080 x118

### SHIP TO

Columbus Division of Fire 3675 Parsons Ave Columbus OH 43207 United States

Memo: Radio: Motorola APX6500

ITEM	QUANTITY	PRICE	AMOUNT	
<b>5200D</b> DIGITAL INTERCOM 2 RADIO	7	\$1,295.00	\$9,065.00	
<b>110-5136-30</b> MR-52X,MOTOROLA, 4 FT. Motorola XTL-5000	7	\$195.00	\$1,365.00	
<b>UHW505</b> RADIO TRANSMIT UH, DECT7, HEAD	49	\$795.00	\$38,955.00	
<b>114-0138-00</b> REMOTE DECT7 ANTENNA,PERMANENT MOUNT	7	\$249.95	\$1,749.65	
WB505R WIRELESS BASE STATION 5-USER RADIO TRANSMIT	14	\$1,195.00	\$16,730.00	
<b>108-0678-00</b> HANGER HOOK, YELLOW NFPA FOR HEADSET	49	\$9.95	\$487.55	
	Subtotal Total Tax (0%)		\$68,352.20	
			\$0.00	
	Total \$68			