EXHIBIT A

Page 1 of 3

LPA RX 887 T Rev. 01/21

Ver. Date 04/05/2021 PID 110376

PARCEL 11-T2 FRA-161-12.83 TEMPORARY EASEMENT FOR THE PURPOSE OF PERFORMING THE WORK NECESSARY TO CONSTRUCT DRIVE AND GRADING FOR 24 MONTHS FROM DATE OF ENTRY BY THE CITY OF COLUMBUS, OHIO, A MUNICIPAL CORPORATION

[Surveyor's description of the premises follows]

Situated in the State of Ohio, County of Franklin, City of Columbus, lying in southeast Quarter Township 4, Township 2 North, Range 18 West, of the United-States Military Lands, part of Lot 2 of the Scioto Land Company Partition as recorded in Deed Book A, Page 194 (destroyed by fire) and re-recorded in Deed Book A, Page 21, and being part of a 8.805 acre tract conveyed to Granville Manor Properties Company, an Ohio limited partnership (hereinafter referred to as "Grantor") by deed of record in Deed Book 3280, Page 162 (Franklin County Parcel Number 010-143761-00) (all documents referenced herein are from the Franklin County Recorder's Office), and being more particularly described as follows:

BEGIN FOR REFERENCE at the centerline right-of-way intersection of East Dublin Granville Road (SR 161), (Station 679+77.56) and Maple Canyon Avenue (Station 50+00.00), being referenced by a found iron pin in concrete at centerline Station 685+80.83, (East Dublin Granville Road (SR 161)), 8.31 feet left, which bears South 85° 26' 09" East a distance of 603.59 feet;

Thence South 03° 38' 29" West a distance of 513.73 feet along centerline of Maple Canyon Avenue (60 feet in width) to a point at centerline Station 44+86.27;

Thence South 86° 21' 31" East a distance of 30 feet, leaving the centerline across Maple Canyon Avenue to a point on the southwest corner of a 1.377 acre tract conveyed to Dorsten Enterprises, Inc. by deed of record in Instrument Number 199908260217851 and being on the Grantor's northerly line, 30.00 feet right of centerline station 44+86.27;

Thence South 86° 40' 10" East a distance of 28.07 feet leaving the easterly right-of-way line of Maple Canyon Avenue along the line common to the Grantor and the said 1.377 acre tract to an iron pin set 58.07 feet right of centerline station 44+86.43 and the **TRUE POINT OF BEGINNING** for the Temporary Easement herein described;

LPA RX 887 T

Rev. 01/21

Thence South 86° 40' 10" East a distance of 9.00 feet along the line common to the Grantor and the said 1.377 acre tract to a point 67.07 feet right of centerline station 44+86.47;

Thence leaving the line common to the Grantor and the said 1,377 acre tract on the following nine (9) courses across the Grantor's 8.805 acre tract;

- 1. South 56° 22' 42" West a distance of 14.51 feet to a point 55.53 feet right of centerline station 44+77.69;
- 2. South 09° 49' 46" West a distance of 12.48 feet to a point 54.18 feet right of centerline station 44+65.28;
- 3. South 37° 33' 28" West a distance of 30.23 feet to a point 37.31 feet right of centerline station 44+40.20;
- 4. South 01° 40' 04" West a distance of 19.96 feet to a point 38.00 feet right of centerline station 44+20.25;
- 5. North 86° 21' 31" West a distance of 4.70 feet to a point 33.30 feet right of centerline station 44+20.25;
- 6. South 03° 38' 29" West a distance of 8.25 feet to a point 33.30 feet right of centerline station 44+12.00;
- 7. South 86° 21' 31" East a distance of 4.70 feet to a point 38.00 feet right of centerline station 44+12.00;
- 8. South 03° 38' 29" West a distance of 80.00 feet to a point 38.00 feet right of centerline station 43+32.00;
- 9. North 86° 21' 31" West a distance of 8.00 feet to a point on the easterly right-of-way line of Maple Canyon Ave, 30.00 feet right of centerline station 43+32.00;

Thence North 03° 38' 29" East a distance of 105.00 feet along the easterly right-of-way line of Maple Canyon Avenue to an iron pin set being 30.00 feet right of centerline station 44+37.00;

Thence North 34° 57' 12" East a distance of 54.03 feet across the Grantor's tract to an iron pin set being 58.08 feet right of centerline station 44+83.16;

LPA RX 887 T

Rev. 01/21

Thence North 03° 31' 21" East a distance of 03.27 feet across the Grantor's tract to the **TRUE POINT OF BEGINNING**, containing 0.024 acres, more or less, being subject to all easements, restrictions, and right-of-way of record.

This description was prepared by Robert J. Sands, Ohio Professional Survey Number 8053, and is based on a survey conducted by DLZ Ohio, Inc. in 2020 under his direct supervision.

The bearings for this description are based on the Ohio State Plane Coordinate System, South Zone, and reference the North American Datum of 1983 and the 2007 adjustment (NAD83(2007)), with the bearing of Maple Canyon Avenue being North 3° 38' 29" East.

Where described, iron pins set are 5/8 inch rebar, 30 inches long, with yellow caps stamped "DLZ OHIO INC."

All station and offsets referenced in this description are from the right-of-way centerline of Maple Canyon Avenue as described in the plan known as "IMPROVEMENTS OF SR 161/I71" on file with the Ohio Department of Transportation and the City of Columbus.

Robert J. Sands	Date	
Professional Surveyor No. 8053		