## **EXHIBIT A**

## PARCEL 84A-WD 0.098 ACRE (OR 4,264.33 SQUARE FEET) ALL RIGHT, TITLE AND INTEREST IN FEE SIMPLE IN THE FOLLOWING DESCRIBED PROPERTY WITHOUT LIMITATIONS OF EXISTING ACCESS RIGHTS IN THE NAME AND FOR THE USE OF THE THE CITY OF COLUMBUS, FRANKLIN COUNTY, OHIO

Grantor/Owner, for himself and his heirs, executors, administrators, successors and assigns, reserves all existing rights of ingress and egress to and from any residual area (as used herein, the expression "Grantor/Owner" includes the plural, and words in the masculine include the feminine or neuter.

[Surveyor's description of the premises follows]

Situated in the State of Ohio, County of Franklin, City of Columbus, Clinton Township, being in Quarter Township 4, Township 1 North, Range 18 West of the United States Military Lands, being part of Lot 2 of the Partition of Jacob Kiner's Heirs as recorded in Deed Book 238, page 554 (all document references are to the records of Franklin County unless otherwise stated), and being all of the remainder of that 3.5 acre tract with no Franklin County Auditor's **Parcel Number assigned** as conveyed to **Charles A. Everitt** (hereafter referred to as "Grantor") by the instruments filed as **Deed Book volume 1444, page 518** and **Deed Book volume 1444, page 547;** 

Being a parcel of land lying on the left side of the existing centerline of right-of-way of Hudson Street (60' R/W – Public) and being more particularly described as follows:

**COMMENCING FOR REFERENCE** at a 1" iron pin set in a monument box at the intersection of the centerline of right-of-way of Hudson Street and the centerline of right-of-way of Atwood Terrace and being an angle point in the said centerline of right-of-way of Hudson Street, being the southeast corner of Almada as recorded in Plat Book volume 8, page 4-B, and being the southwest corner of Lot 3 of the Partition of Jacob Kiner's Heirs as recorded in Deed Book volume 238, page 554, said pin being at station 41+57.84 of the said centerline of right-of-way of Hudson Street;

Thence along the said centerline of right-of-way of Hudson Street and the southerly line of the said Lots 3 and 2, **South 86 degrees 17 minutes 34 seconds East for a distance of 584.38 feet** to a Mag spike set at the southwest corner of the Grantor, the southeast corner of the remainder of that 3.5 acre tract as conveyed to Laura J. Haag by the instrument filed as Deed Book volume 495, page 367, being at station 47+42.21 of the centerline of right-of-way of Hudson Street, said spike being the **TRUE POINT OF BEGINNING** of the parcel herein described;

84A-WD Page **1** of **3** 

Thence along the Grantor's westerly line, and the easterly line of the said Laura J. Haag remainder tract, North 02 degrees 30 minutes 25 seconds East for a distance of 30.01 feet to an iron pin set on the existing northerly right-of-way line of Hudson Street, at the Grantor's northwest corner, the northeast corner of the said Laura J. Haag remainder tract, at the southeast corner of that tract and the southwest corner of that tract both as conveyed to The New Palistine Baptist Church by the instrument filed as Official Record volume 25654, page I14, said pin being 30.00 feet left of the centerline of right-of-way of Hudson Street station 47+41.58;

Thence along the said existing northerly right-of-way line, the Grantor's northerly line, the southerly line of the said New Palistine Baptist Church tract, and the southerly line of that 0.211 acre tract as conveyed to Margie A. Cook by the instruments filed as Instrument Number 201002090016167 and Official Record volume 5439, page F05, **South 86 degrees 17 minutes 34 seconds East for a distance of 141.82 feet** to an iron pin set (passing a <sup>3</sup>/<sub>4</sub>" iron pipe found marking the southeast corner of the said New Palistine Baptist Church tract and being the southwest corner of the said Margie A. Cook tract, at a distance of 69.70 feet) being at the northeast corner of the Grantor, the southeast corner of the said Margie A. Cook tract, and on the westerly line of that 0.19 acre tract as conveyed to Jerry Raab by the instrument filed as Official Record volume 341, page B18, said spike being 30.00 feet left of the centerline of right-of-way of Hudson Street station 48+83.40;

Thence along the Grantor's easterly line, the westerly line of the said Jerry Raab tract, **South 01 degrees 15 minutes 43 seconds West for a distance of 30.03 feet** to a Mag spike set at the southeast corner of the Grantor, the southwest corner of the said Jerry Raab tract, on the southerly line of the said Lot 2, and on the said centerline of right-of-way of Hudson Street, said spike being at station 48+84.68 of the centerline of right-of-way of Hudson Street;

Thence along the Grantor's southerly line, the said southerly line of Lot 2, and along the said centerline of right-of-way of Hudson Street, North 86 degrees 17 minutes 34 seconds West for a distance of 142.47 feet to the TRUE POINT OF BEGINNING of the parcel herein described.

The above description contains a total area of **0.098 acres**, (**0.098** acres are located within the Present Road Occupied resulting in a net take of **0.000 acres**), having no Franklin County Auditor's **Parcel number.** 

84A-WD Page **2** of **3** 

Prior instruments of record as of this writing recorded in **Deed Book volume 1444**, **page 518** and **Deed Book volume 1444**, **page 547**in the records of Franklin County.

This description was prepared by Andrew T. Jordan, Ohio Registered Professional Surveyor number 8759, and is based on an actual field survey conducted by American Structurepoint Inc., and is true and correct to the best of my knowledge and belief.

The bearing for this description are based on Grid North as referenced to South 86 degrees 18 minutes 11 seconds East for the centerline of right-of-way of Hudson Street east of Interstate Route 71 (FRA-1-25.33) as referenced to the Ohio State Plane coordinate system (South Zone) and the North American Datum of 1983, as established utilizing a GPS survey and NGS OPUS solution.

Where described, iron pins set are 5/8" rebar, 30" long, with caps stamped "ASI PS-8759".

The stations referenced herein are from the plans known as Hudson Street on file with City of Columbus, Ohio having "E" plan number 3575.

American Structurepoint, Inc.		
Andrew T. Jordan	Date	
Registered Professional Surveyor No. 8759		

84A-WD Page **3** of **3**